APPROVED DESIGN · DEFINITE SAVINGS · GUARANTEED QUALITY

Sears Honor Bilt BUILDING MATERIALS

Sears

BUILDING MATERIALS

MILLWORK

LUMBER

ROOFING

INSULATION

SEARS, ROEBUCK and CO.

AVERY LIBRARY
COLUMBIA UNIVERSITY



1938 BUILDERS

Under the new terms of the National Housing Act, it is easier than ever to build your own home. Sears aid the national building program by offering reduced prices on complete homes and materials for building or remodeling.

Get Sears Prices BEFORE YOU BUILD

Before you do any new building, be sure to get Sears new Modern Homes Catalog No. B641H, which contains views and plans of many interesting low-priced houses.

Address
SEARS, ROEBUCK AND CO.
Building Material Factory,
P. O. Box 30, Newark, N. J.

Sears Help "F.H.A." National Building Program
WITH LOWER PRICES ON READY-CUT HOMES

SEARS comply with the spirit of the new "F.H.A." Building Program by making substantial reductions in the price of ready-cut homes. We are literally "going the limit" in the effort to help America rebuild. You can buy a complete home from Sears at lower prices than were in effect last fall, and you can finance such a home on the easiest terms in history, under the new revised National Housing Act!

SEARS CAN SAVE YOU $300 TO $1000

Do you realize that you can now buy a home for approximately the same payments per month that you would pay on an automobile? To take full advantage of this outstanding opportunity to build the home you have always wanted, send at once for our new 64-page *MODERN HOMES CATALOG.* It contains illustrations, floor plans and descriptions of a wide variety of four to eight-room substantial, low priced, modern homes. It describes in detail the materials and methods used in the construction of these homes, the plumbing, heating, hardware and electrical equipment furnished. It explains how the economies effected under our plan save you from $300 to $1000 on a home purchased from us. It tells how we guarantee the quality of our materials and assure you of satisfaction.

SEARS have taken much of the effort and worry out of home building and made "Home, Sweet Home" mean something more than a mere phrase—one reason why more than a hundred thousand Sears Modern Homes have been sold to date.

ONE ORDER BRINGS EVERYTHING

Sears will show you how to make out only one order to cover all necessary plans, specifications and materials. Our system of ready-cutting all framing has proven over a period of 25 years to be the most practical type of semi-prefabrication yet devised. There are no "special" or "made-to-order" designs or sizes which increase your cost but add nothing to the value or beauty of your home. Sears plan permits you to own a larger or better home than you might otherwise be able to afford.

If you are tired of collecting rent receipts, this is your opportunity to do something about it. *Send for your Modern Homes Catalog today.*

SEARS, ROEBUCK AND CO.
Building Material Factory, P. O. Box 30, Newark, N. J.

BARNS, POULTRY HOUSES, FARM BUILDINGS

We have plans for a wide variety of stock barns, poultry houses, corn cribs and other farm buildings. Write us about your requirements.

LET SEARS SAVE YOU MONEY ON LOG CABINS, SUMMER COTTAGES AND GARAGES

Sears offer a wide selection of newly-designed Summer Cottages and Log Cabins in which you can enjoy complete relaxation from the cares and troubles of the workaday world. Now you can make your leisure time pay real dividends in health and happiness. *Send today for your copy of our Summer Cottage and Log Cabin Booklet No. B742H.*

PAGE 916 ◉ SEARS

Send for our Garage Booklet No. B636H. It lists 1 and 2-car wood and steel garages in popular, useful and economical designs. These "factory-cut" garages are individually and carefully built—as any good carpenter would build them. Waste is eliminated. Costs are minimized. We guarantee precision fitting of all parts.

Copyright 1938 by Sears, Roebuck and Co.

B572H.1.1.15.38

A MESSAGE FROM THE PRESIDENT

It is a pleasure for me to present this new catalog, with its interesting merchandise, its appealing economies and, in this particular book, a very substantial reduction in prices.

Sears catalog is far more than a collection of thousands of items of merchandise offered for sale. It is the buying guide for the nation. As you study the prices in this book, you will see that this catalog represents the adjustment necessary to bring balance once more between industrial goods and farmers' products. You have witnessed this last Fall an interruption to the prosperity curve of the country as measured by the production and use of goods. Normal price relationships between manufactured goods and the products of agriculture were altered this last Fall and in order for business to resume once more an upward course, it is necessary for manufacturers and merchants to reduce prices.

This we have done and I believe that this new Spring and Summer Catalog for 1938 is a perfect index of what goods should cost you this season. At these prices your bushel of corn or other product will buy as much of the things you need as was true in other periods of farm prosperity. Naturally, we are anxious to serve you, but whether you buy from us or from others, don't fail to use this price guide before you buy.

We have made particularly attractive prices this season, on all types of equipment needed for home building and home modernization, in line with the Federal Government's program of encouraging home construction. If you have been considering any type of building or remodeling, be sure to review our building material pages.

Sincerely,

R. E. Wood

President
Sears, Roebuck and Co.

BUILD -- REMODEL -- NOW!

Sears, Roebuck and Co. Cut Building Material Prices to Cooperate with "F H A" Building Campaign

In common with those of other commodities, building material prices have risen consistently during the past few years. This season, cooperating with the National F. H. A. Building Program, Sears reduce prices to make it worth your while to build—remodel—redecorate, now! In this undertaking we are being assisted by our sources of supply who, in turn, are cooperating with us to bring you really striking values. These articles are indicated by the "Building Special" price tag shown above. Look for it. It represents an outstanding value judged by any comparison. Here are a few of the many "Building Specials" offered in this Catalog.

THESE REPRESENTATIVE PRICE REDUCTIONS PROVE THAT YOU'LL BUILD FOR LESS IF YOU BUY FROM SEARS

Page No.	Merchandise	Fall 1937	Spring 1938	Page No.	Merchandise	Fall 1937	Spring 1938
784	8d Common Nails, 100-lb. Keg..	$3.85	$3.60	779	3½x3½ Butt Hinges, 10 Pr. for..	$ 1.80	$1.65
930	¼ in. Plywood, 48 in. by 60 in..	.84	.69	774	¼-in. Sash Cord, 100 ft.....	.95	.75
920	Combination Door, 2 ft. 6¼ in. x 6 ft. 7 in.....	5.50	5.15	887	18-in. Hercules Pipe Furnace....	48.50	46.50
				889	Hot Water Heating Boiler.....	67.50	64.50
924	2-Light Window, 1 ft. 4 in. x 3 ft. 10 in.....	1.18	1.10	889	3-Tube Radiator, Per Sq. Ft.....	.29	.27
				905	Puritan Bathroom Outfit.....	69.27	67.26
926	2-Light Window 1 ft. 9⅝ in. x 3 ft. 5 in.....	1.48	1.40	905	Delmar Bathroom Outfit.....	40.83	39.23
923	5-Panel Door, 2 ft. x 6 ft.....	2.74	2.38	899	Washington Cabinet Sink.....	62.95	57.95
931	Select Oak Flooring, 100 Sq. Ft..	6.65	6.00	898	Nu-Day Cabinet Sink.....	49.95	44.45
933	Asbestos Siding, Per 33⅓ Sq. Ft.	2.30	2.18	900	Cabinet Sink.....	36.95	32.95
939	90-lb. Oriental Roofing, Roll....	1.98	1.65	901	42-in. Delaware Sink, Fittings...	17.59	16.29
940	50 Sq. Ft. Bundle Hexagon Slate Surfaced Shingles.....	2.10	1.65	890	30-Gal. Welded Range Boiler..	6.25	5.95
				913	200-Gal. Septic Tank.....	17.45	14.95
942	1¼ in. Corrugated Steel Roofing, —6 ft. x 26 in. Sheet.....	.50	.48	965	Master-Mixed Paint,5 Gal.lots,Gal	2.55	2.39
				958	Super Service Varnish, Gal.....	3.89	3.35
936	Best-of-All Wallboard, 4 ft. x 6 ft.	.78	.69	961	Super Service Enamel, Gal.....	2.65	2.49
917	Composition Tile Board, 4 ft. x 4 ft.	4.00	3.20	877	Rubber Covered Wire, 100 ft...	.92	.68
934	3½ in. Rock Wool Insulation Batt	1.30	1.15	878	Armored Cable, 100 ft.....	3.09	2.59
778	Inside Door Lock, 12 for.....	5.34	5.04	883	5-Light Electric Fixture.....	2.59	2.39

Building Materials for Winona 6-Room House, Fall 1937, $1599—Spring 1938, $1479—See Page 916

SEARS GUARANTEE INSURES YOUR SATISFACTION


AVERY LIBRARY COLUMBIA UNIVERSITY

Your best friend and our severest critic is the Sears Laboratory—the largest merchandise control laboratory in the world. Here merchandise of every kind is tested to make certain that it will satisfy you—one hundred percent. Here an article must pass torture tests specially designed to prove that it possesses the essential qualities you demand. If it passes these tests, it's good —and finds its way into the Sears-Roebuck Catalog.

The Sears Guarantee is as simple and straight-forward as the Golden Rule—as binding as a legal contract. It is meant to insure your entire satisfaction with everything you buy from Sears, Roebuck and Co. More than twelve million American Families have confidence in the sincerity of this Guarantee. You, too, can buy from Sears—with confidence.

We Guarantee

- **TO SAVE YOU MONEY**
- **TO DELIVER ALL MERCHANDISE SAFELY**
- **TO SATISFY YOU PERFECTLY**

We Guarantee that every article in this catalog is honestly described and illustrated.

We Guarantee that any article purchased from us will give you the service you have a right to expect.

If for any reason whatever you are not satisfied with any article purchased from us, we want you to return it to us at our expense. We will then exchange it for exactly what you want, or will return your money, including any transportation charges you have paid.

Sears, Roebuck and Co. 2◉

SEARS EASY PAYMENT PLAN

Take Advantage of Sears New Low Prices and Buy the Better Qualities

Ever since Easy Payment buying became an accepted and desired method of purchasing merchandise, Sears have offered this service to enable responsible people to buy wanted goods and pay a little each month out of income.

With Sears Easy Payment Plan you can acquire desirable home-furnishings, building materials and equipment, profit-producing, and labor-saving devices now while Sears prices are so low. It enables you to have the best quality now, instead of disturbing your savings, or waiting for the ready cash.

Select as many different articles as you wish from the list at right, just so their cash prices total $20 or more. Add up the cash prices, deduct the amount you are sending as a deposit (See Deposit Table below), then find the carrying charge and monthly payment in the Payment Table. Use one of the Easy Payment Order Blanks in the back of your catalog, answer the questions asked, enclose your deposit, and mail to us.

Remember that Sears carrying charges are figured on the unpaid balance only, so by sending a larger deposit you pay a lower carrying charge.

Sears are here to serve you whether you buy for cash or use your credit. Either way, you get the benefit of the substantial savings for which Sears prices are so well known.

Figure Your Credit Terms This Easy Way

DEPOSIT TABLE

Shows least amount to send with order

If Cash Price of Your Order Amounts to:	All You Need to Send With Order Is *
$20.00 to $30.00	$3.00
30.01 to 40.00	4.00
40.01 to 60.00	5.00
60.01 to 70.00	6.00
70.01 to 80.00	7.00
80.01 to 90.00	8.00
90.01 to 100.00	9.00
100.01 to 125.00	10.00
125.01 to 150.00	12.50
150.01 to 175.00	15.00
175.01 to 200.00	17.50
200.01 to 225.00	20.00
225.01 to 250.00	22.50
250.01 to 275.00	25.00
275.01 to 300.00	27.50

* This column shows the smallest amount we can accept with your order. However, since the carrying charge and payments (see PAYMENT TABLE at right) are figured on the balance after subtracting deposit, it is to your advantage to send as large a deposit with your order as you conveniently can.

PAYMENT TABLE

Shows carrying charge and monthly payment

If Cash Price Less Deposit (Unpaid Balance) Amounts to	We Will Add As Carrying Charge	Amount Payable Monthly
Up to $15.00	$1.50	$3.00
$15.01 to 20.00	2.00	3.00
20.01 to 25.00	2.50	4.00
25.01 to 30.00	3.00	5.00
30.01 to 35.00	3.50	5.00
35.01 to 40.00	4.00	5.00
40.01 to 50.00	4.50	5.00
50.01 to 60.00	5.50	6.00
60.01 to 70.00	6.50	7.00
70.01 to 80.00	7.50	7.00
80.01 to 90.00	8.50	8.00
90.01 to 100.00	9.50	9.00
100.01 to 110.00	10.00	9.00
110.01 to 120.00	11.00	10.00
120.01 to 130.00	12.00	10.00
130.01 to 140.00	13.00	11.00
140.01 to 150.00	14.00	11.00
150.01 to 160.00	15.00	11.00
160.01 to 170.00	16.00	12.00
170.01 to 180.00	17.00	12.00
180.01 to 190.00	18.00	13.00
190.01 to 200.00	19.00	14.00
200.01 to 225.00	20.00	15.00
225.01 to 250.00	22.50	16.00
250.01 to 275.00	25.00	17.00

Write for Terms on Purchases Over $300.00

Sears Cash Prices for Guaranteed Quality, Laboratory-Tested Merchandise are the lowest cash prices you'll find anywhere. And Sears Credit Prices, based as they are on the cash price plus a fair carrying charge on the unpaid balance only, are, we believe, the Lowest Credit Prices You'll Find Anywhere!

SEARS

EASY PAYMENT TERMS

WHAT YOU CAN BUY ON EASY PAYMENTS

- Air Compressors
- Auto Trailers
- Awnings
- Bicycles
- Building Materials
- Cameras
- Cast Aluminumware
- Clocks
- Cream Separators
- Dairy Barn Equipment
- Diamond Rings
- Dinnerware
- Draperies
- Electric Health Lamps
- Electric Meat Grinders
- Farm Equipment
- Fencing
- Floor Coverings
- Furniture
- Gasoline Engines
- Harness and Saddles
- Heating Equipment
- Ironers
- Light Plants, Batteries
- Lighting Fixtures
- Men's Suits
- Motors
- Musical Instruments
- Office Equipment
- Outboard Motors
- Paint and Varnish
- Plumbing Equipment
- Poultry Supplies
- Power Lawn Mowers
- Power Tools
- Pressure Cookers
- Radios
- Refrigerators
- Roofing
- Sewing Machines
- Shotguns and Rifles
- Silverware
- Spraying Equipment
- Stainless Steel Utensils
- Stoves and Ranges
- Surveying Instruments
- Typewriters
- Vacuum Cleaners
- Venetian Blinds
- Washing Machines
- Watches
- Welding Outfits
- Wheel Chairs
- Window Shades

AVERY LIBRARY
COLUMBIA UNIVERSITY

Important Information
FOR ALL SEARS CUSTOMERS

Lowest Prices Always . . . Sears prices save you money and give you the greatest possible value. If during the life of this catalog, for any reason whatever, we reduce the price of any of the merchandise shown in this book, your order will be filled at the new lower prices.

Include Proper Postage . . . Most prices in this catalog do not include postage. The shipping weights are shown in descriptions; In ordering turn to Page 1000 which shows how to figure what postage to send. We always return every penny over the actual postage required.

Important About Prices . . . Sears prices are so low that should the Federal Government or any State increase by taxes, or otherwise, the cost or selling price of any merchandise listed in this catalog . . . we reserve the right to add any such increased cost to prices in this book.

Sears "Color-Graph" . . . facing first pink index page in back of book, shows you actual colors of many articles of merchandise. You will find the Color-Graph useful, not only in the selection of articles you want, but also in making up your own color schemes and ensembles.

Store Mail Order Service . . . All of Sears Retail Stores now accept orders from this catalog for merchandise to be shipped direct to your home. Ask any sales person for the "Mail Order Desk" where mail order representatives are on hand to help you with your order.

About Catalog Prices . . . The prices quoted on articles of merchandise in this book apply only to orders from this catalog when placed by mail, telephone, telegraph or through the catalog order desk of any Sears Retail Store, Order Office, Authorized Agent or Associated Dealer.

About Retail Prices . . . Sears retail prices are usually somewhat higher than mail order prices because of the additional transportation costs and extra services which our Retail Stores, Agents and Associated Dealers are equipped to offer on the merchandise they carry in stock.

Come to See Us . . . Next time you are in the vicinity of one of Sears ten Big Mail Order Houses, please consider this a cordial invitation to come and visit us. We'll be mighty glad to see you, take you through our mail order house and show you how your orders are handled.

Orders Filled Quickly . . . Your order is always handled in the quickest possible time at Sears. As soon as we receive it . . . skilled experts fill it, pack it and ship it. Most orders are on their way to the customer in much less than 24 hours. Sears service is always dependable.

Handy Shipping Points . . . Often it is greatly to your advantage to have our heavier and bulkier merchandise shipped direct to you from nearby factories or warehouses. In the description of such merchandise, we specify the various shipping points from which we make delivery.

Freight Is Economical . . . It pays to build your order up to 100 pounds or more and take advantage of low, economical freight rates. Perhaps your neighbors will group their orders with yours to make up an order of 100 pounds or more. See Pages 998 and 999.

Direct-to-Door Delivery . . . Ask your station or freight agent about direct-to-door delivery service on freight orders. Some railroads are prepared to deliver merchandise direct to your home at regular freight rates. Others offer this service at a small additional charge.

TWO WAYS TO ORDER FROM THE SEARS-ROEBUCK CATALOG

SEND US YOUR ORDER BY U. S. MAIL . . . OR

For 51 years Sears have sold dependable merchandise by mail, at a saving to the customer. For more than half a century—through three generations—Sears-Roebuck have been the "home store" to countless thrifty families. This Catalog, we believe, offers you even greater savings than heretofore. On almost every page you'll find that Sears have reduced prices to new low levels. This brings you an opportunity—to build, remodel, refurnish your home, equip your place, clothe the family—and save substantially on everything you buy. So look through this catalog and compare. Figure your savings all along the line. Then order with the confidence—that now, of all times, is THE TIME to Shop at Sears and Save.

VISIT THE CATALOG DESK IN ANY SEARS STORE

Trained attendants at the Catalog Order Desk in any Sears Retail Store will help you order from this Catalog. There you will find our big Mail Order Sample Book with actual swatches of many popular catalog articles. All of Sears Special Catalogs, listing many articles not included in the General Catalog, are there also. If you would like more information about Merchandise, Shipping Charges, Easy Payment Terms or anything else that may not be clear to you, just ask. Our representatives will be glad to help you. Or, if not convenient to visit a Sears Retail Store, write "Personal Service" at your nearest Sears Mail Order House for any special information you want. Trained employes will answer your questions.

IF IT HAS THE 4-STAR LABEL IT'S DEFINITELY SUPERIOR

Throughout this catalog you will find certain articles marked with one or the other of these "Four-Star Feature" labels. We take this means to point out to you special merchandise which we particularly recommend. Whenever you come across one of these "Four-Star Feature" labels, remember that it indicates an exceptional value as well as quality you will be especially proud to own.

BEAUTIFY YOUR Bathroom

WALLS FOR AS LITTLE AS $22.50

FOR AVERAGE 5 FT. BY 7 FT. BATHROOM

WITH Sears-Tyle BOARD

SEARS-TYLE Board is ideal for kitchens, dens, restaurants, display rooms, tea rooms, barber shops, beauty parlors, doctors' offices, lobbies, hospitals, hotels, theaters, and many other places.

How often have you heard some one say, "Your home looks as old as your bathroom?" And how often have you wished you could afford real tiled walls in your own bathroom With SEARS-TYLE Board, we bridge the gap between "wishing" and "realization"—giving you a material that looks like tile, wears much like tile and cleans as easily as tile. It will give old or new walls an appearance similar to those found in the most expensive homes—**at a cost that's surprisingly low!**

CLEANS LIKE PORCELAIN ENAMEL

SEARS-TYLE Board is ⅛-inch thick, on a heavy composition base, overlaid with a brightly enameled, glass-smooth surface that can't be penetrated by dirt, grease, vermin or boring insects. Waterproof and acid-proof, also crack, warp and chip-resistant. Washes as easily as porcelain enamel. Supplied in large, easily handled sheets, 4x4 feet (16 square feet), scored in 4x4-inch tile pattern. Fastens by cement over old plaster. In new homes, SEARS-TYLE Board is cemented to rock lathe or plaster board which is nailed to studding. A few nails may be driven in score lines to hold board while cement sets. Nail holes are filled with black or white putty to match score lines.

CHOICE OF TWO SURFACE FINISHES. GLISTO, which we recommend for bathrooms and kitchens, has a glossy highly polished finish. VELVO has a velvet (no polish) finish. Glisto is furnished in choice of 5 colors and Velvo in choice of 4 colors as noted in listing. Velvo Sears-Tyle Board is made exactly like Glisto except that it has a dull finish. It is used in basements, recreation rooms or laboratories where a lower priced yet serviceable and colorful board is desired.

EASY TO INSTALL

Can be sawed, nailed and planed like lumber. Covers any kind of old or new wall surface. We furnish easy-to-understand setting directions.

Chrome Metal Molding

Used to finish off the edges of the large sheets of SEARS-TYLE Board. Illustration at right shows outside corner, inside corner, end strip and division strip, respectively. For prices see listing at right.

Choice of 5 Beautiful Colors



GLISTO Sears-Tyle Board

Color	Scoring
White	Black
Black	White
Orchid 418	White
Green 325	White
Cream 718	White

(Numbers after colors refer to COLOR-GRAPH facing first pink index page.) **State color.**

63 HM 6578—Sheets 4x4 feet. Shipping weight, 16 lbs. **Per sheet** **$3.20**

VELVO Sears-Tyle Board

Furnished in

Color	Scoring
White	Black
Green 306	White
Yellow 630	White
Blue 202	White

63 HM 6580—Sheets 4x4 ft. Shipping wt., 16 lbs. **Per sheet** **$2.50**

CAP MOLDING

Width, 1½ inches. Score lines 8 inches apart. Furnished only in glossy Black with white scoring. Prices are per 4-ft. length.

63 HM 6579 Shipping weight, 1 pound... **60c**

BASE MOLDING

Width, 4 inches. Score lines 8 inches apart. Furnished only in glossy Black with white scoring. Prices are per 4-ft. length.

63 HM 5480 Shipping weight, 2¾ lbs.... **70c**

CEMENT—Per Gallon Can

63 HM 6581 Shipping weight, 15 lbs... **$1.00**

NAILS AND PUTTY

For an average size job.

63 HM 6584 Shipping weight, 1 pound **25c**

CHROME METAL MOLDING

63 HM 6585—In-corner. Per 4-ft. length. Shipping weight, 1½ lbs.. **48c**

63 HM 6605—Out-corner. Per 4-ft. length. Shipping weight, 1½ lbs.. **48c**

63 HM 6606—End Strips. Per 4-ft. length. Shipping weight, 1½ lbs.. **40c**

63 HM 6607—Division Strips. Per 4-ft. length. Shipping weight, 1½ lbs.. **48c**

CERAMIC FLOOR TILE WEARS LIKE STONE!





Choice of "Hex" or "Square" Pattern

Sears White Ceramic Floor Tile is the ideal flooring for bathroom, kitchen, hallway or vestibule because it is non-absorbent, sanitary and easy to keep clean. Not affected by wear, water, steam or sunlight. Never requires polishing, rubbing or oiling. Can't rot or deteriorate in any way. In fact, it can only be compared to real stone for durability.

This floor tile is made from a mixture of clays and minerals pulverized, blended, baked and glazed, and providing a granite-like hardness. Comes securely fastened to sheets of paper and properly spaced to allow for cementing. It is easily laid according to the instructions which we furnish. Comes in WHITE only. Choice of 1-inch hexagon pattern or ¾-inch square pattern as illustrated above. Average shipping weight per square foot, 3 lbs. 8 oz.

63 HM 1000—1-inch Hexagons. **Per square foot** **30c**

63 HM 1030—1-inch Hexagons with Black or Blue Rosettes—**State which. Per square foot**.... **30c**

63 HM 1044—¾-inch Squares. **Per square foot** **30c**

SEARS-TYLE BOARD
Sold on EASY PAYMENTS

Include other modernizing material in your order and use our Easy Payment Plan explained on Page 1A of this catalog.



Chromium Plated Forged Brass Built-in Bathroom Fixtures

Skilfully forged solid brass built-in bathroom fixtures surfaced with permanent, non-tarnishing chromium—a rich finish that will lend a great deal of tone to your bathroom. Easily cleaned. Setting instructions furnished.

Catalog No.	Name of Article	Shpg.Wt.	Each
63 HM 9512	(A) Combination Soap Dish and Grab Bar, Recessed 6x6 in.	2 lbs. 6 oz.	$3.59
63 HM 9524	(B) Robe Hook	10 oz.	89c
63 HM 9529	(C) Paper Holder Recessed 6x6 in.	1 lb. 10 oz.	$2.59
63 HM 9520	(D) Tumbler and Tooth Brush Holder	1 lb. 7 oz.	1.49
63 HM 9521	(E) Soap Dish with Glass Tray	1 lb. 9 oz.	1.69
63 HM 9517	(F) 18-in. Square Towel Bar and Brackets	1 lb. 14 oz.	2.59
63 HM 9518	(F) 24-in. Square Towel Bar and Brackets	2 lbs. 2 oz.	2.79
63 HM 9527	7-Piece Set	11 lbs. 10 oz.	14.89



Glazed Porcelain Flange Type Built-in Bathroom Fixtures

Covered with a deeply fused glaze that glistens with color and beauty. Easily installed. Save by buying the complete set. In Black, White or Green—**State color.**

Catalog No.	Name of Article	Shpg. Wt.	Each
63 HM 9395	(A) Soap Holder	3 lbs.	$0.95
63 HM 9397	(B) Paper Holder	5 lbs.	1.09
63 HM 9396	(C) Tumbler Holder	3 lbs.	.95
63 HM 9398	(D) Soap Dish and Grab Bar	4 lbs.	1.39
63 HM 9399	(E) Toothbrush and Toothpaste Holder	2 lbs.	39c
63 HM 9400	(F) 18-inch Square Towel Bar and Brackets	3 lbs.	69c
63 HM 9401	(F) 24-inch Square Towel Bar and Brackets	3 lbs.	79c
63 HM 9403	7-Piece Set	22 lbs.	$5.95

We furnish instructions for installation.

Low Prices TO STIMULATE BUY NOW!. . . PRICES

ENTRANCE DOORS In All Popular Designs

Choose your entrance door carefully! It's something you have to look at every time you enter your home—let it remind you of a wise purchase. Sears give you a larger selection to choose from—a range of eight popular styles, built in accordance with the highest standards of the National Door Manufacturers' Association. In addition, we give you the extra savings made possible by ownership of two large millwork factories—conveniently located to give you a still further saving in freight charges. We ship direct from factory to you and you make a worthwhile saving on every item you buy from us.

Made of Selected Pine or Fir

Doors made of No. 1 Pine or Fir (see listings below and on opposite page) are entirely clear and are suitable for light stain, paint or any finish; doors of No. 2 Fir may contain a few slight imperfections which do not affect the strength or wearing quality of the door and which are not noticeable under dark stain or paint. They are equally as well made as the doors of No. 1 quality. All fine quality glass in Sears doors. See top of opposite page for other features of construction.

We recommend the doors shown on this page for front entrances and the doors on opposite page for rear or side entrances. Our Style "R" Door may also be had in special utility door sizes—see listing on opposite page. This type of door is used as a storm door, porch door, garage service door, basement door, etc.



Colonial Design
Cat. Nos. 63 HM 668 and 63 HM 388. See table below for prices.



9-Light Design
Cat. Nos. 63 HM 364, 63 HM 365, 63 HM 387 and 63 HM 389. See below.



6-Light Design
Cat. No. 63 HM 750. Also offered with two panels (Cat. No. 63 HM 889)

Our Feature Exterior Door
Cat. Nos. 63 HM 886 and 63 HM 887. Provides plenty of light for front entrances. The multiple small panes lend an air of distinction.

Offered in "Boston" or "New York" Style

You will note in the price tables below that "doors" and "Complete Door Sets" are indicated as "Shipped from Newark" or "Shipped from Boston." In territory served by our Newark, N. J. factory, millwork sizes and specifications are slightly different from those used in New England.

However, as a demand exists in the territory served by our Boston Mail Order House for millwork of "Western" specifications, we are making these items available for our New England customers and they are listed in our price tables as "Shipped from Newark."

The main difference between door sets shipped from Newark and door sets shipped from Boston is in the frame and trim specifications, described at bottom of opposite page. "Doors Only" are shipped from same points as the door sets immediately following in the price table. For instance, Door 63 HM 886 is available from either Boston or Newark, whichever is closer and you pay freight from nearer point; Door 63 HM 668 is available from Boston only; Door 63 HM 389 is available from Newark only. Send all orders to Boston.

Doors and Complete Door Sets Below Shipped From Factory Near Boston

Sizes not priced are not carried in stock SIZE OF DOOR				Average Shipping Weight, Pounds		Style K—15-Light Design 1⅜-in. First Quality Pine			Style K—15-Light Design 1¾-in. First Quality Pine			Style L—Colonial Design 1¾-in. First Quality Pine			Style M—9-Light Design 1⅜-in. First Quality Pine			Style M—9-Light Design 1¾-in. First Quality Pine			Style N—6-Light Design 1¾-in. First Quality Pine		
							Complete Door Set			Complete Door Set			Complete Door Set			Complete Door Set			Complete Door Set				Complete Door Set	
Width		Height				1⅜-Inch Door Only	With Backband Trim	With Round Edge Trim	1¾-Inch Door Only	With Backband Trim	With Round Edge Trim	1¾-Inch Door Only	With Backband Trim	With Round Edge Trim	1⅜-Inch Door Only	With Backband Trim	With Round Edge Trim	1¾-Inch Door Only	With Backband Trim	With Round Edge Trim	1¾-Inch Door 3 Panels	With Backband Trim	With Round Edge Trim
Ft.	In.	Ft.	In.	Door Only	Door Sets	63 HM 886	63 HM 405	63 HM 406	63 HM 887	63 HM 403	63 HM 404	63 HM 668	63 HM 417	63 HM 418	63 HM 364	63 HM 411	63 HM 412	63 HM 365	63 HM 415	63 HM 416	63 HM 750	63 HM 751	63 HM 752
2	8	6	8	62	128	$6.18	$10.81	$10.66	$7.80	$12.43	$12.28	$6.30	$10.93	$10.78	$6.70	$11.33	$11.18	$8.58	$13.20	$13.05	$8.35	$12.98	$12.83
3	0	6	8	63	130	6.38	11.19	11.00	8.07	12.88	12.69	6.73	11.54	11.35	7.20	12.00	11.82	9.15	13.95	13.75	....	.....	.....
2	10	6	10	64	131	.....	.....	.....	.....	.....	.....	6.85	11.80	11.61	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	0	7	0	70	135	6.69	11.56	11.39	8.48	13.37	13.18	7.20	12.07	11.90	7.57	12.46	12.27	9.65	14.54	14.35	9.45	14.32	14.15

Doors and Complete Door Sets Below Shipped From Factory in Newark, N.J.

SIZE OF DOOR				Average Shipping Weight, Pounds		Style K—15-Light Design 1⅜-in. First Quality Pine			Style K—15-Light Design 1¾-in. First Quality Pine			Style L—Colonial Design 1¾-in. First Quality Fir			Style M—9-Light Design 1⅜-in. First Quality Fir			Style M—9-Light Design 1¾-in. First Quality Fir			Style N—6-Light Design 1¾-in. First Quality Pine		
							Complete Door Set			Complete Door Set			Complete Door Set			Complete Door Set			Complete Door Set				Complete Door Set	
Width		Height				1⅜-Inch Door Only	With Backband Trim	With Round Edge Trim	1¾-Inch Door Only	With Backband Trim	With Round Edge Trim	1¾-Inch Door Only	With Backband Trim	With Round Edge Trim	1⅜-Inch Door Only	With Backband Trim	With Round Edge Trim	1¾-Inch Door Only	With Backband Trim	With Round Edge Trim	1¾-Inch Door 2 Panels Only	With Backband Trim	With Round Edge Trim
Ft.	In.	Ft.	In.	Door Only	Door Sets	63 HM 886	63 HM 376	63 HM 377	63 HM 887	63 HM 374	63 HM 375	63 HM 388	63 HM 372	63 HM 373	63 HM 387	63 HM 368	63 HM 369	63 HM 389	63 HM 370	63 HM 371	63 HM 889	63 HM 380	63 HM 381
2	8	6	8	62	128	$6.18	$11.27	$11.12	$7.80	$12.89	$12.74	$5.25	$10.34	$10.19	$6.40	$11.49	$11.34	$7.50	$12.59	$12.44	$8.15	$13.24	$13.09
3	0	6	8	70	135	6.38	11.66	11.47	8.07	13.35	13.16	5.60	10.88	10.69	6.95	12.23	12.04	8.05	13.33	13.14	8.45	13.73	13.54
3	0	7	0	70	135	6.69	12.06	11.87	8.48	13.85	13.66	5.98	11.35	11.16	7.20	12.57	12.38	8.45	13.82	13.63	9.07	14.44	14.25

Your Savings Are Greater When You Buy Doors in Complete Sets



When you buy doors in complete sets, your saving is greater than on doors alone, for in addition to your saving on the door, you enjoy the additional saving on the frame, trim, threshold and hardware which are included in the complete set. **And on top of that you get a door that is already mortised for lock** (see detail in small illustration at right). With complete door sets, there is no sorting or hunting for various parts. Reduce carpenter bills . . . get a better job! Every piece of trim is cut to approximate size—no waste, no loss, no shortage. Sears guarantee satisfaction. Shown at left are items included with complete door sets (except door). They are:

One Door, mortised for lock.

One Door Frame, 63 HM 2456 (from Boston) or 63 HM 9949 (from Newark) illustrated and described on opposite page.

One Set of Interior Trim, either Backband (2-member) or Round Edge (1-member) Design in Pine (from Boston) or Fir (from Newark.) See bottom of opposite page.

Detail of Mortise

One oak threshold (illustrated and described on Page 931).

One Set of Hardware. Solid steel bit-key 3-tumbler lock set and three wrought steel butt hinges, all in dull brass finish; also keys and screws for hardware. (See illustration (X) at left.)

Cylinder Lock Set Optional on complete door sets. If you wish the 2-section bronze cylinder lock set shown on doors (K), (L) and (M) above and also in separate illustration (Y), instead of lock set shown in (X), include $4.95 extra with order for complete set, and specify "Cylinder Lock Set" on your order.

Doors purchased singly can be mortised to receive any lock set shown on Pages 778–779 for 25c extra per door. State Cat. No. of lock for which door is to be mortised and state if hinges are to be on right or left hand side as you face door from the outside.



BUILDING . . . HAVE BEEN REDUCED!

BUILDING SPECIAL! ONLY $3.65 And Up



Expertly Made of Highest Quality Materials



Sears Entrance Doors are the best values the market affords, **reduced from Fall Catalog** to give you still greater savings. They are held together with strong dowels, set with water-resisting glue. Stiles and rails are tightly fastened. Note also the strong, attractive dividing bars and the precision-fitted, attractively arranged panels. Bead and cove moldings are a part of the solid stiles and rails and are accurately milled to give extra tight-fitting joints.

Note that items in tables below are shipped either from Newark, N. J., or Boston, which are the locations of our factories. These factories serve their adjacent territories, and the specifications of millwork used in these territories vary. For instance, there is a slight variation in specifications between "Boston" style trim and frames and "Western" style trim and frames, as described at bottom of page. See opposite page for further description of these differences.

FREE ESTIMATES

Allow our trained estimators to study your problem of rebuilding, repairing or remodeling. There is no cost or obligation for this service. Send us a list of all the items you need to rebuild, repair or modernize your home—lumber, roofing, hardware, paint, insulation, plumbing, etc. In estimating your needs, we'll save you money by eliminating needless "special" and "made-to-order" designs or sizes.

SHIPPING WEIGHTS:
Average shipping weight of doors only, 56 to 70 lbs.; average shipping weight of complete door sets, 120 to 135 lbs. Shipping points of doors only and complete door sets indicated below in listings.

Style "R" UTILITY DOOR
Used as storm door, porch or basement door, etc. Shipped from Boston or Newark.

1⅜ In. Thick Width Ft.	Width In.	Height Ft.	Height In.	Avg. Shpg.Wt. Lbs.	No. 2 Fir Flat Panels 63 HM 6808
2	6	6	7	40	$3.29
2	6	6	9	41	3.42
2	8	6	9	42	3.58
2	8	7	1	48	3.95
2	10	6	11	48	4.05
3	0	6	9	48	4.25
3	0	7	1	50	4.30



1-Light Utility Door
Cat. Nos. 63 HM 755 and 63 HM 6808. See tables below and at left for sizes.



3-Light Design
Cat. No. 63 HM 2566. With three flat panels. See prices in table below.



4-Light Design
Cat. No. 63 HM 635. With three flat panels. Priced in table below.

1-Light Design—Cat. No. 63 HM 142. Our most popular style! Comes in No. 2 Fir. 1⅜ inches thick. See table below for sizes and prices.

All Doors Can Be Bought on EASY PAYMENTS

Sears Easy Payment Plan enables you to remodel and repair now. Take advantage of this plan while Sears prices are so low. It is simple, fair, sound—and saves you money! See Page 1A of this Catalog for complete information.

Sizes not priced are not carried in stock

SIZE OF DOOR Width Ft.	Width In.	Height Ft.	Height In.	Style R—1-Light Design 1⅜-in. Second Quality Fir Door: 1⅜-Inch Door Only 63 HM 755	Complete Door Set Shipped from Boston: With Backband Trim 63 HM 793	Complete Door Set Shipped from Boston: With Round Edge Trim 63 HM 883	Complete Door Set Shipped from Newark: With Backband Trim 63 HM 396	Complete Door Set Shipped from Newark: With Round Edge Trim 63 HM 397
2	6	6	6	$3.68	$8.26	$8.11	$8.67	$8.52
2	6	6	8	3.79	8.41	8.25	8.83	8.67
2	8	6	8	3.98	8.61	8.46	9.07	8.92
2	10	6	10	4.57	9.38	9.19	9.85	9.66
3	0	7	0	4.78	9.67	9.48	10.15	9.96

Style S—3-Light Design 1⅜-in. Second Quality Fir Door: 1⅜-Inch Door Only (From Newark Only) 63HM2566	Complete Door Set Shipped from Newark: With Backband Trim 63HM2567	Complete Door Set Shipped from Newark: With Round Edge Trim 63HM2568
$4.05	$9.04	$8.89
4.15	9.19	9.03
4.35	9.44	9.29
4.77	10.05	9.86
5.20	10.57	10.38

Style T—4-Light Design 1⅜-in. Second Quality Fir Door: 1⅜-Inch Door Only 63 HM 635	Complete Door Set Shipped from Boston: With Backband Trim 63 HM 409	Complete Door Set Shipped from Boston: With Round Edge Trim 63 HM 410	Complete Door Set Shipped from Newark: With Backband Trim 63 HM 384	Complete Door Set Shipped from Newark: With Round Edge Trim 63 HM 385
$3.88	$8.46	$8.31	$8.87	$8.72
3.98	8.60	8.44	9.02	8.86
4.18	8.81	8.66	9.27	9.12
4.47	9.28	9.09	9.75	9.56
4.88	9.77	9.58	10.25	10.06

Style V—1-Light Design 1⅜-in. Second Quality Fir: 1⅜-Inch Door Only 63 HM 142	Complete Door Set Shipped from Boston: With Backband Trim 63 HM 407	Complete Door Set Shipped from Boston: With Round Edge Trim 63 HM 408	Complete Door Set Shipped from Newark: With Backband Trim 63 HM 382	Complete Door Set Shipped from Newark: With Round Edge Trim 63 HM 383
$3.65	$8.23	$8.08	$8.64	$8.49
3.69	8.31	8.15	8.73	8.57
3.88	8.51	8.36	8.97	8.82
4.47	9.23	9.09	9.75	9.56
4.63	9.52	9.33	10.00	9.81

A 2-member design that is popular in all sections. Made of First Quality Clear lumber.

Door Trim

We include with all complete door sets, choice of Backband (2-member) or Round Edge (1-member) design trim as illustrated at right and left, in sufficient quantity to finish around the door inside the house, as indicated in large illustration on opposite page. **Door Trim Specifications:**

"Boston" Style (shipped from factory in Boston): All Casings—¾x3⅝ in. Yellow Pine. Backband (on "Backband Design" only)—¾x1⅛ in. Yellow Pine.

"New York" Style (shipped from factory in Newark): All Casings—¾x3⅝ in. Douglas Fir. Backband (on "Backband Design" only)—1⅛x1⅛ in. Douglas Fir.

Shipping Points

"Boston" style doors, complete door sets, trim sets or frames shipped from factory near Boston. "New York" style items are shipped from factory in Newark, N. J.



A 1-member design that is simple and attractive. Made of First Quality Clear Lumber.



Shown above is style of frame shipped from Boston. See specifications at right.

Door Frames

We furnish, with each complete door set, a door frame of highest quality.

Door Frame Specifications: All frames first quality—machined and fitted.

"Boston" Style: (Shown at left.) (No drip cap.) Outside Casings—¾x4¼ in. Pondosa Pine. Sills (Threshold)—1¾x9½ in. Hard Pine. Jambs—1⅜x5¼ in. Douglas Fir.

"New York" Style: (Shown at right.) Drip Cap—1⅛x1⅝ in. Cypress. Outside Casings—1⅛x4¼ in. Cypress. Sills (Threshold)—1⅝x7¼ in. Douglas Fir. Jambs—1⅜x5¼ in. Douglas Fir.

Frames Sold Separately

We list frames separately in case you don't need complete door set. Sizes shown are outside measurement of door.



Shown above is style of frame shipped from Newark. See specifications at left.

SIZE OF DOOR Width Ft.	Width In.	Height Ft.	Height In.	From Boston: Backband Design 63HM2444	From Boston: Round Edge Design 63HM9452	From Boston: Average Shipping Weight, Pounds	From Newark: Backband Design 63HM9902	From Newark: Round Edge Design 63HM9673	From Newark: Average Shipping Weight, Pounds
2	6	6	6	74c	59c	12	74c	59c	12
2	6	6	8	75c	59c	12	75c	59c	12
2	8	6	8	75c	60c	13	75c	60c	13
3	0	6	8	84c	65c	14	84c	65c	14
2	10	6	10	84c	65c	15	84c	65c	15
2	8	7	0	84c	65c	15	84c	65c	15
3	0	7	0	84c	65c	16	84c	65c	16

Prompt Shipments

Sears own millwork and lumber factories are among the world's largest. Our Newark, N. J., factory, for instance, covers 50 acres, and is equipped with the latest, most efficient machinery to be had for the manufacture of quality doors, windows, sash, frames, trim, etc. These enormous factory facilities enable us to render complete, prompt, satisfactory service, cut costs and increase savings. We ship direct from factory to you and you make a worth-while saving on every item you buy from us.

Prices of Frames Sold Individually

SIZE OF DOOR Width Ft.	Width In.	Height Ft.	Height In.	Frame Shipped from Boston 63 HM 2456	Average Shipping Weight, Pounds	Frame Shipped from Newark 63 HM 9949	Average Shipping Weight, Pounds
2	6	6	6	$2.93	38	$3.34	41
2	6	6	8	2.97	40	3.39	42
2	8	6	8	3.02	41	3.48	44
3	0	6	8	3.12	47	3.59	50
2	10	6	10	3.12	44	3.59	47
2	8	7	0	3.11	44	3.58	47
3	0	7	0	3.21	47	3.69	50

Sears Easy Payment Plan Is Convenient. Turn to Page 1A

EASY PAYMENTS on Page 1A


REPLACES TWO DOORS
BUILDING SPECIAL!
$5.15 And Up
Two Doors in One . . Installation Is Permanent . . No Rehanging . . Simply Change Panels . . So Simple Even a Child Can Do It

Stormlite

COMBINATION SCREEN AND STORM DOORS

- **Doors "A," "B" and "C" made of finest quality clear Pondosa Pine sanded smooth, ready for any finish; style "D" door is equally as strong, with same high quality wire and glass, but made of not quite as high grade pine; all doors 1⅛ inches thick.**
- **All joints mortised, tenoned, pinned and glued with waterproof glue, making doors unusually strong and rigid—won't pull out of shape.**
- **Special fastener device holds panels tight—prevents rattling.**
- **Fine quality clear glass for storm panels—held with molded wood beads.**
- **Choice of 14-mesh galvanized or 16-mesh copper-bronze wire on Style "B" and "C" doors. Style "D" door has 14-mesh galvanized wire only. Style "A" door has either 16-mesh galvanized or 16-mesh copper-bronze wire. All screen wire held tight with flush molding.**

No more rehanging or storing separate doors each spring and fall! No more changing hinges—no more heavy labor changing from storm door to screen door and vice versa. Sears Combination (Storm-Screen) Doors stay on the year round. Simply change the light weight panels as the child is doing in the illustration, which takes only two or three minutes. Saves time, saves labor, saves the cost of an extra door!

We furnish our combination doors in choice of galvanized or copper bronze screen wire, except door "D" which is furnished in 14-mesh galvanized wire only. Our galvanized wire is made of pure open hearth steel wire, well coated with pure zinc and guaranteed for five years. Our copper bronze screen wire is guaranteed for 25 years and never needs painting. It is well worth the difference in cost.

Priced Low for NATIONAL HOUSING CAMPAIGN





STYLE "A"—Our Feature Door

Made of finest quality clear Pondosa Pine, 1⅛ inches thick. The storm panel has eight lights, and approximately the same glass area as our Style "B" door. Large screen panel with cross bars for strength, 16-mesh wire. **Shipped only from** factory in Northern New Jersey.

Door Size 1⅛ In. Thick				Shpg. Wt. Lbs.	Style "A"	
Width		Height			16-Mesh Galvanized Wire Screen Panel 63HM2410	16-Mesh Bronze Wire Screen Panel 63HM2412
Ft.	In.	Ft.	In.			
2	6¼	6	7	45	$5.15	$5.39
2	6¼	6	9	48	5.20	5.45
2	8¼	6	9	50	5.35	5.61
2	10¼	6	11	60	5.60	5.88
3	¼	6	9	73	5.60	5.85
3	¼	7	1	75	5.82	6.10

STYLE "B"—Our Finest Door

Made of first quality Pondosa Pine, 1⅛ in. thick. Storm panel has 12 lights, affording more light in winter. Screen panel is made with cross bars for strength and better appearance. The large screen panel also permits more air circulation. **Shipped from** factory near Boston.

Door Size 1⅛ In. Thick				Shpg. Wt. Lbs.	Style "B"	
Width		Height			14-Mesh Galvanized Wire Screen Panel 63HM2420	16-Mesh Bronze Wire Screen Panel 63HM2421
Ft.	In.	Ft.	In.			
2	6¼	6	7	45	$5.55	$5.90
2	6¼	6	9	48	5.60	6.00
2	8¼	6	9	50	5.83	6.17
2	10¼	6	11	60	6.08	6.42
3	¼	6	9	73	6.00	6.35
3	¼	7	1	75	6.23	6.57

STYLE "C"—Our Biggest Value

Same quality materials as our Style "A" and "B." Has 6-light storm panel and large divided screen for summer. Two horizontal panels below opening give the door a distinctive appearance. Suitable for all entrances. **Shipped from** factory near Boston or Northern New Jersey.

Door Size 1⅛ In. Thick				Shpg. Wt. Lbs.	Style "C"	
Width		Height			14-Mesh Galvanized Wire Screen Panel 63HM2406	16-Mesh Bronze Wire Screen Panel 63HM2407
Ft.	In.	Ft.	In.			
2	6¼	6	7	45	$4.57	$4.95
2	6¼	6	9	48	4.71	5.10
2	8¼	6	9	50	4.87	5.25
2	10¼	6	11	60	5.17	5.57
3	¼	6	9	73	5.11	5.49
3	¼	7	1	75	5.37	5.75

STYLE "D"—Our Bargain Leader

As strong as Styles "A," "B" and "C" but of 2nd Quality Pine. Screen wire permanently affixed, only storm panel is removable. Screen wire is 14-mesh and only supplied in galvanized. Six-light storm panel. **Shipped from** Our Mail Order Store in Boston or factory in Northern New Jersey.

Door Size 1⅛ In. Thick				Shpg. Wt. Lbs.	Style "D"
Width		Height			14-Mesh Galvanized Wire Screen 63HM2360
Ft.	In.	Ft.	In.		
2	6¼	6	7	45	$3.95
2	6¼	6	9	48	4.05
2	8¼	6	9	50	4.15
2	10¼	6	11	60	4.30
3	¼	6	9	73	4.40
3	¼	7	1	75	4.42

SEARS SCREEN DOORS STAND HARD BANGS!



- **Made of First Quality genuine Pondosa Pine, 1⅛ inches thick**
- **Sanded smooth, ready for finishing**
- **All members strongly mortised and tenoned**
- **Best grade of rust-resisting 14 or 16-mesh galvanized or 16-mesh copper-bronze screen wire**

No door takes harder punishment than the screen door—it gets banged fifty to one-hundred times a day. Sears screen doors are built to stand rough, hard usage. We use only first quality Western Pondosa Pine, 1⅛ inches thick before sanding. All joints are mortised and tenoned to give them perfect rigidity. The screen is tightly stretched and held securely with flush molding. Sears 16-mesh screen wire is guaranteed to keep out mosquitoes.

Choice of Galvanized or Copper Bronze Wire

We guarantee our copper-bronze wire for longest wear and lowest cost per year of service. As stiff and strong as steel, it is also absolutely rustproof, and the wire in these screen doors is guaranteed for 25 years. It's the ideal screening for damp or salt air climates. Our galvanized wire is well coated with pure zinc and guaranteed for five years.

Doors 63 HM 14 and 63 HM 15 are shipped from factory near Boston. Doors 63 HM 16 and 63 HM 22 are shipped from factory in Newark, N. J. Doors 63 HM 17 and 63 HM 23 are shipped from either point. Send all orders to Boston.

Average shipping weight of Screen Doors, 40 lbs.

3-Panel Style—Illustrated at Left

Size				63 HM 14 14 Mesh Galv.	63 HM 16 16 Mesh Galv.	63 HM 17 16 Mesh Bronze
Width		Height				
Ft.	In.	Ft.	In.			
2	6¼	6	7	$2.22	$2.32	$2.98
2	8¼	6	9	2.36	2.46	3.18
2	10¼	6	11	2.47	2.57	3.37
3	¼	6	9	2.50	2.60	3.43
3	¼	7	1	2.59	2.69	3.55

1-Panel Style—Illustrated at Right

Size				63 HM 15 14-Mesh Galv.	63 HM 22 16-Mesh Galv.	63 HM 23 16-Mesh Bronze
Width		Height				
Ft.	In.	Ft.	In.			
2	6¼	6	7	$2.75	$2.85	$3.35
2	8¼	6	9	2.88	2.98	3.55
2	10¼	6	11	3.00	3.10	3.75
3	¼	6	9	3.05	3.15	3.80
3	¼	7	1	3.15	3.25	3.95



See Page 783 for Hardware for Screen and Combination Doors. You may buy Screen or Combination Doors on our convenient Easy Payment Plan—details on Page 1A.



The operation of the door is simplicity itself—nothing to get out of order. Door is balanced by counterweight hung from two ropes suspended from pulleys.

"Exceedingly Pleased"

Sears, Roebuck and Co.:

I purchased your overhead garage door 63HM423 and let me assure you that I am exceedingly pleased with it. It's just what I wanted and I admire the ease of operating it.

Rev. J. J. Gloudemans,
Brussels, Wis.

Showing ease of opening door from outside—a slight pull outward, then a push upward—door literally floats up out of the way, forming protective overhead canopy.

Extremely Simple to Operate

Sears reduce the cost of building by offering a newer and better overhead door at **about half the price of ordinary overhead doors.** It's the simplest, safest and easiest operating overhead door on the market. It is fully patented and can be purchased only from Sears. It definitely ends the inconvenience associated with ordinary swinging doors, as it cannot be blown open by wind or locked in by ice or snow on the driveway.

There's nothing like it for simplicity. A child can operate it. Perfectly counterbalanced, so that a turn of the door handle to unlatch door and with a slight pull it floats up and out of the way. Door is permanently suspended at top, requiring no added head room or floor space, leaving these and side walls entirely clear. No more skill or experience required for hanging an HONOR-BILT PATENTED OVERHEAD DOOR than for a swinging or sliding door. In fact, you can install it easier and faster. Instructions furnished.

The ideal door for private or public garages, gas and oil service stations, factories, fruit and vegetable markets, road stands and many other businesses.

All Hardware and Fittings Included

Complete HONOR-BILT PATENTED OVERHEAD DOOR includes all necessary hardware—extra heavy guaranteed—consisting of 3 pair of 8-inch "T" hinges; angle iron guide tracks; auto door handle type lock; ball bearing triple roller guides; pulleys; steel center rope cable and all necessary screws, cord, wire clamps and mold for making concrete counter balance weight. To save transportation costs, the counterbalance weight is not included.

Door is made in two sections (upper and lower) of selected Douglas Fir, 1⅜ in. thick and has clearance of 7 feet 2 inches in height when opened. The panels are 3-ply laminated Douglas Fir. All corners and cross members of stiles and rails are accurately milled and tightly joined together. Glazed with clear glass firmly held with molded wood beads. Sanded smooth. **Shipped from** our Mail Order House in Boston or factory in Newark, N. J., whichever is closer. You pay freight only from nearer point. Send orders to Boston.

63 HM 423—Over-all size, 8 ft. wide by 7 ft. 10 in. high, complete with hardware and instructions for hanging. Shipping weight, 220 pounds.. **$26.50**

FRENCH DOOR PRICES REDUCED!

At right, 10-light design; Below, 15-light design



Finest Quality Doors of Approved Design

Interiors seem so much larger when rooms are connected with French Doors. They are really interior windows, giving extra light while still affording privacy. Sears offer **French Doors** made of First Quality Pondosa Pine or Douglas Fir 1⅜ inches thick of approved standard design, nicely grained, accurately milled, tightly assembled, well glazed and smoothly sanded ready for any finish. Offered in choice of 10-light or 15-light design in pairs. For single French doors, see our 15-light design 63 HM 886 on Page 918. Prices include T-shaped astragal to close joint between two doors.

HOW TO ORDER. State Cat. No., thickness and size of pair. For mortising for lock, add 25c per pair of doors. State Cat. No. of lock. We recommend using 3 pair 3½-in. butt hinges for hanging. See Index for lock sets. Frames and Trim are described on Page 919; Jambs on Page 923. These items are also listed separately below. Average shipping weight of French Doors 100 lbs.; Frames 63 lbs.; Jambs 28 lbs.; Trim Sets, 18 lbs. Complete Door Sets, 175 lbs.

Savings Are Greater on Complete French Door Sets

For your convenience and greater saving we offer a special price on complete "Interior French Door" sets. These **complete sets** include **one pair French Doors, door jamb, two sets of Backband Trim, and dull brass finish hardware, consisting of 3 pairs of wrought steel butt hinges; 1 bit key lock set; keys and screws for hardware.** If 1 pair of surface bolts is wanted add 45 cents and mark your order accordingly. These items are described in detail on the following two pages. Doors in sets are mortised for lock—no chance of spoiling a door because of poor mortise. All Pondosa Pine French doors and complete sets are shipped from factory near Boston. All Douglas Fir French doors and complete door sets shipped from factory in Newark, N. J.

PONDOSA PINE FRENCH DOORS AND COMPLETE SETS (Shipped from factory near Boston.)

Pair Size 1⅜ In. Thick				No. of lights each Door	Doors Only not Mortised Per Pair 63 HM 7000	Complete French Door Sets with Inside jamb, trim, doors (mortised for lock) and hardware 63 HM 7038	Outside Door Frame (Illus. on Page 919) 63 HM 2456	Inside Door Jambs (Illus. on Page 923) 63 HM 2462	Back Band Trim (Illus. on Page 919) Per Side 63 HM 2444
Width		Height							
Ft.	In.	Ft.	In.						
4	0	6	6	10	$8.78	$13.72	$3.42	$1.44	90c
4	0	6	8	10	8.89	13.87	3.47	1.44	92c
4	0	7	0	10	9.40	14.54	3.56	1.60	92c
5	0	6	6	15	10.69	15.75	3.77	1.52	92c
5	0	6	8	15	10.75	15.80	3.81	1.52	92c
5	0	7	0	15	11.35	16.55	3.90	1.67	92c

DOUGLAS FIR FRENCH DOORS AND COMPLETE SETS (Shipped from factory in Newark, N. J.)

Pair Size 1⅜ In. Thick				No. of lights each Door	Doors Only; not Mortised. Per Pair 63 HM 9698	Complete French Door Sets with Inside jamb, trim doors (mortised for lock) and hardware 63 HM 7032	Outside Door Frame (Illus. on Page 919) 63 HM 9949	Inside Door Jambs (Illus. on Page 923) 63 HM 3678	Back Band Trim (Illus. on Page 919) Per Side 63 HM 9902
Width		Height							
Ft.	In.	Ft.	In.						
4	0	6	6	10	$7.89	$12.54	$3.94	$1.15	90c
4	0	6	8	10	7.95	12.67	3.99	1.18	92c
4	0	7	0	10	8.45	13.17	4.09	1.18	92c
5	0	6	6	15	10.50	15.22	4.34	1.18	92c
5	0	6	8	15	10.60	15.32	4.39	1.18	92c
5	0	7	0	15	11.15	15.87	4.50	1.18	92c

BUY YOUR GARAGE DOOR ON EASY PAYMENTS . . . SEE PAGE 1A

Standard Garage Doors to Hang on Hinges or Run on Track

Garage doors do take abuse—they've got to stand a lot of punishment. Here is why we say Sears garage doors are extra strong. They are made of high quality Douglas Fir. 63 HM 9720 doors are 1⅜ inches thick—others are 1¾ inches thick. All corners and cross members are mortised and tenoned for extra strength and rigidity, strongly glued, and made proof against sagging and warping by strong wood dowels. They are glazed with clear glass firmly held with wood beads. Sanded smooth, ready for any finish. Can be hung on side hinges, folded against side of garage or run on track as indicated in the small illustrations at right. See Pages 779 and 780 of this catalog for complete garage door hardware. Shipped carefully packed to reach you bright and clean.

Why not buy your garage door and other millwork on Sears **Easy Payment Plan** as described on Page 1A? It's simple, fair, convenient—and saves you money! Solid All-Panel Two-Door style door shipped only from factory in Newark, N. J. Glazed Panel style doors shipped only from factory near Boston. Send all orders to Boston. Large stocks permit us to make immediate shipment of your order. Average shipping weight, 1⅜-inch doors, 145 pounds; 1¾-inch doors, 190 pounds.

Size Per Pair or Set	Solid All-Panel Two-Door Style Per Pr. 1⅜-in. thick 63 HM 9720	Glazed-Panel Two-Door Style Per Pr. 1¾-in. thick 63 HM 2449	Glazed-Panel Three-Door Style Set of 3 1¾-in. thick 63 HM 2437
8x7 ft.	$11.25	$13.45	$14.20
8x7½ ft.	11.35	13.55	14.30
8x8 ft.	11.45	13.65	14.40



Solid All-Panel and Glazed Panel Two-Door doors can be hung on side hinges. All you need to buy extra are hinges and lock. See Page 779.

Glazed panel 3-door style garage doors can be hung to permit two sections to swing around curved overhead track. For hardware see Page 780.

Glazed panel 3-door style garage doors can also be hung to permit two sections to fold against side of garage on a straight track. See Page 780.

Now YOU CAN REMODEL OR

. . . SEARS PRICES SAVE YOU

Widest Selection of Designs

Here, without doubt, is the widest selection of popular interior doors to be found in any mail order catalog—and at prices substantially below those in effect last year—Sears definite contribution to the national program for rebuilding. From a construction standpoint, these doors are unsurpassed. The quality is the finest to be had—we use only selected woods that are thoroughly seasoned. Accurate milling by the most modern machinery obtainable and expert assembly combine to produce doors that are strong and rigid, that will not warp or shrink, and that will be a continual source of admiration. Each door is attractively grained and smoothly sanded, ready for light or dark stain, paint, enamel or any finish. They are wrapped in tough paper and securely crated to reach you bright and clean. **All doors are 1⅜ inches thick** and conform in all respects to the standard grading practice adopted by the National Door Manufacturers' Association. Solid stiles and rails. Doors can be purchased separately or in complete door sets. See opposite page for additional construction details.

FROM FACTORY TO YOU. Shown at left is one of our great millwork factories, a 50-acre plant located at Newark, N. J. Such enormous factory facilities enable us to render prompt service at costs lower than usual.

Shown above is our finest interior door, Style "K," Insert Panel (sub-frame) design, 63 HM 181 in Fir, 63 HM 6828 in Pine.

Our 6-panel, Style "L" door, 63 HM 669 and 63 HM 673, imparts a look of fine simplicity.

Our 1-panel, Style "M" door, 63 HM 191, is a well-designed popular favorite.

Our Mirror Door, Style "N," 63 HM 9045, is fully described above at right.

MIRROR DOORS

Mirror Doors (Style "N" at left) are a real necessity in every home. Use them for closet doors, and in reception halls and bedrooms. These doors are the same as our 63 HM 181 (Style "K") shown at extreme left and are made of No. 1 Fir, 1⅜ inches thick. Glazed with finest quality, thick polished genuine plate glass mirror. The mirror sets flush with face of door. This door requires three 3½-inch butt hinges instead of two. See Page 778 for hardware. You may buy your mirror door with other millwork on our convenient Easy Payment Plan. See Page 1A for further information.

SIZE OF DOORS All Doors 1⅜ In Thick				Average Shipping Weight Pounds		STYLE "K"—Insert Panel Design			STYLE "L"—Colonial Design		
						Door Only No. 1 Pine	Complete Door Set Shipped from Boston		Door Only No. 1 Fir	Complete Door Set Shipped from Newark	
Width		Height					With Backband Trim	With Round Edge Trim		With Backband Trim	With Round Edge Trim
Ft.	In.	Ft.	In.	Door Only	Door Set	63HM6828	63 HM 586	63 HM 587	63 HM 181	63 HM 9793	63 HM 9568
2	0	6	0	37	89	$3.95	$7.46	$7.14	$3.42	$6.63	$6.31
2	0	6	6	42	94	4.15	7.66	7.34	3.59	6.76	6.44
2	4	6	6	46	98	4.58	8.09	7.77	3.82	7.03	6.71
2	0	6	6	48	100	4.80	8.31	8.01	3.97	7.18	6.86
2	0	6	8	45	97	4.22	7.75	7.41	3.59	6.82	6.48
2	4	6	8	49	101	4.68	8.21	7.87	3.88	7.11	6.77
2	6	6	8	50	102	4.87	8.40	8.06	4.01	7.24	6.90
2	8	6	8	52	104	5.10	8.63	8.31	4.16	7.39	7.07

STYLE "L"—Colonial Design				
Door Only No. 1 Pine	Complete Door Set Shipped from Boston		Door Only No. 1 Fir	Complete Door Set Shipped from Newark	
	With Backband Trim	With Round Edge Trim		With Backband Trim	With Round Edge Trim
63 HM 669	63 HM 2438	63 HM 2439	63 HM 673	63 HM 9571	63 HM 9572
$3.78	$7.29	$6.97	$2.93	$6.14	$5.82
3.94	7.45	7.13	3.06	6.27	5.95
4.29	7.80	7.48	3.34	6.55	6.23
4.48	7.99	7.69	3.50	6.71	6.39
4.00	7.53	7.19	3.10	6.33	5.99
4.37	7.90	7.56	3.41	6.64	6.30
4.54	8.07	7.73	3.54	6.77	6.43
4.72	8.25	7.93	3.69	6.92	6.60

FREE ESTIMATES

Are you planning to remodel, build or repair? Why not allow our technicians to study your problem? Send us your list of materials. We will send you an accurate price quotation on everything you require.

SIZE OF DOORS All Doors 1⅜ In Thick				Average Shipping Weight Pounds		STYLE "M"—1-Panel Design			STYLE "N"—Mirror Door		
						Door Only No. 1 Fir	Complete Door Set Shipped from Newark		Door Only No. 1 Fir	Complete Door Set Shipped from Newark	
Width		Height					With Backband Trim	With Round Edge Trim		With Backband Trim	With Round Edge Trim
Ft.	In.	Ft.	In.	Door Only	Door Set	63 HM 191	63HM9567	63HM9569	63HM9045	63 HM 159	63 HM 160
2	0	6	0	37	89	$2.62	$5.83	$5.51			
2	0	6	6	42	94	2.75	5.96	5.64	$15.90	$19.11	$18.79
2	4	6	6	46	98	3.03	6.24	5.92	19.45	22.66	22.34
2	6	6	6	48	100	3.18	6.39	6.07			
2	0	6	8	45	97	2.80	6.03	5.69	16.45	19.68	19.34
2	4	6	8	49	101	3.10	6.33	5.99	20.20	23.43	23.09
2	6	6	8	50	102	3.23	6.46	6.12			
2	8	6	8	52	104	3.38	6.61	6.29			

DOOR JAMBS ONLY (Described Below)				TRIM SETS ONLY (Described Below)			
From Boston	From Newark		Avg. Shpg. Wt. Jambs Only Lbs.	From Boston		From Newark		Avg. Shpg. Wt. Trim Sets Only Lbs
Rabbeted for 1⅜-In. Doors	Without Door Stops	With Door Stops		Backband Design Per Side	Round Edge Design Per Side	Backband Design Per Side	Round Edge Design Per Side	
63HM2462	63HM9943	63HM9678		63HM2444	63HM9452	63HM9902	63HM9673	
$1.28	81c	98c	15	74c	58c	74c	58c	11
1.28	81c	98c	16	74c	58c	74c	58c	12
1.28	81c	98c	16	74c	58c	74c	58c	12
1.28	81c	98c	16	74c	59c	74c	59c	12
1.28	81c	98c	17	75c	58c	75c	58c	13
1.28	81c	98c	18	75c	58c	75c	58c	13
1.28	81c	98c	18	75c	59c	75c	59c	14
1.28	81c	98c	19	75c	60c	75c	60c	15

1st Quality Douglas Fir Jambs

Interior door jambs are included in the prices of complete door sets as listed above, or sold individually as per separate listing in table above. All jambs are made of First Quality Douglas Fir -smooth and clean, with side jambs dadoed to receive head jambs.

Rabbeted jambs (New England Style) are 1⅜x5¼ inches, rabbeted to take 1⅜ inch doors. These are shipped only from factory near Boston.

Plain jambs with stops (Western Style) are ¾x5¾ inches, with stops ⅜x1⅜ inches. These are shipped only from factory in Newark, New Jersey. Send all orders to Boston.

We show both the rabbeted style jamb, in demand in most parts of Massachusetts and vicinity, as well as the plain jamb style with or without stops, which is popular in most all localities.

Choice of Backband or Round Edge Trim

We include with all complete door sets, choice of Backband (2-member) or Round Edge (1-member) design trim as illustrated at right, in sufficient quantity to finish around the door inside the house, as indicated in illustrations above.

Door trim shipped from factory near Boston has casings ¾x3⅝ in., made of First Quality Yellow Pine. Backband molding (on Backband design trim) is ¾x1⅛ in. Yellow Pine.

Door trim shipped from factory in Newark, New Jersey, has casings ¾x3⅝ in., made of First Quality Douglas Fir. Backband molding (on Backband design trim) is 1⅛x1⅛-in. Fir.

Price tables show plainly the shipping point from which each item is available. Items marked "From Boston" are available only from factory near Boston. Items marked "From Newark" are available only from factory in Newark, N. J.



IMPROVE YOUR HOME

AS MUCH AS 25% TO 30%



BUILDING SPECIAL! $2.38 And Up

Shown above is our 5-panel design, 63 HM 192 in No. 1 Fir and 63 HM 204 in No. 2 Fir. We feature it because of the popular, conventional design and low price.

Sears doors are held together with strong dowels set in waterproof glue. Bead and cove moldings are a part of the solid stiles and rails. Panels are of 3-ply laminated Fir, laid crossgrain and firmly cemented with waterproof glue; non-warping and non-splitting. Panels are firmly inserted into accurately cut grooves to insure snug fit. Our doors of No. 1 Fir or Pine (see headings over listing below) are perfectly sound and free from imperfections or blemishes, and therefore ideal for transparent finishes that show natural grain of wood. Doors of No. 2 Fir are equally strong and well made, but may contain a few slight imperfections that do not affect wearing quality and which are not noticeable under dark stain or paint.

All doors on these pages have flat, "laminated" Fir panels except 63 HM 669, which has raised Pine panels and 63 HM 140, which has raised Fir panels.

HOW TO ORDER

State catalog number and size, giving width first. If the door jamb or frame is already in place, take size from that. For new openings, first make rough opening 3 inches larger each way than the finished door. This allows sufficient space for setting door jamb, its supporting blocks and finished floor at bottom. Door trim sets will cover edges around outside of jamb.

Shipping Information. To meet the needs of our customers, we carry all the general items in common demand. Items indicated as "From Boston" are shipped only from factory near Boston; "From Newark," only from Newark, N. J. Send all orders to Boston.

Style "R," 2-panel door, 63HM193, combines good taste with simplicity.

Style "S," 3-panel door, 6 HM 756, a popular design and excellent value.



Style "T," 63 HM 140, has four raised panels and an air of distinction.

Buy Your Interior Doors on EASY PAYMENTS

Sears Easy Payment Plan enables you to remodel or improve your home now while Sears prices are low. Take advantage of this convenience. See Page 1A in the front of this catalog. You pay carrying charges only on the unpaid balance. You may buy other millwork, roofing and building materials under this Plan.

SIZE OF DOORS All Doors 1⅜-In. Thick				Average Shipping Weight Pounds		STYLE "R"—2-Panel Design			STYLE "S"—3-Panel Design			STYLE "T"—4-Panel Design					
Width		Height				Door Only No. 1 Fir	Complete Door Set Shipped from Boston		Door Only No. 1 Fir	Complete Door Set Shipped from Newark		Door Only No. 2 Fir	Complete Door Set Shipped from Newark		Door Only No. 2 Fir	Complete Door Set Shipped from Boston		Door Only No. 2 Fir	Complete Door Set Shipped from Newark	
Ft.	In.	Ft.	In.	Door Only	Door Set	63 HM 193	With Backband Trim 63 HM 9574	With Round Edge Trim 63 HM 774	63 HM 193	With Backband Trim 63HM 807	With Round Edge Trim 63 HM 9546	63 HM 756	With Backband Trim 63HM9549	With Round Edge Trim 63 HM 588	63 HM 140	With Backband Trim 63 HM 165	With Round Edge Trim 63 HM 166	63 HM 140	With Backband Trim 63 HM 161	With Round Edge Trim 63 HM 162
2	0	6	0	37	89	$2.59	$6.10	$5.78	$2.59	$5.50	$5.48	$2.35	$5.56	$5.24	$2.64	$6.15	$5.83	$2.64	$5.85	$5.53
2	0	6	6	42	94	2.72	6.23	5.91	2.72	5.93	5.61	2.46	5.67	5.35	2.76	6.27	5.95	2.76	5.97	5.65
2	4	6	6	46	98	3.00	6.51	6.19	3.00	6.21	5.89	2.71	5.92	5.60	3.01	6.52	6.20	3.01	6.22	5.90
2	6	6	6	48	100	3.09	6.60	6.30	3.09	6.30	5.98	2.85	6.06	5.74	3.15	6.66	6.36	3.15	6.36	6.04
2	0	6	8	45	97	2.76	6.29	5.95	2.76	5.99	5.65	2.50	5.73	5.39	2.80	6.33	5.99	2.80	6.03	5.69
2	4	6	8	49	101	3.06	6.59	6.25	3.06	6.29	5.95	2.77	6.00	5.66	3.07	6.60	6.26	3.07	6.30	5.96
2	6	6	8	50	102	3.12	6.65	6.31	3.12	6.35	6.01	2.89	6.12	5.78	3.19	6.72	6.33	3.19	6.42	6.06
2	8	6	8	52	104	3.15	6.68	6.36	3.15	6.38	6.06	3.02	6.25	5.93	3.32	6.85	6.53	3.32	6.55	6.23

PRICES REDUCED!

Prices of all doors have been substantially reduced to aid the National Housing Campaign. Take advantage of these prices now—let Sears save you money on everything you need to remodel, repair or modernize.

SIZE OF DOORS All Doors 1⅜-In. Thick				Average Shipping Weight Pounds		STYLE "V"—5-Panel Design									DOOR JAMBS ONLY (see opposite page)				TRIM SETS ONLY (see opposite page)				
Width		Height				Door Only No. 1 Fir	Complete Door Set Shipped from Boston		Door Only No. 1 Fir	Complete Door Set Shipped from Newark		Door Only No. 2 Fir	Complete Door Set Shipped from Newark		From Boston	From Newark		Avg. Shpg. Wt. Jambs Only Lbs.	From Boston		From Newark		Avg. Shpg. Wt. TrimSets Only Lbs
Ft.	In.	Ft.	In.	Door Only	Door Set	63 HM 192	With Back-band Trim 63 HM 780	With Round Edge Trim 63HM9573	63 HM 192	With Back-band Trim 63HM9565	With Round Edge Trim 63HM9547	63 HM 204	With Back-band Trim 63HM9548	With Round Edge Trim 63 HM 589	Rabbeted for 1⅜-in. Doors 63HM2462	Without Door Stops 63HM9943	With Door Stops 63HM9678		Backband Design Per Side 63HM2444	Round Edge Design Per Side 63HM9452	Backband Design Per Side 63HM9902	Round Edge Design Per Side 63HM9673	
2	0	6	0	37	89	$2.55	$6.06	$5.74	$2.55	$5.76	$5.44	$2.38	$5.59	$5.27	$1.28	81c	98c	15	74c	58c	74c	58c	11
2	0	6	6	42	94	2.69	6.20	5.88	2.69	5.90	5.58	2.50	5.71	5.39	1.28	81c	98c	16	74c	58c	74c	58c	12
2	4	6	6	46	98	2.96	6.47	6.15	2.96	6.17	5.85	2.75	5.96	5.64	1.28	81c	98c	16	74c	58c	74c	58c	12
2	6	6	6	48	100	3.11	6.62	6.32	3.11	6.32	6.00	2.89	6.10	5.78	1.28	81c	98c	16	74c	59c	74c	59c	12
2	0	6	8	45	97	2.73	6.26	5.92	2.73	5.96	5.62	2.54	5.77	5.43	1.28	81c	98c	17	75c	58c	75c	58c	13
2	4	6	8	49	101	3.02	6.55	6.21	3.02	6.25	5.91	2.81	6.04	5.70	1.28	81c	98c	18	75c	58c	75c	58c	13
2	6	6	8	50	102	3.15	6.68	6.34	3.15	6.38	6.04	2.93	6.16	5.82	1.28	81c	98c	18	75c	59c	75c	59c	14
2	8	6	8	52	104	3.30	6.83	6.51	3.30	6.53	6.21	3.06	6.29	5.97	1.28	81c	98c	19	75c	60c	75c	60c	15

Savings Are Greater When You Buy INTERIOR DOORS in Complete Sets

When you buy a complete door set, your savings are even greater than on doors alone because the price of the set is less than the total price of the individual items: In addition:

You save on installation because only the simplest cutting and fitting is left for you to do. All trim is cut to approximate size.

You save time and trouble in handling and waste in cutting. Each bundle is plainly marked—there is no trouble in hunting around for various parts.

You save the possibility of errors on quantities and sizes.

You save not only the cost of mortising but the possibility of spoiling a door because of poor mortising. **Doors in complete sets are accurately mortised to receive lock.**

Doors ordered separately are not mortised unless requested, in which case a charge of 25c extra is made. (*See mortise detail on Page 918.*)

In price tables above, we list, in addition to the price of the complete door set, the prices of the individual items that are included in the set, in case you wish to purchase any single item separately.

Here's what complete door sets consist of:

One door (These mortised for lock without extra charge when furnished as part of a "complete set") in any grade, design or size shown in tables on these two pages. **One set of jambs** as indicated in small illustration at right; also illustrated and completely described on opposite page. Jambs can be purchased separately if desired; prices in table on opposite page.

Two sides of first quality interior trim; choice of plain round edge (1-member) or backband (2-member) design as indicated in small illustration at right; also illustrated and completely described on opposite page. Trim sets can be purchased separately if desired. Prices in table on opposite page.

Complete hardware, consisting of solid steel bit key lock set and two wrought steel butt hinges, all in dull brass finish, also keys and screws for hardware. See illustration at right.

If doors ordered separately are wanted mortised, give catalog number of lock (see lock sets on Pages 778–779) and include 25c extra per door.



NEW LOW WINDOW PRICES

2-Light Design 63 HM 7186

BUILDING SPECIAL! ONLY $1.10 And Up Was $1.18

Strong mortise and tenon construction at all corners makes tight-fitting joints. Keeps windows from rattling or coming loose.



Windows are still further reinforced by double pinning with steel sash dowels which prevent joints from pulling apart.

3-Top-Light Design 63 HM 7172

6-Top-Light Design 63 HM 7102

SEE PAGE 1A FOR *Easy Payments*

SHIPPING POINTS: All millwork items on this page are "New York," or "Western" sizes and are shipped only from factory in Newark, N. J., unless otherwise noted. Order from Boston. For other check-rail type windows, frames and trim sizes commonly known as "Boston" or "New England" sizes, see Page 926.

YOU SAVE SUBSTANTIALLY when you buy windows or other millwork from Sears, because you get the benefit of our tremendous manufacturing power (Sears own millwork factories are among the world's largest) and economical methods of distribution. We offer a shipping service that is unsurpassed. Large stocks of every item we sell permit us to make immediate shipment of every order, large or small, at a saving in transportation costs. And you are always protected by Sears Guarantee of Quality and Satisfaction.

SEARS WINDOWS are built to give long and satisfactory service. They won't rattle or loosen, because they're made of finest Western Pondosa Pine, 1⅜ inches thick, rigidly mortised and tenoned at all corners for extra strength. When properly hung in standard frames, they will always lift quietly and easily. All windows are machined and sanded to a velvety smoothness, ready for any finish, and glazed with high quality clear glass. All windows (unless otherwise noted) are "check-rail" type.



Use Sears TRU-FIT Windows When Building or Remodeling —Sizes and Designs to Fit All Needs

Complete Window Sets
SAVE TIME AND MONEY

We recommend the purchase of **complete window sets** because they cost less than the total price of the individual parts. In addition, you save (1) time and trouble in ordering separate parts, (2) errors in quantities of materials, (3) waste in cutting materials and (4) several hours' work for each opening. You get everything you need in one order. Here's what you get in a complete window set:

- **One glazed check-rail Window as described above;**
- **One First Quality Window Frame as illustrated around windows above and described on opposite page;**
- **One set of Interior Trim. Choice of Backband or Round Edge Design as indicated in small illustration above and described on opposite page;**
- **Four cast iron Sash Weights as illustrated and described below at right;**
- **Enough heavy sash cord for one window;**
- **Two bar-type sash lifts and one sash lock fastener in dull brass finish.**

Small illustration above shows the items that are included with complete window sets. Prices of complete window sets are shown in tables of window listings; see opposite page for prices of frames and trim sets sold individually. See Page 780 for prices of window hardware sold separately.

FREE ESTIMATES

There is no obligation on your part when you use our Free Estimating Service, which includes an accurate price quotation on everything you need in the line of building materials.

Size of Window Width Ft.	Width In.	Height Ft.	Height In.	2-Light Design 63 HM 7186	3-Top Light Design 63 HM 7172	6-Top Light Design 63 HM 7102	Act. Wt. Lbs.	Complete Window Sets (Including Window Frame, Inside Trim, Hardware, Weights and Cord) 2-Light Design With Backband Trim 63 HM 1210	2-Light Design With Round Edge Trim 63 HM 1369	3-Top-Light Design With Backband Trim 63 HM 1368	3-Top-Light Design With Round Edge Trim 63 HM 1372	6-Top-Light Design With Backband Trim 63 HM 1367	6-Top-Light Design With Round Edge Trim 63 HM 1458	Shpg. Wt., Complete Sets
GLAZED WINDOWS ONLY								COMPLETE WINDOW SETS						
1	4	3	10	$1.10	.....	.....	11	$4.36	$4.27	.....	.....	.....	.....	78
1	8	3	10	1.31	.....	.....	12	4.74	4.62	.....	.....	.....	.....	82
1	8	4	6	1.44	.....	.....	14	5.14	5.02	.....	.....	.....	.....	84
1	10	3	10	1.39	.....	.....	13	4.97	4.84	.....	.....	.....	.....	83
2	0	3	0	1.29	$1.44	$1.59	12	4.70	4.58	$4.85	$4.72	$4.98	$4.87	78
2	0	3	6	1.39	1.60	1.69	13	4.91	4.78	5.12	4.99	5.20	5.08	82
2	0	3	10	1.54	1.75	1.91	15	5.19	5.04	5.40	5.27	5.48	5.35	84
2	0	4	[illegible]	1.52	1.73	1.91	16	5.43	5.24	5.64	5.45	5.71	5.53	86
2	0	4	6	1.70	1.91	2.00	17	5.62	5.48	5.82	5.68	5.91	5.77	88
2	0	4	10	1.76	1.97	2.06	19	5.81	5.67	6.02	5.88	6.11	5.97	92
2	0	5	2	1.85	.....	.....	21	6.06	5.90	.....	.....	.....	.....	94
2	0	5	6	1.93	.....	.....	22	6.20	6.06	.....	.....	.....	.....	96
2	2	4	6	1.76	.....	.....	19	5.84	5.70	.....	.....	.....	.....	90
2	2	4	10	1.85	.....	.....	20	6.00	5.87	.....	.....	.....	.....	92
2	2	5	2	1.93	.....	.....	21	6.26	6.10	.....	.....	.....	.....	94
2	2	5	6	2.07	.....	.....	22	6.47	6.31	.....	.....	.....	.....	96
2	4	3	0	1.39	1.54	1.69	14	5.04	4.91	5.18	5.06	5.33	5.20	85
2	4	3	2	1.46	1.60	1.75	14	5.11	4.98	5.24	5.12	5.39	5.26	87
2	4	3	6	1.60	1.81	1.89	16	5.35	5.22	5.56	5.43	5.64	5.51	89
2	4	3	10	1.70	1.91	2.00	17	5.60	5.46	5.80	5.66	5.89	5.75	92
2	4	4	2	1.76	1.97	2.06	19	5.85	5.70	6.06	5.91	6.14	6.00	92
2	4	4	6	1.91	2.12	2.20	20	6.07	5.92	6.27	6.13	6.35	6.20	96
2	4	4	10	1.93	2.14	2.22	21	6.21	6.06	6.42	6.28	6.50	6.34	100
2	4	5	2	2.07	2.28	2.37	23	6.53	6.37	6.73	6.58	6.82	6.66	102
2	4	5	6	2.17	.....	.....	25	6.73	6.58	.....	.....	.....	.....	104
2	6	3	0	1.56	1.71	1.85	15	5.39	5.23	5.54	5.38	5.67	5.52	88
2	6	3	6	1.70	1.91	2.00	17	5.64	5.49	5.85	5.69	5.94	5.78	92
2	6	4	6	1.93	2.14	2.22	21	6.18	6.03	6.39	6.23	6.47	6.31	100
2	6	4	10	2.07	2.28	2.37	23	6.46	6.28	6.66	6.49	6.75	6.58	102
2	6	5	2	2.23	2.44	2.53	24	6.73	6.58	6.94	6.78	7.03	6.87	104
2	6	5	6	2.38	.....	.....	26	6.99	6.84	.....	.....	.....	.....	108
2	8	2	10	1.56	.....	.....	14	5.31	5.15	.....	.....	.....	.....	86
2	8	3	2	1.64	.....	.....	16	5.56	5.40	.....	.....	.....	.....	90
2	8	4	6	2.07	2.28	2.37	23	6.44	6.28	6.64	6.49	6.73	6.58	102
2	8	4	10	2.23	2.44	2.53	24	6.67	6.52	6.88	6.72	7.12	6.81	106
2	8	5	2	2.38	2.59	2.67	28	7.00	6.84	7.20	7.05	7.28	7.12	111
2	8	5	6	2.40	2.61	2.69	30	7.12	6.97	7.33	7.17	7.41	7.25	113
2	10	4	6	2.17	2.38	2.47	27	6.62	6.47	6.92	6.67	6.92	6.76	118
2	10	4	10	2.38	2.59	2.67	29	6.91	6.75	7.11	6.96	7.19	7.04	122
2	10	5	2	2.40	.....	.....	30	7.11	6.95	.....	.....	.....	.....	125
2	10	5	6	2.75	.....	.....	32	7.61	7.46	.....	.....	.....	.....	131

HOW TO ORDER

(1) Give catalog number, (2) Give full width in feet and inches and (3) Give full height in feet and inches. The over-all size of a window is the inside measurement of frame in which the window hangs. **Shipping Weights:** Weights shown for "windows only" are actual, to enable you to order the correct size sash weights. For shipping weight of window, add 15 lbs. for crating when ordering a quantity of 6 or less windows.



SASH WEIGHTS

Smooth cast iron. Each window requires four weights, each one-fourth the weight of the entire window. Standard diameter and length in weights listed below. **Shipped from** factory near Boston, Springfield or Newark, whichever is nearest. Order from Boston.

Order by Catalog Number **63 HM 7200.** and State Size.

Actual Weight	Price Each	Actual Weight	Price Each	Actual Weight	Price Each
3 lbs.	6c	5 lbs.	10c	7 lbs.	14c
3½ lbs.	7c	5½ lbs.	11c	7½ lbs.	15c
4 lbs.	8c	6 lbs.	12c	8 lbs.	16c
4½ lbs.	9c	6½ lbs.	13c	8½ lbs.	17c

. . . Save Money BY REMODELING NOW!



Sears windows are glazed with finest quality glass, held tight with plenty of closely spaced zinc points. Can't rattle.



Glass is securely sealed all around in extra deep putty rabbet with high quality putty.

"Check-rail" windows have extra thick beveled meeting rails where upper and lower sash meet. Keeps out wind, dust and rain.

12-Light Check-Rail Windows and Complete Window Sets

Shown above is an outside view of our 12-light "check-rail" design window. 1⅜ in. thick. The multiple small panes in this window give a very smart effect. It is especially popular for Colonial type homes. Shown installed in our standard frame 63HM9944 listed at bottom of page.

Size of Window Width Ft.	Width In.	Height Ft.	Height In.	Window Only 63 HM 7195	Act. Wt. Lbs.	Complete Window Sets With Backband Trim 63 HM 1236	With Round Edge Trim 63HM 1457	Shpg. Wt. Lbs.
2	4½	3	10	$2.19	19	$6.12	$6.06	92
2	4½	4	6	2.36	20	6.92	6.36	96
2	7½	4	6	2.40	22	6.92	6.57	102
2	7½	5	2	2.58	24	7.15	7.00	108
2	10½	4	6	2.62	23	7.16	7.01	116
2	10½	5	2	2.75	26	7.48	7.32	122
2	10½	5	10	3.22	29	8.23	8.08	134

8-Light Check-Rail Windows and Complete Window Sets

Illustration above shows our 8-light "check-rail" design window, Cat. No. 63HM7192. 1⅜ in. thick. Priced below.

Size of Window Width Ft.	Width In.	Height Ft.	Height In.	Window Only 63 HM 7192	Act. Wt. Lbs.	Complete Window Sets With Backband Trim 63 HM 1229	With Round Edge Trim 63 HM 1456	Shpg. Wt Lbs.
1	11	4	6	$1.89	17	$5.76	$5.63	88
2	1	4	6	1.97	18	5.90	5.76	90
2	1	5	2	2.13	19	6.32	6.15	94
2	5	5	2	2.46	23	6.91	6.75	104
2	5	5	10	2.67	24	7.33	7.19	112

All items on this page are "New York", or "Western" sizes; shipped only from factory in Newark, N.J., unless otherwise noted. Order from Boston. For other check-rail type windows, frames and trim sizes known as "Boston" or "New England" sizes, see next page.

Shown above is an inside view of our 4-light "check-rail" design window, Cat. No. 63HM7189. 1⅜ in. thick. Interior trim shown is our "Backband" (2-member) design, described and priced below at left.

BUILDING SPECIAL! ONLY $1.66 And Up

4-Light Check-Rail Windows and Sets

Size of Window Width Ft.	Width In.	Height Ft.	Height In.	Window Only 63 HM 7189	Actual Wt. Lbs.	Complete Window Sets With Backband Trim 63 HM 1228	With Round Edge Trim 63 HM 1455	Shpg. Wt. Lbs.
2	1	3	10	$1.66	16	$5.37	$5.28	84
2	1	4	2	1.72	17	5.59	5.45	86
2	1	4	6	1.82	18	5.75	5.62	90
2	1	5	2	2.05	20	6.24	6.08	92
2	5	3	10	1.80	18	5.69	5.64	86
2	5	4	2	1.91	19	6.01	5.85	87
2	5	4	6	2.07	20	6.23	6.08	90
2	5	4	10	2.15	21	6.43	6.27	91
2	5	5	2	2.28	22	6.69	6.54	92
2	5	5	6	2.44	24	6.96	6.80	96
2	9	3	10	1.93	20	6.09	5.93	92
2	9	4	2	2.15	22	6.41	6.25	93
2	9	4	6	2.26	23	6.62	6.47	94
2	9	4	10	2.32	24	6.76	6.61	95
2	9	5	2	2.56	25	7.17	7.02	96
2	9	5	6	2.84	27	7.36	7.26	100
2	9	5	10	2.81	29	7.71	7.61	104
2	11	4	6	2.32	24	6.87	6.72	96



Detail of Plain Rail

PLAIN-RAIL WINDOWS

Offered in 8-light and 12-light styles as illustrated. 1⅛ in. thick. This type of window has no projection at meeting point of upper and lower sash. Made of the same high grade materials as our check-rail windows and are as well constructed. Not sold in complete sets; not plowed or bored for sash cord. See Page 780 for spring bolts. **Plain Rail** windows are shipped from factory near Boston or Newark, N. J., whichever is closer.

Size of Window Width Ft.	Width In.	Height Ft.	Height In.	8-Light Design 63HM7178	Act. Wt. Lbs.	Size of Window Width Ft.	Width In.	Height Ft.	Height In.	12-Light Design 63HM7180	Act. Wt. Lbs.
1	8½	3	10	$1.48	10	2	4	3	10	$1.90	17
1	10½	4	6	1.68	14	2	7	4	6	2.16	20
2	½	4	6	1.76	15	2	7	5	2	2.34	22
2	4½	5	2	2.22	19	2	10	4	6	2.28	21

Standard Frames



See also large illustration on opposite page. Drip cap design. Accurately milled to form a tight seal with the walls and become a part of the house. Accurate milling assures smooth-running sash. Galvanized "jam-proof" pulleys included. Pockets for sash weights already cut. Outside casings, All Louisiana Cypress, 1⅛x4¼ in.; jambs, all Clear Fir ¾x5¼ in. wide, including parting and blind stops; sill 1⅝x7⅛ in.; drip cap, Louisiana Cypress 1⅛x1⅝ in. Shipped unassembled, carefully packed and plainly marked.

When ordering, give width first. Size of wall opening should be 6 in. wider and 5 in. higher than the outside measurements of window. For sizes, see listing above. Measurements shown are inside measurements of the frame. These should be the same as the outside measurements of the window. Av. shpg. wt., frame, 35 lbs. For Easy Payments, see Page 1A.

Trim Sets

Backband Design

Round Edge Design

Made of 1st Quality Clear Douglas Fir. Choice of Round Edge (at left, above) or Backband (at right, above) design. **Round Edge** (1-member) design has round edge side and head casing and apron ¾x3⅝ in.; stool, ¾x3¼ in.; stops, ⅜x1⅜ in. Head casings are not hollow back, therefore mitering the head and side casings is unnecessary. Simply put together, eliminating unsightly open miter joints. **Backband** (2-member) design has round edge side and head casing and apron ¾x3⅝ in.; backband molding 1⅛x1⅛ in.; stool ¾x3¼ in.; stops ⅜x1⅜ in.

Trim sets can be purchased separately if desired; see prices in table below.

Size of Window Width Ft.	Width In.	Height Ft.	Height In.	Dripcap Window Frames 63 HM9944	Round Edge Trim 63 HM 9674	Backband Trim 63 HM9901
1	4	3	10	$2.04	$0.69	$0.78
1	8	3	10	2.12	.75	.88
1	8	4	6	2.26	.85	.97
1	10	3	10	2.16	.82	.95
1	11	4	6	2.30	.90	1.04
2	0	3	0	2.03	.82	.95
2	0	3	6	2.10	.82	.95
2	0	3	10	2.20	.82	.95
2	0	4	2	2.27	.85	1.04
2	0	4	6	2.34	.90	1.04
2	0	4	10	2.42	.92	1.06
2	0	5	2	2.49	.95	1.11
2	0	5	6	2.56	.96	1.11
2	1	3	10	2.20	.92	1.01
2	1	4	2	2.27	.92	1.06
2	1	4	6	2.34	.92	1.06
2	1	5	2	2.49	.97	1.14
2	2	4	6	2.45	.92	1.06
2	2	4	10	2.52	.93	1.06
2	2	5	2	2.59	.97	1.14
2	2	5	6	2.66	.98	1.14
2	4	3	0	2.18	.87	1.00
2	4	3	2	2.18	.87	1.00
2	4	3	6	2.25	.87	1.00
2	4	3	10	2.35	.87	1.01
2	4	4	2	2.42	.95	1.10
2	4	4	6	2.49	.95	1.10
2	4	4	10	2.56	.96	1.12
2	4	5	2	2.64	1.02	1.18
2	4	5	6	2.71	1.02	1.18
2	4½	3	10	2.35	.95	1.01
2	4½	4	6	2.49	.95	1.11
2	5	3	10	2.35	.95	1.01
2	5	4	2	2.42	.95	1.11
2	5	4	6	2.49	.95	1.11
2	5	4	10	2.56	.96	1.12
2	5	5	2	2.64	1.02	1.18
2	5	5	6	2.71	1.02	1.18
2	5	5	10	2.86	1.04	1.18
2	6	3	0	2.22	.95	1.11
2	6	3	6	2.30	.95	1.11
2	6	4	6	2.54	.95	1.11
2	6	4	10	2.61	.96	1.12
2	6	5	2	2.69	1.02	1.18
2	6	5	6	2.76	1.02	1.18
2	7½	4	6	2.62	.95	1.11
2	7½	5	2	2.77	1.02	1.18
2	8	2	10	2.14	.95	1.11
2	8	3	2	2.31	.95	1.11
2	8	4	6	2.62	.95	1.11
2	8	4	10	2.69	.96	1.12
2	8	5	2	2.77	1.02	1.18
2	8	5	6	2.84	1.02	1.18
2	9	3	10	2.48	.95	1.11
2	9	4	2	2.55	.95	1.11
2	9	4	6	2.62	.95	1.11
2	9	4	10	2.69	.96	1.12
2	9	5	2	2.77	1.02	1.18
2	9	5	6	2.84	1.08	1.18
2	9	5	10	2.99	1.08	1.18
2	10	4	6	2.67	.95	1.11
2	10	4	10	2.74	.96	1.12
2	10	5	2	2.82	1.02	1.18
2	10	5	6	2.89	1.08	1.18
2	10½	4	6	2.67	1.09	1.25
2	10½	5	2	2.82	1.09	1.25
2	10½	5	10	3.04	1.09	1.25
2	11	4	6	2.67	1.10	1.25

Mullion (Twin) Windows

We can furnish Mullion or "Twin" Frames or Complete "Mullion" or Twin Window Sets. When wanted simply mark your order "Mullion Frame" or "Mullion Window Set" and for price allow twice the price of a single unit of the same size and add 30c extra. For example—for a mullion complete window set, size 2 ft. 4 in. x 4 ft. 6 in. No. 63 HM 1210 allow a total of $12.44; or for a mullion (twin) window frame only, same size design 63 HM 9944, allow a total of $5.28. When ordering, state width first. Frames are shipped unassembled, with all members so nested in one compact bundle that each is protected in shipping. Each bundle is plainly marked for size.

Use Sears EASY PAYMENTS

Buy your windows, doors or other millwork on our convenient Easy Payment Plan described on Page 1A. You may make as large a down payment as you like (there's a minimum, of course) The carrying charge is based on unpaid balance only.

ALL MILLWORK PRICES REDUCED!

63 HM 2472
Illustration above shows our 2-Light Check-Rail Window

First Quality Glazed Windows

Prices below are for double-hung check-rail windows glazed with clear glass made in sizes used in New England known as standard "Boston" sizes. Made of 1st Quality Pondosa Pine, 1⅜-in. thick. Smooth sanded; side rails plowed and bored for sash cord. Glass fastened with plenty of points and well sealed with high quality putty. **Glass is bedded in putty as well. For window sizes common to New York and Western territory and not shown in table below see preceding two pages.**

Whether you need windows for new buildings or for replacement in old buildings, you will like Sears quality. See check-rail detail in small circle at left; makes a tighter joint—keeps out wind and dust.

63 HM 2477
6-Top-Light Window

63 HM 646
4-Light Window

63 HM 2471
12-Light Window

Save More—Buy COMPLETE WINDOW SETS

We recommend the purchase of complete window sets because you save (1) time and trouble in ordering separate parts, (2) errors in quantities of materials, (3) waste in cutting materials and (4) several hours work for each opening. You get everything you need in one order. Each bundle is plainly marked. Only the simplest cutting and fitting is left for you to do.

Here's what you get in a complete window set:

One glazed check-rail window as described above. With Glass bedded in putty.

One First Quality Window Frame. See illustration at left and detail at right.

One set of Interior Trim. (Shown on preceding page.) Choice of Backband or Round Edge Design.

Four cast iron Sash Weights as illustrated and described on Page 924.

Enough heavy sash cord for one window.

Two bar-type sash lifts and one sash lock fastener in dull brass finish on steel.

Illustration at left shows the items that are included with complete window sets. See below for prices of complete window sets, also windows, frames and trim sets sold individually.

WINDOW TRIM SPECIFICATIONS: Round Edge Trim. Made of 1st Quality Yellow Pine; casings and aprons ¾x3⅝ in.; stool ¾x4 in.; stops ½x2¼ in. at sides, ½x4⅛ in. at head. Fits frame 63 HM 2455. Average shpg. wt., 15 lbs. Priced in table below.

Backband trim 1st quality Yellow Pine; casings, aprons ¾x3⅝-in.; backband molding, ¾x1⅛ in.; stool, ¾x4-in.; stops ½x2¼ in. at sides, ½x4⅛ in. at head. Fits frame 63 HM 2455. Avg. shpg. wt., 15 lbs.

WINDOW FRAME SPECIFICATIONS: To fit standard "Boston" sizes of windows. Cat. No. 63 HM 2455. High quality Pondosa Pine. Rustproof, stickproof pulleys set in place. Sash weight pocket already cut. Outside casings ¾x4½ in.; jambs 5¼-in. wide. Parting stops ¾x⅜ in. at sides. Sills 1⅝x7⅛ in.; side jambs tongued into casings and outside side casings tongued into head casings. Avg. shpg. wt., 32 lbs. For frames to fit standard "New York and Western" sizes of windows, see preceding page.

ALL ITEMS ON THIS PAGE SHIPPED FROM FACTORY NEAR BOSTON

Overall Size of Window 1⅜-In. Thick Width Ft.	Width In.	Height Ft.	Height In.	GLAZED CHECK-RAIL WINDOWS ONLY With Glass Bedded in putty: 2-Light Style 63HM2472	6-TopLight Style (1st 8 sizes are 4-Top Light) 63HM2477	4-Light Style 63HM646	12-Light Style 63HM2471	Actual Wt. of Windows Lbs.	COMPLETE WINDOW SETS: With 2-Lt. Window: With Round Edge Trim 63HM839	With 2-Lt. Window: With Back-Band Trim 63HM838	With 4 and 6-Top Lt.: With Round Edge Trim 63HM841	With 4 and 6-Top Lt.: With Back-band Trim 63HM840	With 4-Lt. Window: With Round Edge Trim 63HM869	With 4-Lt. Window: With Back-Band Trim 63HM870	With 12-Lt. Window: With Round Edge Trim 63HM871	With 12-Lt. Window: With Back-Band Trim 63HM842	Window Sets Shpg. Wt., Lbs.	WINDOW FRAME 63HM2455	WINDOW TRIM: Round Edge Design 63HM2398	WINDOW TRIM: Back-Band Design 63HM2446
1	9⅝	3	5	$1.40	$1.62	.....	.....	13	$4.73	$4.90	$4.95	$5.12	.....	.....	.....	.....	65	$1.79	$0.96	$1.13
1	9⅝	3	9	1.46	1.69	.....	.....	13	4.92	5.09	5.15	5.32	.....	.....	.....	.....	72	1.92	.96	1.13
1	11⅝	3	1	1.38	1.60	.....	.....	12	4.66	4.83	4.88	5.05	.....	.....	.....	.....	64	1.78	.96	1.13
1	11⅝	3	5	1.46	1.69	.....	.....	13	4.83	5.00	5.06	5.23	.....	.....	.....	.....	67	1.83	.96	1.13
1	11⅝	3	9	1.61	1.84	.....	.....	15	5.05	5.22	5.28	5.45	.....	.....	.....	.....	75	1.86	.96	1.13
1	11⅝	4	5	1.78	2.02	.....	.....	16	5.51	5.69	5.75	5.93	.....	.....	.....	.....	85	2.07	1.04	1.22
2	0⅝	3	5	1.57	1.90	$1.68	$2.04	14	5.11	5.29	5.44	5.62	$5.22	$5.40	$5.58	$5.76	67	1.93	1.03	1.21
2	3⅝	3	1	1.53	1.86	1.72	2.04	14	5.07	5.25	5.40	5.58	5.26	5.44	5.58	5.76	85	1.92	1.04	1.22
2	3⅝	3	5	1.68	2.01	1.83	.....	16	5.31	5.49	5.64	5.83	5.46	5.64	.....	.....	87	1.97	1.04	1.22
2	3⅝	3	9	1.78	2.12	1.91	2.33	17	5.57	5.75	5.91	6.09	5.70	5.88	6.12	6.30	89	2.00	1.04	1.22
2	3⅝	4	1	1.85	2.18	2.02	.....	19	5.80	6.00	6.13	6.32	5.97	6.15	.....	.....	91	2.15	1.10	1.29
2	3⅝	4	5	2.00	2.34	2.20	2.50	20	6.00	6.19	6.34	6.53	6.20	6.39	6.50	6.69	93	2.20	1.10	1.29
2	3⅝	4	9	2.02	2.36	2.28	.....	21	6.20	6.42	6.54	6.76	6.46	6.68	.....	.....	97	2.26	1.18	1.40
2	6⅝	3	1	1.72	2.05	1.81	.....	15	5.39	5.62	5.72	5.95	5.48	5.71	.....	.....	85	1.99	1.06	1.29
2	6⅝	3	5	1.85	2.18	1.89	.....	17	5.62	5.85	5.95	6.18	5.68	5.89	.....	.....	89	2.05	1.06	1.29
2	6⅝	3	9	1.93	2.27	2.00	.....	19	5.86	6.09	6.20	6.43	5.93	6.16	.....	.....	92	2.17	1.06	1.29
2	6⅝	4	5	2.17	2.51	2.30	2.54	21	6.33	6.52	6.67	6.86	6.46	6.65	6.70	6.89	97	2.28	1.14	1.33
2	6⅝	4	9	2.28	2.62	2.42	2.65	23	6.62	6.86	6.96	7.20	6.76	7.00	6.99	7.23	100	2.34	1.22	1.46
2	6⅝	5	1	.....	2.70	.....	2.74	24	.....	.....	7.17	7.40	.....	.....	7.21	7.44	104	2.40	1.25	1.52
2	7⅝	4	5	2.17	2.51	2.35	.....	23	6.37	6.56	6.71	6.90	6.55	6.74	.....	.....	98	2.28	1.14	1.33
2	7⅝	4	9	2.34	2.69	2.42	.....	24	6.68	6.92	7.03	7.27	6.76	7.00	.....	.....	101	2.34	1.22	1.46
2	7⅝	5	1	2.49	2.84	2.65	.....	25	7.00	7.23	7.35	7.58	7.16	7.39	.....	.....	102	2.40	1.25	1.52
2	9⅝	4	5	.....	2.62	2.46	2.78	25	.....	.....	6.92	7.12	6.76	6.96	7.08	7.28	113	2.32	1.16	1.36
2	9⅝	4	9	.....	2.84	2.70	2.80	26	.....	.....	7.28	7.50	7.14	7.36	7.24	7.46	117	2.38	1.26	1.46
2	9⅝	5	1	.....	2.86	2.80	2.92	27	.....	.....	7.46	7.71	7.40	7.65	7.52	7.77	121	2.43	1.31	1.56

THERE'S A SEARS GLAZED SASH FOR EVERY NEED!

Made of 1st Quality Pine

All sash shown here are made of First Quality Pondosa Pine, 1⅛ or 1⅜ inches thick as noted in price tables. With Glass set in putty. Ideal for houses, barns or any building. Smooth sanded, ready for finishing. All thoroughly air seasoned and kiln dried so they will resist warping. Mortised and tenoned joints with special reinforcing pins hold all members tightly together. Glazed with clear glass held in place with zinc points and finest putty. Glass also bedded in putty. Sash are oil primed before glazing.

Frames for Stationary Sash (shown below at right) are made of 1st Quality Pondosa Pine. Stools (sills) 1⅝x7⅛ in.; casings, ¾x4½ in.; jambs, plain, ¾x5¼ inches. Jambs are similar to window frame jambs (above at right) except they do not have parting stops. Avg. shpg. wt., 20 lbs.

Frames to fit Cellar Sash (shown below at left) are rabbeted for sash 1⅛ in. to swing out. Avg. shpg. wt., 16 lbs.

All items shipped from factory near Boston.











GLAZED SASH

SIZE OF SASH Width Ft.	Width In.	Height Ft.	Height In.	1-Light Sash 1⅜ In. Thick 63 HM 2426	6-Light Sash 1⅜ In. Thick 63 HM 2428	8-Light Sash 1⅜ In. Thick 63 HM 2666	Sash Shpg. Wt., Lbs.	Stationary Sash Frames 63 HM 942
2	0	2	0	$0.90	$1.10	.....	13	$1.29
2	6	2	0	.99	1.30	.....	15	1.47
2	6	2	6	1.15	1.48	.....	17	1.54
3	0	2	0	1.16	.....	1.59	19	1.59

8-Light Porch Sash

SIZES Width Ft.	Width In.	Height Ft.	Height In.	8-Light Porch Sash 1⅜ In. Thick 63 HM 931	Sash Shipping Wt., Lbs.
1	2	4	0	$1.57	13
1	2	4	6	1.65	13
1	2	4	10	1.76	14
1	2	5	2	1.87	14
1	4	4	0	1.65	16
1	4	4	6	1.74	16
1	4	4	10	1.87	17
1	4	5	2	1.95	17
1	6	4	0	1.78	18
1	6	4	6	1.85	18
1	6	4	10	2.04	17
1	6	5	2	2.06	18
2	0	4	0	1.98	19
2	0	4	6	2.06	19
2	0	4	10	2.22	20
2	0	5	2	2.32	20



CELLAR SASH



SIZES Width Ft.	Width In.	Height Ft.	Height In.	3-Light Sash 1⅛ In. Thick 63 HM 2425	Sash Shipping Wt., Lbs.	Cellar Sash Frame 63 HM 2443
2	3⅝	1	1½	$0.68	9	$1.05
2	9⅝	1	3⅞	.79	10	1.33
2	9⅝	1	7⅛	.96	11	1.39
2	9⅝	1	9⅛	1.02	12	1.42

SIZES Width Ft.	Width In.	Height Ft.	Height In.	4-Light Sash 1⅛ In. Thick 63 HM 2427	Sash Shipping Wt., Lbs.	Cellar Sash Frame 63 HM 2443
1	5⅜	1	9⅜	$0.70	8	$1.02
1	7⅜	1	11⅜	.78	9	1.05
1	7⅜	2	3⅜	.85	11	1.12
1	9⅜	2	3⅜	.89	12	1.16
1	9⅜	2	5⅜	.91	13	1.19
1	11⅜	2	3⅜	.93	13	1.20

SIZES Width Ft.	Width In.	Height Ft.	Height In.	6-Light Sash 1⅛ In. Thick 63 HM 2418	Sash Shipping Wt., Lbs.	Cellar Sash Frame 63 HM 2443
2	3⅜	1	11⅜	$1.01	14	$1.22
2	3⅜	2	3⅜	1.10	16	1.28
2	6⅜	2	3⅜	1.16	18	1.48
2	6⅜	2	5⅜	1.20	20	1.51
2	9⅜	2	3⅜	1.22	20	1.53
2	9⅜	2	7⅜	1.33	22	1.59

REDUCED PRICES ON GLAZED SASH!

TRU-FIT GLAZED SASH

Well-designed casement or porch sash, such as our 5-light and 8-light designs shown here, will add much to the attractiveness of your home. These styles lend themselves particularly well to groupings in pairs and in larger units. Made of First Quality Western Pondosa Pine, 1⅜ in. thick and glazed with clear glass. Shipped from our own factory in Newark, N. J. Order from Boston. For casement sash in pairs see opposite page.



Size of Sash Width Ft.	Width In.	Height Ft.	Height In.	Shpg. Wt., Lbs.	(A) 5-Light Sash 1⅜ In. Thick 63 HM 7299	(B) 8-Light Sash 1⅜ In. Thick 63 HM 7018
1	8¼	3	9¾	21	.....	$1.50
1	8¼	4	5¾	23	$1.70	.....
1	10¼	4	5¾	24	1.82	1.68
2	¼	4	5¾	25	1.95	.....
2	2¼	4	5¾	26	2.05	.....
2	4¼	4	5¾	27	2.09	.....

MADE OF WESTERN PONDOSA PINE GLAZED WITH CLEAR GLASS

Complete Stocks: Every kind of sash for every purpose and every popular size carried in stock for immediate shipment. **Finest Construction:** We use only first quality selected Western Pondosa Pine for strength and durability. Especially adapted for outside use. Thoroughly dried to resist warping. Mortised and tenoned joints further strengthened by cross-pinning with steel reinforcing pins. All glazed with clear glass held in place with zinc points and finest putty. All prices substantially reduced from last catalog—BUY NOW!

Shipped from our own factory in Newark, N. J. Order from Boston.



Glazed Barn and Casement Sash

© 4-LIGHT SASH

Width Ft.	Width In.	Height Ft.	Height In.	1⅛ In. Thick 63 HM 7261	1⅜ In. Thick 63 HM 5382	FRAMES 63 HM 6315	Shpg. Wt., Lbs.
1	8	2	1	$0.74	$0.79	$1.59	17
1	10	2	5	.84	.89	1.74	20
1	10	2	9	.90	.95	1.86	22
2	0	2	5	.88	.93	1.79	21
2	0	2	9	.94	1.01	1.90	25

Ⓓ ONE-LIGHT SASH

Width Ft.	Width In.	Height Ft.	Height In.	1⅜ In. Thick 63 HM 7211	Shpg. Wt., Lbs.	FRAMES 63 HM 6315	Shpg. Wt., Lbs.
1	8	2	1	$0.74	11	$1.59	17
1	8	2	5	.78	13	1.70	19
1	10	2	1	.78	12	1.63	18
1	10	2	5	.86	14	1.74	20
2	0	2	1	.86	13	1.68	19
2	0	2	5	.92	14	1.79	21
2	4	2	1	.92	14	1.84	21
2	4	2	5	1.00	17	1.95	23
2	4	2	9	1.09	19	2.07	25
2	4	2	11	1.15	20	2.12	26

Ⓔ 9-LIGHT SASH

Width Ft.	Width In.	Height Ft.	Height In.	1⅜ In. Thick 63 HM 5081	Shpg. Wt., Lbs.	FRAMES 63 HM 6315	Shpg. Wt., Lbs.
2	4	2	11	$1.44	16	$2.12	26
2	4	3	5	1.60	20	2.40	28
2	7	3	5	1.70	17	2.54	29
2	10	3	5	1.78	19	2.60	30

Ⓕ 6-LIGHT SASH

Width Ft.	Width In.	Height Ft.	Height In.	1⅛ In. Thick 63 HM 5054	1⅜ In. Thick 63 HM 5076	FRAMES 63 HM 6315	Shpg. Wt., Lbs.
2	4	2	1	$0.95	$1.02	$1.84	21
2	7	2	5	1.09	1.16	2.10	24
2	10	2	5	1.15	1.22	2.14	26
2	10	2	9	1.25	1.34	2.26	27
2	10	3	1	1.53	1.64	2.58	28

Ⓖ 6-LIGHT SASH

Width Ft.	Width In.	Height Ft.	Height In.	1⅛ In. Thick 63HM5079	1⅜ In. Thick 63HM5080	Shpg. Wt., Lbs.	FRAMES 63HM6315	Shpg. Wt., Lbs.
1	8¼	2	11½	$0.98	$1.07	13	$1.87	24
1	10¼	3	5½	1.15	1.25	14	2.19	25
2	¼	3	5½	1.21	1.31	15	2.24	26
2	¼	3	11½	1.35	1.46	16	2.42	27

See above for shipping points.

GLAZED CELLAR SASH



Ⓗ 2-Light and Ⓚ 3-Light Cellar Sash

Made of Western Pondosa Pine, 1⅜ inches thick and glazed with clear glass. For description of frames, see "(L)" below.

SIZE OF SASH Width Ft.	Width In.	Height Ft.	Height In.	(H)2-Light Sash 1⅜ In. Thick 63 HM 7241	(K)3-Light Sash 1⅜ In. Thick 63 HM 7245	Sash Shpg. Wt. Lbs.	(L) FRAMES Avg. Shpg. Wt., 16 lbs. 63 HM 7894
2	1	1	5	$0.64	.....	8	$0.82
2	4	1	3	.....	68c	10	.81
2	5	1	7	.78	....	10	.90
2	5	1	9	.84	....	12	.93
2	5	2	5	1.06	....	15	1.05
2	7	1	5	.....	76c	13	.90
2	7	1	7	.....	82c	14	.93
2	9	2	1	.98	....	15	1.04
2	10	1	5	.....	80c	15	.92
2	10	1	7	.....	86c	16	.95
2	10	1	9	.....	98c	17	.98

Ⓛ Cellar Sash Frames

For concrete block, stone, concrete or solid brick wall. Made with Douglas Fir jamb, 1⅜x5¼ inches, and Cypress Brick mold 1⅛x2 inches. Also heavy sill to match. Average shipping weight, 16 lbs. See No. 63 HM 7894 in listing (H) and (K) above for frames to fit 2-light and 3-light cellar sash listed. For other sizes and types of sash frames see listings of Barn and Casement Sash above at right and French Windows on opposite page.

LET US SEND YOU A FREE ESTIMATE

Let Sears expert estimators figure your bill of material. Take advantage of the convenience of ordering and getting all your needs from one responsible source. We can save you money on anything you need to completely remodel, repair, re-roof or insulate your home.

"Three Row" HOT BED SASH

Sears Hot Bed Sash are made of kiln dried Western Pondosa Pine, 1⅜ in. thick. Standard size is 3x6 feet. Width of rows, 10 in. They come to you glazed with three rows of clear glass securely held in place with zinc points and finest putty. Rigid construction with mortise and tenon joints securely pinned. All hot bed sash have non-sag hardwood cross-bar for extra strength. Buy your Hot Bed Sash here and enjoy the special savings you get only at Sears. Our guarantee of quality gives you assurance of satisfaction.

Shipped promptly from factory in Newark, N. J., or near Boston. Order from Boston, whichever is closer. You pay freight from nearer point.

63 HM 7270—Glazed Hot Bed Sash. Shpg. wt., 35 lbs. **$3.44**

FRAMES FOR SINGLE SASH

Quality lumber, tight construction and exact fit combine to make these frames a positive seal against the elements. We use weather-resisting Cypress and Fir accurately milled and tightly assembled. These frames are made for use with the various sash listed on this page, as well as the casement sash (French Windows) shown on opposite page. For regular frame house walls (2x4 studs covered with sheathing and siding or shingles outside, and lath and plaster inside). Cypress outside casings, 1⅛ inches thick. Douglas Fir jambs, 1⅜x5¼ inches, rabbeted to fit 1⅜-inch sash. Cypress drip cap 1⅛x1⅝ in. Prices of these frames will be found in the same tables as the sash they fit, on this page and on opposite page. Shipped from our own factory in Newark, N. J. Order from Boston. Shipped unassembled and carefully bundled to save freight.

These frames are easily put together. The frames which are listed in price tables are regular "swing-out" type, which permit sash to swing out (Catalog No. 63 HM 6316 and specify "for swing-in sash." Prices of 63 HM 6315 swing-out and 63 HM 6316 swing-in frames are the same.

FIRST QUALITY CUPBOARD DOORS

Choice of Western Pondosa Pine with Fir panels (63 HM 2650) or all Douglas Fir (63 HM 2671). Both styles are ¾ inch thick, first quality, with 3-ply laminated Fir panel. Door 63 HM 2650 is shipped from factory near Boston. Door 63 HM 2671 is shipped from factory in Northern New Jersey.

Cupboard doors are used for many purposes. For sides and doors for cabinets, for plumbing access or attic access doors and for countless other purposes.

Write for prices on sizes of doors not listed.

Width Ft.	Width In.	Height Ft.	Height In.	Fir Cupboard Doors 63HM2671	Pine Cupboard Doors 63HM2650	Shpg. Wt. Lbs.
1	0	2	0	$0.64	.....	5
1	2	2	0	.64	.....	6
1	4	2	0	.64	$0.66	7
1	6	2	0	.64	.68	8
1	8	2	0	.68	.68	9
1	4	2	4	.82	.....	9
1	4	2	6	.....	.80	10
1	6	2	6	.82	.84	10
1	8	2	6	.86	.89	12
1	4	3	6	.....	1.01	...
1	6	3	6	.....	1.06	....
1	4	4	0	.....	1.10	...
1	6	4	0	1.11	1.18	13
1	8	4	0	1.19	1.27	14



EASY PAYMENTS

Under our new Easy Payment Plan you pay carrying charges on the unpaid balance only. This convenient plan is simple, fair, sound—and it saves you money! See Page 1A of this Catalog for further information.



HIGH QUALITY GLASS

Fine quality clear glass—no waves or distortion. Avg. shpg. wt. per box, 70 lbs. Prompt shipment from factory near Boston or our own factory in Newark, N. J., whichever is closer, and you pay freight from there. Order from Boston. **63 HM 7268**—State size

Glass Size, In.	No. Lights Per Box	Per Box	Glass Size, In.	No. Lights Per Box	Per Box
7x9	114	$3.42	14x20	26	$3.60
8x10	90	3.42	20x24	15	4.14
9x12	67	3.42	24x24	12	4.14
10x12	60	3.42	24x26	12	4.14
10x14	51	3.42	24x28	11	4.20
10x20	36	3.60	26x26	11	4.20
12x14	43	3.60	26x28	10	4.32
12x18	33	3.60	.....	.....	.....

Sears Reduce Prices On FRENCH WINDOWS

SAVE UP TO 30%!

Made Strong and Substantial . . Priced to Save You 30%

Take advantage of these greatly reduced prices on First Quality French Windows—you may never again have an opportunity to make such savings. Sears cooperate with the great National Rebuilding Campaign in making these values possible. French Windows (sometimes called "casement sash") give your home that well-dressed look—at an extremely low cost. Offered in sizes common to New York and Western territory (shipped from factory in Newark, N. J.) as well as the sizes used generally in New England (shipped from factory near Boston).

You may buy on Easy Payments if you wish. Include French Windows in your order for other remodeling materials and pay only the small deposit. You pay carrying charges on the unpaid balance only. See Page 1A of this catalog for full details.

French Windows Shipped From Factory Near Boston

French Windows shipped from our factory near Boston are made of First Quality Genuine Pondosa Pine, 1⅜ inches thick, carefully glazed with clear glass securely held in place with plenty of points and good putty. Oil primed before glazing. Furnished in pairs and rabbeted to swing out only. These French Windows are furnished 12 and 16 lights to the pair as indicated in listing. Trim sets and frames to fit these French Windows are illustrated and described on this page. These items shipped from factory near Boston. Average shipping weight, per pair, 30 pounds.

Sash Size—Pairs Width Ft.	Width In.	Height Ft.	Height In.	No. of Lights to the Pair	French Windows in Prs. 63 HM 932	Frame Each 63 HM 933	Trim Per Set 63 HM 934
2	0	3	0	12	$2.20	$2.32	$0.85
2	0	3	6	12	2.40	2.56	.90
2	4	3	6	12	2.59	2.73	.97
2	4	4	0	16	3.30	3.00	1.00
2	4	4	6	16	3.50	3.24	1.08
2	8	3	6	12	2.70	2.84	1.00
2	8	4	0	16	3.50	3.10	1.07
2	8	4	6	16	3.68	3.34	1.10
2	8	4	10	16	3.95	3.49	1.17
3	0	4	0	16	3.75	3.28	1.10
3	0	4	6	16	3.89	3.50	1.17
3	0	4	10	16	4.29	3.65	1.22

French Windows Shipped From Factory at Newark, N. J.

French Windows shipped from our factory at Newark, N. J., are made of First Quality Genuine Pondosa Pine, 1⅜ inches thick, carefully glazed with clear glass securely held in place with plenty of points and good putty. Furnished in pairs and rabbeted to swing out or swing in. The first size is made 12 lights to the pair, all others 20 lights to the pair as in large illustration above. Average shipping weight per pair, 30 lbs., depending on size. Trim Sets and Frames to fit French Windows are described and illustrated on this page. These items shipped from factory at Newark, N. J.

SIZE OF SASH Per Pair Width Ft.	Width In.	Height Ft.	Height In.	No. of Lights to the Pair	French Windows Per Pair 63 HM 7015	FRAMES Swing-Out Each 63 HM 6315	FRAMES Swing-In Each 63 HM 6316
2	10	3	4	12	$2.73	$2.59	$2.59
2	10	4	10	20	4.16	3.25	3.25
2	10	5	2	20	4.41	3.32	3.32
2	10	5	6	20	4.45	3.45	3.45

SIZE OF SASH Per Pair Width Ft.	Width In.	Height Ft.	Height In.	TRIM SETS Backband Design Swing-Out 63 HM 65	Backband Design Swing-In 63 HM 64	Round Edge Design Swing-Out 63 HM 62	Round Edge Design Swing-In 63 HM 63
2	10	3	4	$1.05	$0.89	$0.95	$0.79
2	10	4	10	1.15	.95	1.00	.80
2	10	5	2	1.21	1.02	1.05	.90
2	10	5	6	1.30	1.15	1.15	1.00

Add Distinction and Charm to Any Home

Nothing surpasses French Windows for adding distinction and charm, as a glance at this illustration will show. They are appropriate for any type of home and for most any room, as well as for porch or casement sash. Then too, they may be opened full length, thus providing maximum ventilation. Sears lead by offering French Windows at substantial savings. **All prices reduced from last catalog to aid the "F.H.A." rebuilding campaign.** See Page 1A.

FRAMES for FRENCH WINDOWS and Other Single Sash, Made of Finest Materials


Illustration shows type of frame shipped from factory in Newark, N. J. Frame shipped from factory near Boston is similar but has no drip cap.

Quality lumber, tight construction and exact fit combine to make these frames a positive seal against the elements. We use weather-resisting thoroughly seasoned lumber, accurately milled and tightly assembled. These frames are made for use with the various sash listed on Pages 926 and 927, as well as the casement sash (French Windows) shown here. For regular frame house walls (2x4 studs covered with sheathing and siding or shingles outside, and lath and plaster inside).

Sash Frames shipped from factory in Newark, N.J., (illustrated above) have Cypress outside casings, 1⅛ inches thick. Jambs, 1⅜x5¼ inches, Douglas Fir, rabbeted to fit 1⅜-inch sash. Prices of these frames will be found in the same tables as the sash they fit, on the pages above mentioned. Shipped unassembled and carefully bundled to save freight. Frames easily put together. Furnished in regular "swing-out" type, which permit sash to swing out (Catalog No. 63 HM 617) as well as "swing-in" type, (Catalog No. 63 HM 619).

Sash Frames shipped from factory near Boston are made of 1st Quality Pondosa Pine. Stools (sills) 1⅝x7¼ inches; casings ¾x4½ inches; jambs, 1⅝x5¼ inches. Same as illustrated above but no drip cap. Rabbeted for sash 1⅜ inches thick to swing out only.

Average shipping wt. of all frames, 24 lbs.

Trim For FRENCH WINDOWS

To fit French Windows shipped from factory near Boston we furnish Backband (2-member) design trim made of First Quality Yellow Pine. Casing and apron ¾x3⅝ in.; backband molding, ¾x1⅛ in.; inside stool (sill) to fit casement frames 63 HM 933. Illustrated above at left.

To fit French Windows shipped from factory at Newark, N. J., we furnish choice of Backband or Round Edge trim, both made of First Quality Douglas Fir. Backband design trim has side and head casing and apron ¾x3⅝ in.; backband molding 1⅛x1⅛ in. Round edge design trim (shown above at right) has head and side casing ¾x3⅝ in. Average shipping weight, per set, (backband or round edge) 15 pounds.

ALL MILLWORK PRICES REDUCED!

Save Here on Screens and Storm Sash

All prices of screens and storm sash have been drastically reduced to comply with the government's National Building Campaign. Buy your millwork here and save up to 30%—prices may never be this low again on materials for remodeling, rebuilding or modernizing. Sears offer both types of screens and storm sash used in New England and elsewhere in the East, all made of First Quality Pondosa Pine 1⅛ inches thick before sanding; all joints mortised and tenoned and securely nailed for greater strength, with ample trimming allowance.

Window Screens

Furnished in 14 or 16-mesh galvanized wire cloth, as per listings below at right; also 16-mesh bronze, the wire which we guarantee for 25 years. It never needs painting and is recommended for use in salt air climates. Our galvanized wire is guaranteed for 5 years. Screens shipped from factory near Boston are same construction as those shipped from Newark, except for difference in opening sizes. Galvanized screens from Boston are 14-mesh only; from Newark, 16-mesh only.

Storm Sash

Sears Storm Sash are 1⅛ in. thick and glazed with clear glass, securely set with plenty of points and good putty. Sizes shipped from Boston **are oil-primed and the glass is bedded in putty** before glazing. We illustrate the 2-light style; 4, 8 and 12-light storm sash are not illustrated. On all storm sash shipped from Newark, we can add ventilating slot with sliding cover in bottom rail for 15c each extra. Mark your order accordingly. We cannot supply ventilators for 2-light storm sash shipped from Boston, but for the 4-light and 12-light style we can supply ventilating slidelight for 75c extra on sizes marked (*); all other sizes, $1.50.

How to Order

Measure the space into which you will fit the screen or storm sash. Then order the stock size listed, which will fit or can be trimmed to fit the opening. **Be sure to give width (horizontal dimension) first.** Screens and sash can be trimmed as much as ½ inch in width and about 1 inch in length. Storm sash weights range from 13 to 40 lbs.; screens average 15 lbs. Add 25 lbs. for each bundle of 6 for shipping weights.

Keep out Flies WITH SEARS TRU-FIT 16-MESH WINDOW SCREENS

Screens Shipped From Factory Near Boston

Size of Screen Width Ft.	Width In.	Height Ft.	Height In.	63 HM 37 Galvanized Wire 14-Mesh	63 HM 38 Bronze Wire 16-Mesh
1	6	4	6	$0.98	$1.24
1	6	4	10	1.04	1.30
1	6	5	2	1.07	1.35
1	8	4	6	1.04	1.32
1	8	4	10	1.07	1.38
1	8	5	2	1.13	1.45
1	8	5	6	1.17	1.52
1	10	3	6	.94	1.19
1	10	3	10	.98	1.27
1	10	4	6	1.07	1.40
1	10	4	10	1.13	1.48
1	10	5	2	1.17	1.55
2	0	3	10	1.02	1.34
2	0	4	6	1.13	1.48
2	0	4	10	1.17	1.57
2	0	5	2	1.22	1.63
2	0	5	6	1.28	1.72

Size of Screen Width Ft.	Width In.	Height Ft.	Height In.	63 HM 37 Galvanized Wire 14-Mesh	63 HM 38 Bronze Wire 16-Mesh
2	2	4	10	$1.22	$1.67
2	2	5	6	1.26	1.75
2	2	5	6	1.31	1.83
2	4	3	2	1.00	1.32
2	4	3	6	1.05	1.40
2	4	3	10	1.09	1.48
2	4	4	2	1.15	1.58
2	4	4	6	1.20	1.67
2	4	4	10	1.26	1.75
2	4	5	2	1.31	1.85
2	4	5	6	1.35	1.93
2	7	3	2	1.07	1.43
2	7	3	6	1.13	1.53
2	7	3	10	1.18	1.63
2	7	4	2	1.24	1.73
2	7	4	6	1.31	1.83
2	7	4	10	1.37	1.93

Size of Screen Width Ft.	Width In.	Height Ft.	Height In.	63 HM 37 Galvanized Wire 14-Mesh	63 HM 38 Bronze Wire 16-Mesh
2	7	5	2	$1.43	$2.03
2	7	5	6	1.48	2.12
2	8	3	10	1.18	1.63
2	8	4	6	1.31	1.83
2	8	4	10	1.37	1.93
2	8	5	2	1.43	2.02
2	8	5	6	1.48	2.12
2	8	5	10	1.54	2.22
2	10	3	2	1.11	1.50
2	10	3	6	1.17	1.60
2	10	3	10	1.24	1.70
2	10	4	6	1.35	1.86
2	10	4	10	1.41	2.00
2	10	5	2	1.48	2.11
2	10	5	6	1.54	2.21

Storm Sash Shipped From Factory Near Boston

Size of Sash Width Ft.	Width In.	Height Ft.	Height In.	2-Light Storm Sash 63 HM 2423
1	5½	4	6	$1.32
1	5½	4	10	1.36
1	5½	5	2	1.50
1	5½	5	6	1.56
1	6	5	2	1.50
1	6	5	6	1.56
1	7	4	6	1.36
1	7	4	10	1.50
1	7	5	2	1.56
1	7	5	6	1.62
1	7	5	10	1.72
1	8	4	6	1.38
1	8	4	10	1.54
1	8	5	2	1.58
1	8	5	6	1.66
1	8	5	10	1.76
1	10	3	10	1.34
1	10	4	6	1.54
1	10	4	10	1.64
1	10	5	2	1.70
1	10	5	6	1.78
1	10	5	10	1.84
2	0	3	10	1.48
2	0	4	6	1.64
2	0	4	10	1.70
2	0	5	2	1.78
2	0	5	6	1.86
2	0	5	10	2.04
2	4	4	10	1.78
2	4	5	2	1.86
2	4	5	6	1.99
2	4	5	2	2.00
2	4	5	6	2.09
2	4	5	10	2.33

Size of Sash Width Ft.	Width In.	Height Ft.	Height In.	2-Light Storm Sash 63 HM 2422
2	1	3	6	$1.52
2	1	4	3	1.66
2	4	3	2	1.56
2	4	3	6	1.66
2	4	3	10*	1.74
2	4	4	2	1.84
2	4	4	6*	2.00
2	4	4	8	2.08
2	4	4	10	2.09
2	4	5	2	2.19
2	4	5	6	2.35
2	7	3	2	1.64
2	7	3	6	1.72
2	7	3	10	1.82
2	7	4	2	2.00
2	7	4	6*	2.09
2	7	4	10*	2.19
2	7	5	2*	2.35
2	7	5	6*	2.49
2	7	5	10	2.71
2	8	3	10	1.86
2	8	4	6	2.13
2	8	4	10	2.41
2	8	5	2*	2.41
2	8	5	6*	2.55
2	8	5	10	2.71
2	10	3	2	1.74
2	10	3	6	1.84
2	10	3	10	2.03
2	10	4	2	2.11
2	10	4	6*	2.23
2	10	4	10*	2.45
2	10	5	2*	2.55
2	10	5	6*	2.65
2	10	5	10*	2.80
2	10	6	2	2.92

Size of Sash Width Ft.	Width In.	Height Ft.	Height In.	4-Light Storm Sash 63 HM 2422
2	10	6	6	$3.16
3	0	3	10	2.13
3	0	4	2	2.27
3	0	4	6	2.35
3	0	4	10	2.59
3	0	5	2*	2.68
3	0	5	6*	2.78
3	0	5	10	2.90
3	0	6	2	3.04
3	0	6	6	3.16
3	4	4	6	2.71
3	4	4	10	2.77
3	4	5	2	2.90
3	4	5	6	3.02
3	4	5	10	2.76
3	4	6	2	3.30
3	4	6	6	3.50
3	8	4	6	2.95
3	8	4	10	2.96
3	8	5	2	3.10
3	8	5	6	3.26
3	8	5	10	3.54

Size of Sash Width Ft.	Width In.	Height Ft.	Height In.	12-Light Storm Sash 63 HM 2424
2	1	3	6	$1.85
2	4	3	10	2.10
2	4	4	6	2.27
2	7	4	6*	2.31
2	7	4	10*	2.41
2	7	5	2	2.49
2	10	4	6	2.53
2	10	4	10	2.55
2	10	5	2	2.65

Storm Sash Shipped From Factory at Newark, N. J.

Size of Sash Width Ft.	Width In.	Height Ft.	Height In.	2-Light Storm Sash 63HM7292
1	4	3	11⅝	$0.94
1	4	4	7⅝	1.06
1	4	4	11⅝	1.11
1	4	5	3⅝	1.16
1	6	3	11⅝	.99
1	6	4	7⅝	1.15
1	6	5	3⅝	1.30
1	8	3	11⅝	1.09
1	8	4	7⅝	1.20
1	8	4	11⅝	1.33
1	8	5	3⅝	1.37
1	10	3	11⅝	1.16
1	10	4	7⅝	1.33
1	10	4	11⅝	1.42
1	10	5	3⅝	1.47
1	10	5	7⅝	1.54
2	0	3	1⅝	1.08
2	0	3	7⅝	1.16
2	0	3	11⅝	1.28
2	0	4	1⅝	1.35
2	0	4	3⅝	1.35
2	0	4	7⅝	1.42
2	0	4	11⅝	1.47
2	0	5	3⅝	1.54
2	0	5	7⅝	1.61
2	0	5	11⅝	1.76
2	2	3	11⅝	1.35
2	2	4	3⅝	1.42
2	2	4	7⅝	1.47
2	2	4	11⅝	1.54
2	2	5	3⅝	1.61
2	2	5	7⅝	1.73
2	2	5	11⅝	1.85
2	4	3	11⅝	1.42
2	4	4	3⅝	1.47
2	4	4	7⅝	1.59
2	4	4	11⅝	1.61
2	4	5	3⅝	1.73
2	4	5	7⅝	1.81
2	4	5	11⅝	2.02
2	4	6	7⅝	2.19
2	6	3	1⅝	1.30

Size of Sash Width Ft.	Width In.	Height Ft.	Height In.	2-Light Storm Sash 63HM7292
2	6	3	7⅝	$1.42
2	6	3	11⅝	1.47
2	6	4	1⅝	1.54
2	6	4	3⅝	1.54
2	6	4	7⅝	1.61
2	6	4	11⅝	1.73
2	6	5	3⅝	1.87
2	6	5	7⅝	1.98
2	6	5	11⅝	2.05
2	7	3	7⅝	1.47
2	7	4	7⅝	1.73
2	7	4	11⅝	1.81
2	7	5	3⅝	1.88
2	7	5	7⅝	2.00
2	7	5	11⅝	2.28
2	8	3	11⅝	1.54
2	8	4	1⅝	1.61
2	8	4	7⅝	1.73
2	8	4	11⅝	1.83
2	8	5	3⅝	1.98
2	8	5	7⅝	2.00
2	8	5	11⅝	2.32
2	10	4	7⅝	1.81
2	10	4	11⅝	1.98
2	10	5	3⅝	2.00
2	10	5	7⅝	2.29
3	0	4	7⅝	2.02
3	0	4	11⅝	2.04
3	0	5	3⅝	2.32
3	0	5	7⅝	2.34
3	4	4	11⅝	2.34
3	4	5	3⅝	2.53

Size of Sash Width Ft.	Width In.	Height Ft.	Height In.	4-Light Storm Sash 63 HM 7295
2	5	4	3⅝	$1.59
2	5	4	7⅝	1.73
2	5	4	11⅝	1.90
2	5	5	3⅝	1.90
2	5	5	7⅝	2.04
2	5	5	11⅝	2.14
2	9	3	11⅝	1.61
2	9	4	3⅝	1.80
2	9	4	7⅝	1.88
2	9	4	11⅝	1.93
2	9	5	3⅝	2.14
2	9	5	7⅝	2.20
2	9	5	11⅝	2.34
2	11	4	7⅝	1.93
2	11	4	11⅝	2.12
2	11	5	3⅝	2.20
2	11	5	7⅝	2.29
2	11	5	11⅝	2.43

Width Ft.	Width In.	Height Ft.	Height In.	8-Light Storm Sash 63 HM 7300
1	11	4	7⅝	$1.57
1	11	5	3⅝	1.69
2	1	4	7⅝	1.64
2	1	5	3⅝	1.78
2	1	5	11⅝	2.07
2	5	5	3⅝	2.05
2	5	5	11⅝	2.22
2	5	6	7⅝	2.39
2	9	5	11⅝	2.43
2	9	6	7⅝	2.56
2	9	7	3⅝	2.75

Width Ft.	Width In.	Height Ft.	Height In.	12-Light Storm Sash 63 HM 7305
2	4½	3	11⅝	$1.83
2	4½	4	7⅝	1.97
2	7½	4	7⅝	2.00
2	7½	5	3⅝	2.16
2	10½	4	7⅝	2.19
2	10½	5	3⅝	2.29
2	10½	5	11⅝	2.68

Screens Shipped From Factory at Newark, N. J.

SIZE OF SCREEN Width Ft.	Width In.	Height Ft.	Height In.	16-Mesh Galvanized Wire 63HM28	16-Mesh Bronze Wire 63HM30
1	4½	4	11⅝	$1.02	$1.20
1	6½	4	7⅝	1.02	1.24
1	6½	4	11⅝	1.07	1.30
1	6½	5	3⅝	1.11	1.35
1	8½	3	11⅝	.98	1.19
1	8½	4	11⅝	1.13	1.39
1	9	3	11⅝	1.02	1.27
1	10½	3	7⅝	.98	1.19
1	10½	3	11⅝	1.02	1.27
1	10½	4	7⅝	1.13	1.40
1	10½	4	11⅝	1.17	1.45
1	10½	5	3⅝	1.22	1.55
2	½	3	7⅝	.96	1.17
2	½	3	11⅝	1.02	1.25
2	½	3	11⅝	1.07	1.34
2	½	4	1⅝	1.13	1.40
2	½	4	3⅝	1.13	1.40
2	½	4	7⅝	1.17	1.48
2	½	4	11⅝	1.22	1.57
2	½	5	3⅝	1.28	1.63
2	½	5	7⅝	1.33	1.72
2	1	4	7⅝	1.20	1.52
2	1	5	3⅝	1.31	1.68
2	2½	3	11⅝	1.11	1.42
2	2½	4	3⅝	1.17	1.50
2	2½	4	7⅝	1.22	1.58
2	2½	4	11⅝	1.28	1.67
2	2½	5	3⅝	1.33	1.75
2	2½	5	7⅝	1.39	1.83
2	4½	3	3⅝	1.04	1.32
2	4½	3	11⅝	1.15	1.48
2	4½	4	7⅝	1.28	1.67
2	4½	4	11⅝	1.33	1.75
2	4½	5	3⅝	1.39	1.85
2	4½	5	7⅝	1.44	1.93
2	4½	5	11⅝	1.50	2.01
2	5	3	3⅝	1.05	1.35
2	5	3	7⅝	1.11	1.45
2	5	3	11⅝	1.18	1.53
2	5	4	7⅝	1.30	1.72

SIZE OF SCREEN Width Ft.	Width In.	Height Ft.	Height In.	16-Mesh Galvanized Wire 63HM28	16-Mesh Bronze Wire 63HM30
2	5	4	11⅝	$1.35	$1.81
2	5	5	3⅝	1.41	1.90
2	5	5	7⅝	1.48	2.00
2	5	5	11⅝	1.54	2.08
2	6½	3	1⅝	1.07	1.37
2	6½	3	7⅝	1.15	1.47
2	6½	3	11⅝	1.20	1.55
2	6½	4	1⅝	1.26	1.65
2	6½	4	3⅝	1.26	1.65
2	6½	4	7⅝	1.31	1.75
2	6½	4	11⅝	1.39	1.83
2	6½	5	3⅝	1.44	1.93
2	6½	5	7⅝	1.50	2.01
2	7½	4	7⅝	1.37	1.83
2	7½	4	11⅝	1.42	1.93
2	7½	5	3⅝	1.50	2.03
2	7½	5	7⅝	1.55	2.13
2	7½	5	11⅝	1.63	2.22
2	8½	3	11⅝	1.24	1.63
2	8½	4	1⅝	1.31	1.73
2	8½	4	7⅝	1.37	1.83
2	8½	4	11⅝	1.42	1.93
2	8½	5	3⅝	1.50	2.03
2	8½	5	7⅝	1.55	2.13
2	8½	5	11⅝	1.63	2.22
2	9	4	7⅝	1.39	1.88
2	9	5	3⅝	1.52	2.08
2	9	5	7⅝	1.59	2.18
2	10½	4	7⅝	1.42	1.90
2	10½	4	11⅝	1.48	2.00
2	10½	5	3⅝	1.55	2.11
2	10½	5	7⅝	1.61	2.21
2	10½	5	11⅝	1.68	2.32
3	½	4	7⅝	1.46	2.00
3	½	4	11⅝	1.54	2.11
3	½	5	3⅝	1.61	2.21
3	½	5	7⅝	1.67	2.32
3	4½	4	7⅝	1.57	2.18
3	4½	4	11⅝	1.65	2.31
3	4½	5	3⅝	1.72	2.43
3	8½	5	3⅝	1.85	2.62

FIR PLYWOOD WALLBOARD



BUILDING SPECIAL! ONLY 69c 48x60 In. Panel

3/8 and 3/4-In. FIR PLYWOOD PANELS

Both sides of these panels are sound that is, practically flawless. The 3/8-inch panels are made of 3 plies and the 3/4-inch panels are made of 5 plies, laid cross-grain and cemented together under terrific hydraulic pressure, with water-resisting glue, to form a solid sheet of plywood, tough, warp-resisting and non-splitting; suitable for hundreds of uses. Preferred everywhere for table tops, wide shelves, cabinet and toy making, partitions, trailer lining, etc. Plywood panels have gained wide popularity because of their all-around convenience, beauty and economy and at Sears bargain prices your savings will be even greater. Shpg. wt., per square foot of 3/8-inch panels, 1 lb. 2 oz.; 3/4-inch panels, 2 lbs. 4 oz.

Size, Inches		3-Ply 3/8-In. Thick 63 HM 338	5-Ply 3/4-In. Thick 63 HM 534
Width	Length		
30	60	$0.67	$1.30
30	72	.81	1.56
30	84	.95	1.82
36	60	.81	1.56
36	72	.97	1.87
36	84	1.13	2.18
48	60	1.12	2.12
48	72	1.34	2.54
48	84	1.57	2.97

PRICES REDUCED—BUY NOW!

Sears Douglas Fir Plywood Wallboard is an achievement in wood—a material of remarkable strength, durability and beauty. It has all the good qualities of natural wood plus more convenient size and far greater strength and it serves more purposes than any other item in the wood field. Sanded to satin smoothness on both sides, it is possible to produce decorative effects that are unusually appealing. It is easily "worked," has considerable insulation value and is economical to use, not only from the standpoint of initial cost, but because of the ease of handling the panels.

Made of Selected Douglas Fir

We use only selected Douglas Fir, scientifically dried. Huge logs are rotary cut (peeled) and the sheets are cut into large panels. These are laid cross-grain and firmly cemented with special water-resisting glue under tremendous hydraulic pressure, producing a bond of exceptional strength. As a result, shrinking, warping, peeling or splitting are practically unknown. Nails can be driven right close to the edge of the sheet. Face side is perfectly sound—no knots, pitch pockets or open imperfections. When stained, the natural beauty of its rich graining is enhanced by the addition of color. Will take paint, enamel, lacquer or varnish equally well.

Has Hundreds of Uses

Ideal for lining basements, attics, storage rooms, garages, cabins and other buildings, as well as for making shelves, table tops, partitions, display racks, signs, feed bins, toys, etc. Other uses are indicated in the small views above.

Order by Catalog Number 63 HM 632 and state size wanted. All sheets full 1/4-inch thick.

See Page 1A for Easy Payments

Size, Inches	Square Ft. Per Panel	Shipping Wt., Lbs.	Per Panel	Size, Inches	Square Ft. Per Panel	Shipping Wt., Lbs.	Per Panel
48x60	20	16	69c	48x84	28	22	$0.98
48x72	24	19	84c	48x96	32	26	1.12

China Closet Doors

1st Quality Pine, 1⅜ in. thick, glazed with clear glass. Shipped from factory near Boston.



5-Light Design

5-Lt. Design 63HM6887	Width Ft.	Width In.	Height Ft.	Height In.	Shpg. Wt. Lbs.	2-Lt. Design 63HM6888
$1.55	1	3	3	10	14	$1.28
1.55	1	4	3	10	15	1.28
1.55	1	3	4	0	15	1.28
1.55	1	4	4	0	16	1.28
1.63	1	6	4	0	17	1.43
1.76	1	8	4	0	17	1.51
2.10	2	0	4	0	18	1.89
2.00	1	8	4	6	18	1.83
2.27	2	0	4	6	21	2.02



2-Light Design

EASY TERMS

Buy your Fir Plywood, millwork, roofing and other modernizing materials on our convenient Easy Payment Plan—a little down, a little each month. See Page 1A for full information.

First Quality Pine Chests of Drawers



3-Drawer Case

Made of First Quality Pine. Depth front to rear, 18 in.; width, 2 ft. 8 in.; height, 2 ft. 8 in. No sides, top or hardware included. Shipped set up from factory near Boston. Shipping weight, 50 pounds each.

63 HM 2482
4-Drawer Case.. $4.98

63 HM 2451
3-Drawer Case.. $4.69



4-Drawer Case



Ⓐ Steel Medicine Cabinet

Built-in type, with three glass shelves in large size, 2 in small size. Made of steel, strongly welded and finished in baked-on white enamel. Sanitary, easy to clean. Mirror of genuine Plate Glass with etched design and beveled edges. Has tooth-brush holder and razor blade drop. Inside dimensions of small size, 13x19x4¼ in.; large size, 15x21x4¼ in. Mirrors have arched top.

Catalog Number	To Fit Opening, In.	Mirror Size, In.	Shpg. Wt. Lbs.	Price
63 HM 2025	13¼ x 19¼ x 3½	16x24	30	$7.95
63 HM 1785	15¼ x 21¼ x 3½	18x26	42	10.75

Ⓑ Wood Medicine Cabinet

1st Quality Pine; Plate Glass Mirror 10x16 in. Fits opening 14¼ x 20¾ x 3½ in. Complete with 3 adjustable shelves, nickeled hinges and glass knob. Door, 13x19½ in.

63 HM 9585—Shpg. wt., 13 lbs.. $3.95

Ⓒ Ironing Board

Completely concealed—just a panel in the wall is all that's visible. Made of 1st Quality Yellow Pine. Fits between studding set 16 in. on centers. Rough opening should be 81 in. high. Door is 6 ft. 8 in. to line with an average room door. Cabinet is 4⅝ in deep to fit a standard 2x4 stud wall recess. Ironing board is approximately 11½ in. wide, 49 in. long and 32 in. from floor. Sleeve board is approximately 5 inches wide and 23 inches long. Door is Pondosa Pine. Carefully packed in carton and shipped from factory near Boston or Newark, N. J., whichever is closer. Shpg. wt., 55 lbs.

63 HM 2230—Complete with door, trim and hardware..... $6.25

Ⓓ Kitchen Cupboard

Made of 1st Quality Pine. Width, 4 ft.; ht., 8 ft.; bottom section 18 in. deep; top section 12 in. deep; table top 34 in. from floor. Lower section has two lipped drawers for cutlery, etc. and large utensil cupboard with removable shelf and two 1½-in. panel doors. Upper section has two glazed doors and three adjustable shelves. Hardware not furnished. Shipped packed flat from factory near Boston or Newark, N. J., whichever is closer. Easily set up.

63 HM 795
With one side and no back.
Shpg. wt., 180 lbs.
$19.70

63 HM 796
With two sides and no back.
Shpg. wt., 200 lbs.
$21.40

63 HM 797—Lower Counter Section only, with one side and no back. Shpg. wt., 95 lbs.. $9.98

63 HM 798—Lower Counter Section only, with two sides and no back. Shpg. wt., 110 lbs. $11.35

Ⓔ Corner China Case

Triangular shape to fit in corner and save space. Made of 1st Quality Pine. Consists of built-up front complete as shown—with panel door below and glass door above; top; bottom which forms one of shelves below counter; counter shelf; three intermediate shelves in upper section and one in lower section. Complete with shelf cleats. Sides, ends and back unnecessary and not furnished. Height over-all, 88 inches; width across front, 34 inches, giving a maximum depth up to 17 inches. Chromium finished knobs, catches and hinges included. Easy to install. Carton packed. Shipped flat from our Mail Order store.

63 HM 422
Shpg. wt., 75 lbs. $18.25

Ⓕ Breakfast Nook Set

Distinctive, cozy and compact; desirable for either large or small families because it saves much time, labor and steps. No need to set the dining room table for light meals or snacks. No carting of dishes from the dining room. Accentuates the coziness of the kitchen. Consists of one table and two benches, made of 1st Quality Pine and sanded smooth for finishing. Requires a space 6 feet wide by 4 feet deep. Packed in sections to secure the lowest shipping charges. Easily assembled in a few minutes time. Packed in dustproof cartons to reach you bright and clean.

Specifications: Table width, 2 feet 2 inches; length, 3 feet 8 inches; height of table top from floor, 2 feet 6 inches; seat width, 1 foot 1⅛ inches; length, 3 feet 8 inches; height over-all, 3 feet 5 inches.

Shipped from factory near Boston. Shipping weight, 112 pounds.

63 HM 9612
Complete..... $16.35

Finest Oak (HARDWOOD) Flooring

Nothing can match the beauty of Oak Flooring, and Sears low money-saving prices make it easy to own. It is easy to clean and keep clean. Doesn't split or splinter or form dirt-catching crevices. Adds materially to the permanent value of your home. Buyers and renters find their choice easier to make and are willing to pay more when floors are finished in Oak. Why not modernize now with new Oak floors under Sears convenient **Easy Payment Plan** as described on Page 1A? This plan permits you to make as large a down payment as you like (there is a minimum, of course) and your carrying charge is based on the unpaid balance only. A plan that's safe, sound and saves you money. We will also, if you wish, send you a free estimate of your needs. Send us a floor plan and we will quote you our lowest possible prices delivered to your station.

Choice of CLEAR or SELECT Grade

"Clear" or first grade is the best grade of flooring made. It is preferred for principal rooms where floors are largely exposed. Practically free from all imperfections. Bundled in lengths 2 ft. and up; not to exceed 20% under 4 feet. Average length, 5 feet.

"Select" is the second grade of flooring. Suitable for any room. Permits minor defects only, which do not affect general appearance or wearing quality. It is equally suited for use in low priced homes, stores, offices and apartments. Bundled in lengths of 2 feet and up, average length being 4 feet.

Sears grades meet fully the standard grades maintained by the National Oak Flooring Manufacturers' Association.

How to Order Oak Flooring

To arrive at the number of square feet of flooring required, multiply the width of the room by the length to find the number of square feet to cover. Add to this one-third extra to allow for the tongue and groove when ordering 1 3/16x2 1/4-inch size, or one-fourth extra when ordering 3/8x2-inch size. EXAMPLE: A room 10x10 feet contains 100 square feet plus one-third equals 134 square feet of 1 3/16x2 1/4-inch flooring needed, or 125 square feet of 3/8x2-inch flooring.

Catalog Number	Size Inches	Grade	Shpg. Wt., Lbs., Per Foot	Price Per 100 Sq. Ft.
63 HM 7445	3/8x2	Clear	1	$7.20
63 HM 7447	3/8x2	Select	1	6.00
63 HM 7433	1 3/16x2 1/4	Clear	2	8.85
63 HM 7434	1 3/16x2 1/4	Select	2	8.45

NOTE: Above measurements do not include width of tongue.

BUY ON EASY PAYMENTS

Modernize and repair now while Sears prices are so low. If you do not wish to disturb your savings, Use Sears Easy Payment Plan. See Page 1A for full details.

Douglas Fir Eaves Trough

An Eaves Trough made from solid genuine Douglas Fir and offered to Sears customers at a considerable saving. Furnished in 2 to 24 feet lengths as shown in price table below. Order by Catalog Number 63 HM 695 and state size and length wanted. Shipped from factory near Boston.



All Prices Are Down— Buy Now!

Length (Feet)	63 HM 695 Price Per Piece 3 x 4 Inch	4 x 5 Inch	4 x 6 Inch	Wt. Per Pc. Lbs. 3 x 4 Inch	4 x 5 Inch	4 x 6 Inch
2	$0.17	$0.28	$0.34	3	5	6
4	.34	.56	.68	6	10	12
6	.51	.84	1.02	9	15	18
8	.68	1.12	1.36	12	20	24
10	.85	1.40	1.70	15	25	30
12	1.02	1.68	2.04	18	30	36
14	1.19	1.96	2.38	21	35	42
16	1.36	2.24	2.72	24	40	48
18	1.53	2.52	3.06	27	45	54
20	1.70	2.80	3.40	30	50	60
22	1.87	3.08	3.74	33	55	66
24	2.04	3.36	4.08	36	60	72

Red Cedar Closet Lining

Equip your clothes closets with Sears Aromatic Red Cedar Lining and quit worrying about moths. Protect your clothing, furs, blankets and other belongings at a cost that may be substantially less than the cost of one garment moths might otherwise ruin. Enjoy the safety of a cedar chest and the convenience and capacity of a closet—garments are kept on hangers—fresh and unwrinkled. Easily installed in old or new closets. Cedar is 3/8 inch thick; the ends are matched; tongues and grooves are precisely cut for snug fit. Surface is velvet smooth. **Shipped well wrapped in tough kraft paper.** To estimate your needs, figure the number of square feet to be covered. Then add 20% to get the number of board feet required. Any quantity may be ordered.

Shipped from factory near Boston or in Newark, New Jersey, whichever is closer. Order from Boston. You pay freight from point of shipment. Shipping weight, per board foot, 1 lb.

63 HM 510 Cedar Lining, per board foot.. **8c**



Lumber Prices Lower!

All Sears lumber is strictly up to or better than the grade shown, which is the standard adopted by responsible National Lumber Associations. "A" grade is a top grade Red Cedar and is practically flawless. "B and Better" Grade is the finest ordinarily used and often called Clear. "D" Grade is a popular grade which may contain a few imperfections, but which do not affect strength or usability. We have many other items and patterns in stock. Tell us what you want and we will quote you on the most suitable size and grade for the purpose.

Shipped from factory near Boston or Newark, New Jersey. Order from Boston.

	Catalog Number and Commodity	Standard Finished SIZE Inches	GRADE and WOOD	Sq. Ft. Cvge. of 100 Lin. Ft.	Weight, 100 Lin. Ft., Lbs.	Price per 100 Lin. Ft. From Boston	Price per 100 Lin. Ft. From New Jersey
(A)	63 HM 433 Bevel Siding	7/16x5 1/2	"A" Grade Red Cedar	37	50	$2.40	$2.40
(A)	63 HM 434 Bevel Siding	3/4 x7 5/8	"A" Grade Red Cedar	53	93	4.60	4.60
(B)	63 HM 435 Ceiling	5/8 x3 1/4	"B and Better" Fir	27	47	1.70	1.70
(B)	63 HM 436 Ceiling	5/8 x3 1/4	"D" Grade Fir	27	47	1.35	1.35
(C)	63 HM 437 Flooring FlatGrain	25/32x3 1/4 Face Size	"B and Better" Fir	27	63	2.00	2.00
(C)	63 HM 438 Flooring Flat Grain	25/32x3 1/4 Face Size	"D" Grade Fir	27	63	1.60	1.60
(D)	63 HM 431 Drop Sidg. Ptn. 106	25/32x5 1/2	"B and Better" Fir	43	90	3.25	3.25

(Where size is shown as "Face Size" it means finish width, not including tongue.)

KNOTTY PINE

Rapidly becoming popular for room finishing and we bring it to you at lowest prices. Ideal for living rooms, halls, bedrooms, offices, etc.

We use only Ponderosa Pine, thoroughly seasoned and selected for sound knots and free from open imperfections. Decorative effects are produced by staining which enhances the graining. Molded and lapped edges. Random widths, 6, 8, and 10 inches wide and 8 and 10 feet lengths. Prices per board foot in random widths and lengths. To determine number of board feet needed to cover a given area, add to area to be covered 15% extra to provide for lapped joint and it is usually well to allow about 5% additional for end cutting waste. Shipped from factory near Boston.

63 HM 506 — Per Board Foot. Shipping weight, 2 pounds.... **8c**

Reduced Prices on Yellow Pine and Fir Interior Molding



Finest Quality Yellow Pine or Fir

Smooth, clean, free from blemishes. Standard designs molded smooth by accurate, modern machines. In random lengths, 6 to 20 ft. You may order less than 100 lineal feet if you wish at proportionate prices. For specified lengths add 10% to prices shown. **Yellow Pine Moldings shipped from factory near Boston. Fir Moldings shipped from factory in Newark, N. J.** Send orders to Boston. Write for prices on special patterns and sizes.

Description	Shpg. Wt., Lbs.	Price per 100 Lineal Feet: Yellow Pine From Boston	Fir From Newark
(A) Round Edge Casing			
63 HM 8308—3/4x3 1/2 in..	60	$3.40	$2.85
63 HM 5590—3/4x5 1/2 in..	100	.....	4.15
63 HM 4981—3/4x6 in..	110	6.85	.....
63 HM 4982—3/4x8 in..	130	9.45	.....
(B) Round Edge Chair Rail			
63 HM 8627—5/8x2 1/2 in..	40	.....	1.90
63 HM 5592—5/8x3 1/4 in..	60	.....	2.85
63 HM 8640—5/8x3 5/8 in..	60	3.00	.....
(C) Round Edge Base			
63 HM 8828—3/4x7 1/4 in..	120	6.75	5.85
(D) Carpet Strip			
63 HM 8422 1/2x 3/4 in..	16	.75	.70
(E) Cove Molding			
63 HM 8060—3/4 x 7/8 in..	15	.75	.70
(F) Quarter Round			
63 HM 8065—3/4x 3/4 in..	18	.75	.70

(G) Thresholds—Oak. 63 HM 8278—Size, 5/8x3 5/8 in.

State Length Wanted. Shipped from Boston or Newark.

Length 33 inches	Shpg. wt., 2 pounds	Each **18c**
Length 37 inches	Shpg. wt., 2 pounds	Each **19c**
Length 49 inches	Shpg. wt., 3 pounds	Each **30c**
Length 61 inches	Shpg. wt., 4 pounds	Each **40c**

Let Us Send You a FREE ESTIMATE

We will gladly quote you a price, including transportation charges to your station, on the materials you will need to completely build, remodel or make alterations on any building for which you or your architect have prepared plans. Send us a list and let our expertly trained estimators help you save money.

Enormous stocks, conveniently located, enable us to render very prompt, complete, satisfactory service.

Take advantage of the convenience of ordering **and getting** all your requirements from one responsible firm.



Red Cedar Shingles for Siding and Roofing

PLAIN RED CEDAR SHINGLES

Shipped in bundles from factory near Boston or Newark, N. J., whichever is closer. Order from Boston.

63 HM 740—No. 2 Grade; 16 in. long. These shingles are 12 in. clear or better. Do not contain more than 1 inch of sapwood for the first 10 inches. 5 of these shingles measure 2 in. thick at butts. 1 bundle when laid 5 inches to the weather covers 25 square feet.
Price per bundle. Shpg. wt., 36 lbs..... **$1.19**

63 HM 731—No. 1 Grade; 16 in. long. These shingles are all edge grain, strictly clear and contain no sapwood. Size, thickness, coverage and weight the same as No. 2 grade above.
Price per bundle. Shpg. wt., 36 lbs. **$1.40**

STAINED RED CEDAR SHINGLES

Shipped from factory near Boston. **Be sure to state color wanted.**

63 HM 734—XXXXX (No. 1 Grade); 16 in. long; 100% edge grain and free from sap. 5 of these shingles measure 2 in. thick at butts. 1 carton when laid 5 in. to weather covers 25 square feet. Shipping weight, per carton, 40 pounds.

PRICE PER CARTON	Black, Red or Brown	Green	Gray, Blue or White (with prime coat only)
	$1.98	$2.00	$2.15

63 HM 735—Perfection Red Cedar Shingles; 18 in. long; 100% edge grain, 100% clear, 100% free from sap. 5 shingles measure 2 1/2 in. thick at butts. 1 carton laid 5 1/2 in. to weather covers 25 square feet. Shpg. wt., per carton, 40 lbs.

PRICE PER CARTON	Black, Red or Brown	Green	Gray, Blue or White (with prime coat only)
	$2.10	$2.15	$2.35

See Freight Rates on Pages 998-999

CELLAR SASH OF WELDED STEEL —The Finest Made



All Corners Welded—Not Merely Shaped

Cork Cushion Bedding Strips Protect Glass

Screen and Storm Sash Easily Affixed

Steel Glazing Clips Make Reglazing Easy

Sash Swings in at Top on Steel Pivots

Non-Leak Sill for Protection and Strength

It Can Never Warp or Lose Its Shape

After a careful and extensive search we believe this to be the finest steel cellar sash on the market. It is made of heavy "T"-Angle Steel, with all members securely welded—not merely shaped as in other sash selling at lower prices. Cork cushion bedding strips protect the glass from shock and strain and make the window weatherproof. Sash easily tilted open or lifted out from inside for ventilation.

Prices are for sash and frame, as shown. Glass and putty not included. For glass see Page 927. Write for prices of storm sash and screens to fit this sash.

Outside Size of Frame				No. of Lights	Size Each Glass Space	63 HM 9675 Without Glass or Putty	Shipping Weight
Width		Height					
2 feet*	9 inches	1 foot	2¼ inches	3	10x12	$2.25	18 lbs.
2 feet	9 inches	1 foot	10¼ inches	3	10x20	2.40	21 lbs.
3 feet	3 inches	1 foot	8¼ inches	3	12x18	2.47	22 lbs.

EASY PAYMENTS Sears Easy Payment Plan is economical and convenient. You pay carrying charges on the unpaid balance only. For full details—See Page 1A.



STEEL COAL CHUTE

This sturdy coal chute meets the demands of our customers who want quality that will give longest possible service and still be reasonably priced. You'll be pleased to find that's what Sears can do. This coal chute is made of extra heavy rolled steel. All working parts are **Parkerized**—a process that makes them resist rust, and protects the paint film. A valuable feature in an item of this kind. All hinges and joints are electrically-welded for added strength. When door is closed, it locks automatically and can only be opened on the inside. Wall opening size is about 23x17 in. Chute proper extends into wall 8 in.

63 HM 9235—Shpg. wt., 32 lbs.. **$4.25**

STEEL LINTELS

Made of fine quality solid rolled steel, in sizes as listed. Write for prices of other sizes. **Shipped from factory in Boston.**

Catalog Number	Size In.	Ga. In.	30 Inch	Wt. Lbs.	36 Inch	Wt. Lbs.	42 Inch	Wt. Lbs.	48 Inch	Wt. Lbs.	60 Inch	Wt. Lbs.	66 Inch	Wt. Lbs.	72 Inch	Wt. Lbs.
63 HM 4551	3x3	3/16	$0.65	10	$0.75	11	$0.89	13	$1.00	15	$1.20	19	$1.35	21	$1.45	23
63 HM 4552	4x3	¼	.95	15	1.10	18	1.25	21	1.45	28	1.75	29	1.90	32	2.10	35
63 HM 4553	4x4	¼	....	..	....	..	....	..	....	..	2.00	33	2.20	37	2.40	40
63 HM 4554	6x4	¾	....	..	....	..	....	..	....	..	3.70	62	4.10	68	4.45	74
63 HM 4555	5x3½	5/16	....	..	....	..	....	..	....	..	2.65	68	2.90	48	3.15	52

STEEL BASEMENT COLUMNS

Sears Steel Basement Columns are made of steel pipe that is over ⅛-inch thick. Carried in stock either hollow or filled with concrete. Provided with a solid cap and base of heavy iron plate each 6 inches square. Outside diameter of all columns is 4 inches. Six standard heights. Universally used for basement posts, barn columns and all general support purposes, where a safe, strong, non-warping column is needed. Prices include iron cap and base.

Ht. Feet	Filled 63 HM 4557	Hollow 63 HM 4558	Shpg. Wt., Lbs. Filled	Hollow
6½	$2.95	$2.15	110	39
7	2.98	2.39	119	42
7½	3.19	2.59	128	45
8	3.45	2.69	136	48
9	3.69	2.95	153	54
9½	3.95	3.15	161	57

Shipped From Factory in Chicago, Cambridge, Mass., or Brooklyn, N. Y. Send orders to your Mail Order Store.

FIREPLACE ACCESSORIES



Ashpit Door

Made of heavy cast iron. Comes to you complete with frame. When ordering, be sure to state size.

63 H 4177

Size, In.	Each	Shpg. Wt.
8x 8	$0.69	10 lbs.
10x 8	.90	12 lbs.
10x12	1.35	15 lbs.

Ash Dump

Equip your fireplace with this automatic ash dump and save a lot of muss and bother disposing of ashes. It is strongly made of heavy cast iron, 7x10 inches in size. Has double doors. Shipping wt., 3 lbs.

63 H 4176. 54c

Throat or Dome Damper

This Throat or Dome Damper for fireplaces is the convenient rotary control type; easy to operate. It is made of heavy cast iron. It eliminates extra work in forming dome or throat.

Overall Size, Inches	For Finished Fireplace Opening Width	63H4175 Price Each	Shpg. Wt., Lbs.
34x13¾	30 in.	$4.45	45
40x13¾	36 in.	5.20	53

FIREPLACE FIXTURES: Refer to our Fall big General Catalog for attractive fireplace fixtures at lowest prices.



"TRIUMPH" CONCRETE MIXERS

Sears TRIUMPH Mixers are especially designed and built for farm needs. Thoroughly mix concrete, mortar or plaster, wet or dry. Small size makes especially good feed mixer. Adaptable to almost any kind of power. Operates best at 150 revolutions per minute. Pulley for belt drive as shown or chain drive sprocket equipped on the largest size mixer if you prefer, at no extra charge. Equipped with handle for manual operation. Here are some of the many jobs you can do with the TRIUMPH: Foundations for buildings, feed floors, feed troughs, water troughs, sidewalks, culverts, fence posts, roadways, fruit and vegetable cellars, porches, etc. These jobs enable the mixers to pay for themselves many times over.

Choice of 3 sizes: The 1½ to 2 cu. ft. capacity; the 3 to 4 cu. ft. capacity; the 4 to 5 cu. ft. capacity.

Mixers are ruggedly built. Strong angle iron frames are solidly braced. Drums tilt either way and are made of 16-gauge steel with bowl and head of heavy cast iron. Paddles are solidly constructed and rigidly braced to do a thorough mixing job. For belt power the TRIUMPH has a cast iron pulley with 3-in. face. Smallest size has 12-in. pulley, larger sizes have 16-in. pulley. Largest mixer is equipped with head ball bearings. Pinion drives are enclosed, a feature that minimizes wear and prevents damage. Equipped with practical dump locking device. **Shipped from factory in Fredricktown, Ohio.** Order from Boston.

Catalog Number	Capacity Cu. Ft.	Mounted On	Wt. Lbs.	Price
63 HM 972	1½ to 2	Stand	200	$18.95
63 HM 975	1½ to 2	Truck	360	38.50
63 HM 973	3 to 4	Stand	245	36.40
63 HM 976	3 to 4	Truck	405	54.75
63 HM 974	4 to 5	Stand	435	71.00
63 HM 977	4 to 5	Truck	640	118.50



"WIZARD" CONCRETE BLOCK MACHINE

Our WIZARD Block Machines make blocks face down. Both styles make 8x8x 16 in. blocks—in medium Rock Face Design. With each machine we include Rock Design face plate for whole blocks, Rock Design face plate for making one-half and two quarter blocks; two Rock Design end gates, two core end gates, two dividing plates, one gable block dividing plate for making gable blocks; two joist block attachments, plugs for closing core holes to make solid blocks, one striker tool, one double end tamper, and one sample wood pallet for a pattern.

The two-core machine costs less and makes a heavier block favored in some localities. The three-core machine makes a more economical block as it takes less material on account of greater core area. The cost of making blocks with the three-core machine is less, and the greater hollow space provides greater insulation. Two men can make from 100 to 125 blocks a day on these machines.

Catalog No.	Number of Cores	Style	Shpg Wt., Lbs.	Price
63 HM 5709	2-core	With Stand	165	$28.95
63 HM 5704	2-core	Without Stand	140	22.35
63 HM 5730	3-core	With Stand	185	33.60
63 HM 5732	3-core	Without Stand	160	27.00

All Concrete machinery items Shipped From Factory in Fredricktown, Ohio Order From Boston.



"TRIUMPH" CONCRETE BLOCK MACHINE

Unmatched In Performance At Anywhere Near This Price

Capacity 200 to 250 blocks per day with two men. A great saver of labor costs. Makes face-down block and uses a wood pallet for economy. Cores are lever drawn. Simple and quick to operate. Built-on facing table. Equipment includes face plates in medium rock-face design for whole, half and quarter blocks, 2 rock and 2 core end gates, 2 dividing plates, 2 joist block attachments, 3 core plugs, 1 striker, 1 double end tamper, 1 sample wood pallet and 1 gable block dividing plate. Mounted on substantial, heavy stand. Makes 8x8x16 in. blocks. Shipped from factory in Central Ohio, and you pay freight from there. Shpg. wt., 275 lbs.

63 HM 5738 Triumph Block Machine..... **$54.95**



"That's Sears Asbestos Siding AND I SAVED $50..."

48 HM 9094
Wavy Butt Design, Standard Gray



48 HM 9081—Thatch Design, Standard Gray



48 HM 9080—Wavy Butt Design, Waterproofed White

Use Sears EASY PAYMENTS
See Page 1A for details of this convenient Plan

You, too, can transform your home—give it new beauty, new protection and longer life—at Sears low Mail Order prices! Cover the outside walls with Sears new Asbestos Shingle Siding—then good-bye to maintenance costs! No more expense for paint. No more leaks or repairs due to worn out siding. No more run down appearance. An exterior that's completely fireproof. Extra insulation benefits. Restored rental or resale value. Can't rot, split or wear out. Lifetime beauty with the appearance of real stone at a fraction of the cost of stone. Thousands of owners are modernizing their homes with Asbestos Shingle Siding and enhancing the value of their property—you can do the same at a typical Sears saving, backed by our guarantee of satisfaction and under our convenient EASY PAYMENT Plan described in detail on Page 1A.

Three Styles—Choice of Gray or White

Sears Asbestos Shingle Siding has an unusually pleasing appearance, due to its deep Cypress graining and irregular butt line. All shingles are uniformly thick (3/16 in.) and offered in choice of three styles, as illustrated at left. Each style also comes in **"Standard Gray"** or **"White"** color, as indicated in the listings below. Our **"Standard Gray"** is a natural stone color. Our **"White"** Shingles are one of the few shingles made in which **the color goes clear through the entire thickness of the shingle**—not merely a surface or wash coating, and all White shingles are also **waterproofed**—an important feature. All shingles are made of the finest grade of Portland Cement and asbestos fibers and are absolutely fireproof. They take on a **weathered effect** with the passing of years and improve in appearance with age.

Easy to Lay—Self-Spacing—Self-Aligning

These shingles can be laid right over old shingles or siding. They are self-spacing and self-aligning. Nail holes are already punched. We furnish special cadmium-plated (non-rust) nails for face nailing, also asphalt strips for butt joints and full instructions. You will require in addition the nails listed below for top nailing. We recommend laying these shingles over our Asphalt Saturated Felt, 48 HM 3009, listed on Page 937.

Size, 24 in. wide, 12 in. high and 3/16 in. thick. Applied with 1½-in. overlap. One bundle sufficient to cover 33⅓ sq. ft. of surface. Three bundles cover 100 sq. ft.

48 HM 9094—Wavy Butt Design
Gray color. Shpg. wt., 65 lbs.
Per Bundle of 19 shingles.....$2.18

48 HM 9078—Wavy Butt Design
White color. Shpg. wt., 60 lbs.
Per Bundle of 19 shingles.....$2.65

48 HM 9081—Thatch Design
Gray color. Shpg. wt., 65 lbs.
Per Bundle of 20 shingles...$2.28

48 HM 9082—Thatch Design
White color. Shpg. wt., 60 lbs.
Per Bundle of 20 shingles...$2.75

Size, 22 in. wide, 9½ in. high and 3/16 in. thick. Applied over 1½-in. overlap. One bundle sufficient to cover 25 sq. ft. of surface. Four bundles cover 100 sq. ft.

48 HM 9079—Wavy Butt Design
Gray color. Shpg. wt., 48 lbs.
Per Bundle of 21 shingles.....$1.72

48 HM 9080—Wavy Butt Design
White color. Shpg. wt., 45 lbs.
Per Bundle of 21 shingles...$2.08

Galvanized Nails and Shingle Cutter

48 HM 9083—1½-inch galvanized nails for top nailing when applying to sheathing boards. Use 1 lb. per square. **Per lb.** **10c**

48 HM 9084—1¾-inch galvanized nails for top nailing when applying over old siding. Use 1 lb. per square. **Per lb.** **10c**

48 HM 9095—Shingle cutter (*see illustration at right*). Correctly designed, accurately machined. For fitting shingles at chimneys, dormers, doors, window frames, corners, etc. Also makes notches, odd cuts and nail holes if others are needed. This cutter will enable you to do a first class job, and if returned to us prepaid and in good condition, we will refund $19.50 of its price. Shpg. wt., 54 lbs. **Each** **$21.75**

Save Up to 50% on MEMORIALS

$16.95 Complete As Shown

Save up to 50% on markers and monuments—and get finest quality besides! We ship direct from quarries to you, permitting you to buy a larger and finer memorial than you might otherwise afford. We use only the finest Granite and Marble—backed by Sears Guarantee of Satisfaction, Quality and Value. A beautiful special Monument Catalog, No. 574H, will be mailed to you free on request. **Send for it today.** Pictured here is our largest selling grave marker—a splendid example of our low prices. Made of finest Georgia Gray Granite, it is 24 inches long, 12 inches wide and 8 inches high. Price includes the amount of lettering shown. For additional letters, add 45c each. This marker has rough hewn effect on sides, with a highly polished border surrounding the inscription which is deeply cut on a steeled surface. Shipped from factory in Georgia and you pay freight from there. Shipping wt., 240 lbs.

48 HM 3820
Marker complete as shown..... **$16.95**

SEARS

Best-of-All ROCK WOOL

SAVES ITS COST IN 3 YEARS

BUILDING SPECIAL
$1.15 Per Carton And Up
Was $1.30

FIREPROOF

Here's What Insulation Actually Saves in Dollars and Cents . .

Without Insulation
Fuel Cost
$100.00

Ceilings Insulated
Fuel Cost
$87.00

Ceilings and Walls Insulated
Fuel Cost
$67.00

How much will insulation actually save in dollars and cents? The results vary, of course, depending as they do on the type of home, kind of fuel, climate, condition of heating plant, etc. The figures used here are taken under average conditions. Figure at left shows an estimated fuel cost of $100.00 per season when insulation is not used. When 3 inches of Rock Wool is placed between ceiling joists as suggested in center Figure, the fuel bill is reduced to $87.00. By using Rock Wool between wall studs and between ceiling joists as suggested in figure at right, the fuel cost is further reduced to $67.00—an indicated saving of one-third in fuel costs. But there are other advantages and savings beside the lowered fuel cost. You won't have to force your heating plant in extreme cold weather and you will show a saving in furnace repairs. You may save on doctor bills by avoiding illness caused by an otherwise cool and drafty house. And remember too, the summer comfort that Rock Wool insulation brings you. Summer temperatures will be reduced 8° to 15°. Sears offer this "Building Special" at reduced prices for 1938. We guarantee your entire satisfaction.

Prices Reduced to Help National Building Program

A blanket of wool keeps you warm on a cold winter night because it holds in heat. A blanket of Rock Wool in walls and ceilings does the same sort of a job for your home—and puts a good many hard-earned fuel dollars right back in your pocket! Right after every snowstorm you can tell which homes are insulated and which are not by the amount of snow on the roof. The uninsulated house leaks heat like a sieve and melts snow on the roof almost as fast as it falls. A house properly insulated will retain its white blanket of snow until the sun melts it. When your home is insulated with Sears Rock Wool, you are not paying out good money to melt the snow on your roof and heat the sky above.

- **Saves up to 33% in fuel by reducing heat losses—moderates summer temperatures 8° to 15°.**
- **Vermin-proof, fire-proof, clean, odorless and moisture resistant.**
- **Listed as Standard by Underwriters' Laboratories.**
- **Thermal conductivity rating is 0.26 per inch of thickness.**

FOR EASY PAYMENTS—See Page 1A

Only $42.00 to Insulate a 24x30-Foot Attic

With Sears Pellet Type Rock Wool you can insulate a 24x30-foot attic for about $42. 2-in. Batts will cost you about $31.20, 3½-in. Batts will cost you about $44.60. We recommend 3½-in Batts because you get positive 3½-in. thickness of insulation and they are easier to apply. In fuel saved alone, this investment will soon be returned, but there are other benefits to be enjoyed. You add much more than the amount spent to the permanent value of your home. You also get a home that is noticeably cooler and more comfortable in summer. Thousands of home owners are so modernizing their homes and practically all new homes being erected today are fitted with one form of insulation or another.

Sears Dual Purpose ROCK WOOL is made from molten rock, blown by powerful jets of live steam into millions of tiny porous fibers. So resistant to heat that the white-hot flames of a blow torch do not affect it. In fact, a 3½-inch Sears Rock Wool Batt is as effective as a stone wall 5 ft. thick when it comes to shutting out heat or cold!

Here's your opportunity to have insulation economically. Sears ROCK WOOL is guaranteed—**the genuine article in its finest form.** Will positively return its cost in fuel savings. It will pay real dividends of cool comfort in summer. And you can add its original cost to the permanent value of your home. Thousands of home owners are so modernizing their homes—no other modernizing investment pays such big returns.

Shipped from Boston or Plainfield, N. J., whichever is nearer you, and you pay freight only from point of shipment. Send orders to Boston.

Ⓐ


Ⓑ

Ⓒ

Ⓓ

ROCK WOOL BATTS—Plain and Waterproofed

Ⓐ **3½-Inch Thick Plain Batts**
Batts 15x23 inches and 3½ inches thick. Each carton of 7 batts covers 18 square feet.
48 HM 3209—Per Carton. Shpg. wt., 28 lbs. **$1.15**

Ⓐ **2-Inch Thick Plain Batts**
Batts 15x23 inches and 2 inches thick. Each carton of 12 batts covers 31 square feet. These batts are not quite as efficient as our 3½-inch batts, which we recommend, but suitable for many uses. Shipping weight, 31 pounds.
48 HM 3211 Per Carton.... **$1.30**

Ⓑ This new waterproofed paper-backed Rock Wool Batt is 15x48x3 inches in size. The Rock Wool is fused to water-proof paper which keeps out moisture and condensation. Batt is tucked between studs, joists or rafters, set 16 inches on center, with 1½-inch paper flange on each side of batt as shown above, nailed to studs. The paper on batts is 18 in. wide. This large size batt handles easily. Comes in carton of 5 batts, which is sufficient to insulate 28 square feet of floor or wall surface. Shipping weight, 38 pounds.
48 HM 3202—Per carton of 5 batts.... **$1.70**

Loose Type

Ⓒ In mass form, for stuffing into any space, as under floors, between walls, etc. Can't be poured. Bag contains 3½ cubic feet and covers 18 square feet to a depth of 3 inches. Shipping weight, 36 pounds.
48HM3210—Per Bag. **78c**

Pellet Type

Ⓓ Same as used by contractors using "blowing" equipment. Fluffy pellets, easily poured from carton. 4-cubic-foot carton covers 18 square feet to depth of 3 inches. Shipping weight, 37 pounds.
48 HM 3208 Per Carton..... **$1.05**

SEARS

Sealtite SHEATHING BOARD

SEALED WITH ASPHALT

FOR Exterior USE
INTRODUCING "SEALTITE" Sheathing Board
Insulates as it builds. Moisture-resistant. Completely sealed with asphalt. Replaces wood sheathing. Makes stronger and tighter walls. Large wide sheets easier and faster to apply. Reduces labor costs. Stops heat losses. Reduces outside noises. Sears low prices make it the logical sheathing to buy.
BUILDING SPECIAL! ONLY $1.52 and up Per Sheet
Full 25/32 Inch Thick

Walltite INSULATING BOARD

FOR Interior USE
LINING AND INSULATING ATTICS
BASE FOR PLASTIC PAINT OR WALL FINISHES
SHIPLAP SIZE FOR Plaster Base
DEADENS SOUND Under Floors
FOR COVERING ROUGH MASONRY In Basement
BUILDING SPECIAL! ONLY 84c and up Per Sheet
Full ½ Inch Thick

For Easy Payment Terms—See Page 1A

Repels WATER..VAPOR AND DRY ROT

- **Made of selected, chemically-treated fibers, compressed into a strong, rigid and non-splitting sheet 25/32-inch thick.**
- **Entirely coated with asphalt, making it moisture and rot-resisting.**
- **Thermal conductivity 0.34 per inch of thickness.**
- **A marvelous insulating material—cuts fuel bills and makes the home more comfortable in summer.**
- **Used extensively in place of wood sheathing.**
- **Easy to apply—large sheets nail up quickly and are line marked for nailing.**

NOW, for the first time, you can buy guaranteed, asphalt-treated insulating sheathing board at Sears low mail order prices. Sears SEALTITE is all the name implies—a sheathing board completely asphalt-sealed against the destructive action of vapor, moisture and dry rot, and which in turn will shield your home or other buildings against infiltration of outside heat in summer and loss of radiated heat in winter. Exceptionally strong and rigid, SEALTITE will reinforce your building and eliminate many cracks due to settling. Each sheet is line striped for ease in stud nailing.

SEALTITE is offered in 48-inch width and 4 convenient lengths shown below. It can be sawed and nailed as readily as lumber. You may, if you prefer, avail yourself of our **Easy Payment Plan** as described on Page 1A. SEALTITE is **shipped from** our Mail Order House and you pay freight from there. Send orders to Boston. We cannot accept orders for less than three sheets.

Prices below are per sheet.

SEALTITE SHEATHING BOARD

Order by catalog number **48 HM 3203** and state size sheets wanted.

4x8 FEET	4x9 FEET	4x10 FEET	4x12 FEET
Shpg. wt., 42 lbs.	Shpg. wt., 47 lbs.	Shpg. wt., 52 lbs.	Shpg. wt., 62 lbs.
$1.52	**$1.70**	**$1.90**	**$2.28**

Insulates..PROTECTS..DEADENS SOUND

- **Made of heavy chemically-treated cornstalk fibers, formed under tremendous pressure to a sheet ½-inch thick—light in weight, yet possesses remarkable strength.**
- **Walltite's tough, fibrous, wiry, cellular structure contains millions of tiny air cells, giving it marvelous insulating properties; thermal conductivity, 0.34 per inch of thickness.**

Sears WALLTITE is a modern material for modern interior needs—an inexpensive board that does many important jobs at one time—insulates, strengthens, deadens sound and protects. As an insulating material, it repels the frigid blasts of winter as easily as it turns back the scorching rays of summer sun. In fact, one inch of Walltite has the insulating value of 36 inches of concrete! Between walls and floors it hushes the noises of heavy feet or shrill voices. Ideal for lining chicken houses, hog houses and other outbuildings, and for finishing interiors of garages, basements, store rooms and attics. Use 1⅛-inch blued lathing nails—see Index.

Easy to Handle and Apply

WALLTITE saws readily, holds nails tightly and can be installed quickly—no muss, no trouble. Won't become mildewed or otherwise deteriorate. Won't sag, buckle, shrink, warp or split and is odorless. **Shipped from** our Mail Order House and you pay freight from there. Send orders to Boston. **See Page 1A for Easy Payments.** We cannot accept orders for less than 3 sheets.

Prices below are per sheet.

WALLTITE INSULATING BOARD With Square Edge

Order by catalog number **48 HM 3204** and state size sheets wanted.

4x6 FEET	4x7 FEET	4x8 FEET	4x9 FEET	4x10 FEET
Shpg. wt., 18 lbs.	Shpg. wt., 22 lbs.	Shpg. wt., 25 lbs.	Shpg. wt., 28 lbs.	Shpg. wt., 31 lbs
84c	**98c**	**$1.12**	**$1.26**	**$1.40**

SUITABLE FOR ALL TYPES OF CONSTRUCTION



Sealtite is adaptable to any type of outside construction. Used with our Insulating and Plaster Base Lath, you get insulating benefits that pay big dividends in lower fuel bills and increased comfort in hot summer months.

WALLTITE SHIP-LAPPED PLASTER BASE

Insulating and Plaster Base Lath does not permit "skimping." Every inch of wall and ceiling area must be completely covered, assuring the utmost in insulation. Plaster Base Lath is 1½x4 feet in size, ½-inch thick and has ship-lapped edges. Costs less than wood lath and is easier to apply. Saves on labor costs. Leaves no disfiguring lath streaks in the finished wall. Use 1⅛-inch finishing nails—see Index. Same shipping points as insulating board above. Shipping weight, per sheet, 4 pounds. Easy Payments on Page 1A.

48 HM 3205

Per 1½x4-foot sheet..... **21c**

WASTE SPACE MAKES A LIVABLE PLACE WITH

SEARS *Best-of-All* WALLBOARD



Finest Quality BOTH SIDES ARE TINTED

EVERY PRICE CUT

- **Made of long, tough fibers, tightly compressed into 4-ply laminated sheets that are 3/16-inch thick.**
- **Strong; durable; light weight; easy to handle. Large sheets cover surface quickly and reduce labor costs.**
- **Needs no painting though it can be sized and painted if necessary; comes already tinted cream on one side, light tan on the other.**

Make beautiful paneled walls at lowest expense with Sears Fiber Wallboard. Transform that attic, spare room or closet into a room as modern and attractive as any in the house for less than 3½c per sq. ft. "Best-of-All" Wallboard has literally hundreds of uses—for ceiling or paneling rooms, closets, porches, attics, basements, store rooms, outbuildings, garages, etc.; also for shelves, bins and partitions. Deadens sound and won't crack. The tan side of the board is suggested for walls and cream side for ceilings. Joints between panels should be covered with either the gummed tape or wood panel strips listed below. We do not recommend using wallpaper over wallboard. Use 1 lb. of 1-in. or 1⅛-in. fine lath or galvanized shingle nails per 200 sq. ft. See Index. **Wallboard, Panel Strips and Joint Tape shipped from** Mail Order House or from factory in Buffalo, whichever is closer, and you pay freight from there. Send orders to Boston.

Sears great Testing Laboratories MADE SURE that "Best-of-All" Fiber Wallboard would pass the test of service in your home or other buildings. Above illustration shows the apparatus for determining its resistance to impact. Other tests determined its moisture-resisting qualities, tensile strength and resistance to warping and shrinking. "Best-of-All" possesses amazing strength for a wallboard so light in weight. That's because its choice long fibers are locked by cohesion and tremendous hydraulic pressure into a sheet that is extremely durable and wear-resistant.

Width In.	Lgth. Feet	Sq. Feet per Sheet	48 HM 7910 per Sheet	Shpg. Wt. per Sheet
48	6	24	$0.69	16 lbs.
48	7	28	.81	19 lbs.
48	8	32	.93	22 lbs.
48	9	36	1.04	23 lbs.
48	10	40	1.16	27 lbs.
48	12	48	1.38	32 lbs.

EASY PAYMENTS

All building material may be grouped together into one Easy Payment order. See Page 1A.

Standard Quality WALLBOARD

LESS THAN 2½c PER SQ. FT.

Width Inches	Length Feet	Sq. Feet per Sheet	48 HM 7918 per Sheet	Shpg. Wt., per Sheet
48	6	24	$0.58	14 lbs.
48	7	28	.67	17 lbs.
48	8	32	.77	19 lbs.
48	9	36	.86	21 lbs.
48	10	40	.96	23 lbs.
48	12	48	1.16	28 lbs.

Sears "STANDARD" Wallboard is made of the same materials and by the same processes as our "Best-of-All" Wallboard described at right. "STANDARD" Wallboard differs in its slightly thinner construction and lighter weight; also it is cream-tinted on both sides. While "Best-of-All" is recommended for its sturdy construction and longer life, "STANDARD" grade is ideal for relining, paneling or other remodeling jobs.

Choice of six lengths, all are 48 inches wide. **Be sure to state size. Shipped from** Mail Order house or Buffalo. Order from **Boston.**

"Mineral Fill" Insulation

These fluffy pellets of genuine expanded mica are honeycombed with millions of tiny air cells, forming a definite barrier against heat, cold or moisture. Our Mineral Fill has a thermal conductivity of 0.28, is fireproof, dust-proof and will not deteriorate. Installation is permanent and it will quickly pay for itself in fuel savings, besides providing cooler house temperatures in summer time. Use between floors and walls. Simply pour from bag as in illustration. Each bag contains 4 cu. ft. and covers 24 sq. ft. 2 in. deep; 16 sq. ft. 3 in. deep or 13½ sq. ft. 3½ in. deep. **Shipped from** Boston or Long Island City. Order from Boston. Shipping weight, 24 pounds.

48 HM 3206
Per 4 cu. ft. Bag..... **85c**



Gummed Joint Tape

To cover joints between sheets of wallboard. Tan color only. 1½ in. wide. Shipping weight, 1 pound 2 ounces.

48 H 2950
Per 200-lineal foot roll.... **18c**

Wood Panel Strips

Covers joints between panels of wallboard, insulating board or plywood, to make beautiful paneled walls. Strips are 5/16 x 1⅜ in. and come in random lengths. Shpg. wt., 12 lbs.

48 HM 7922
Per 100 lin. ft..... **70c**

Shipped from Boston or Buffalo. Order from Boston.



Turns Back Heat by Reflection

Sears "Best-of-All" Aluminum Foil Insulation turns back heat by reflective principle—much as a mirror reflects light. The lightest weight, lowest cost insulation on the market, with a thermal conductivity of 0.30, it is fast becoming popular. Used by makers of electric ranges, locomotives and streamlined trains and now Sears permit you to enjoy its benefits in your home. Made of heavy kraft paper covered on both sides with bright aluminum foil and should be backed up with at least 2 or 3 inches of dead air space for best results. It can't corrode, absorb moisture, shrink, settle, warp or otherwise lose its efficiency. Rolls are 33 inches wide.

48 HM 3212—Aluminum foil on plain kraft. Shpg. wt., 14 lbs. Per 250 sq. ft. roll..... **$7.45**

48 HM 3214—Aluminum foil on jute-reinforced kraft, recommended because of its extra strength. Shipping weight, 16 lbs. Per 250 sq. ft. roll..... **$9.45**

A New Roof AT NEW LOW PRICES

"BEST-OF-ALL" ASPHALT ROLL ROOFING

Can Be Bought on Easy Payments . . . See Page 1A

- **First quality belt base of correct weight and thickness**
- **Super-saturated with finest quality asphalt to make it water-proof and weather-proof**
- **Heavily coated top and bottom with pure asphalt (no mineral filler is used in our coating to add weight) to "seal in" the saturant, then thickly covered on both sides with flake mica to make it fire and weather-resisting**
- **55 and 65-lb. weights listed as Standard by Underwriters' Laboratories, Inc.**

When you buy "Best-of-All" Mica-Surfaced Roofing you get PROTECTION—protection for your building against rain, the blistering heat of summer sun and the crippling attacks of icy blizzards. You get also a roofing that exceeds the standards for quality of all the best known national testing agencies. "Best-of-All" won't dry up, blister, harden, crack, peel or curl and its thick, heavy coat of flake mica presents an "armor-plate" defense against the hazards of flying sparks or burning embers. Sears guarantee "Best-of-All" Roofing to be the finest of its kind at these specially reduced prices. You can buy all the ROOFING you need and Pay by the month—See Page 1A for details.

"Best-of-All" is offered in three weights, each guaranteed for a definite length of service. Suitable for barns, warehouses, sheds, cribs, outbuildings, etc., with a roof pitch of 1½ inches or more per running foot. It's a fine roofing for homes, too, but if you prefer a touch of color, we recommend any of our slate-surfaced roofings described on the following four pages. **Shipped from** warehouse in Boston, Kearny, N.J., Buffalo or Philadelphia, whichever is nearest you and you pay freight from there. Send orders to Boston. We recommend the 65-lb. weight because it contains more felt, more asphalt and more coating and will give longer service than the 55-lb. weight. The 45-lb. weight will give good protection for the number of years guaranteed. Rolls are 36 in. wide and contain 108-sq. ft., enough to cover 100 sq. ft. of roof surface allowing for 2-inch lap. Rustproof, large-head galvanized nails and lap cement (or Laptite fasteners and nails) and instructions for laying furnished. Can be laid right over your old roofing. Order 1¾-inch nails for this work.

Catalog Number	Act. and Shpg. Wt.	Size Nails	Guaranteed for	Price Per Roll
48 HM 3031	45 lbs.	1-in. Galv. Nails	11 Years	$1.10
48 HM 3032	55 lbs.	1-in. Galv. Nails	14 Years	1.35
48 HM 911	55 lbs.	1¾-in. Galv. Nails	14 Years	1.45
48 HM 913	55 lbs.	Laptite Fasteners	14 Years	1.65
48 HM 3033	65 lbs.	1-in. Galv. Nails	16 Years	1.60
48 HM 912	65 lbs.	1¾-in. Galv. Nails	16 Years	1.70
48 HM 914	65 lbs.	Laptite Fasteners	16 Years	1.90

"RIVAL" Smooth-Surfaced Roofing Has Many Uses

Not quite equal in quality to our "Best-of-All" at top of page, but a splendid value nevertheless. "RIVAL" Roll Roofing is made of good grades of asphalt and felt, expertly processed to give maximum service, surfaced both sides with talc, and offered in choice of three weights. A good roofing for a limited number of years. Excellent also for sheathing or as a covering for machinery left in the open. Rolls are 36 inches wide and 36 feet long (108 square feet) and will cover 100 square feet with 2-inch allowance for lap. Each roll shipped complete with sufficient nails (not galvanized), and ample lap cement. Shipped from same points as "Best-of-All" at right. See Page 1A for Easy Payments.

35-Lb. Light Weight

A good value where only a few years' service is required. Average shpg. wt., 35 lbs.
48 HM 3111—Per Roll..... 65c

45-Lb. Medium Weight

Recommended where longer service is needed. Average shipping weight, 45 lbs.
48 HM 3112—Per Roll..... 85c

55-Lb. Heavy Weight

For harder service. Excellent for barns and sheds. Average shpg. wt., 55 lbs.
48 HM 3113—Per Roll..... $1.05

BEST-OF-ALL Mica Valley

Made of same materials as 65-lb. "Best-of-All" Roofing. Order nails separately. Shipping weight, 32 pounds.

48 HM 9607—Roll 36 ft. long; 18 in. wide. Per Roll..... 85c

BILL POSTER TACKS

Use them for the building papers illustrated at right. Offered in four sizes. Large heads. Heavy cut steel. See Page 784 for illustration, description and listing.

RED ROSIN SHEATHING

A tough building paper. Red rosin sized; resists moisture; hard smooth surface. For use under siding and between floors to keep out dust and drafts and for lining chicken houses and other buildings. Heavy weight is recommended because it gives better service. Rolls contain 500 square feet. **Reduced Prices!**

Catalog Number	Weight Per Roll	Price Per Roll
48 HM 3000	Hvy. wt., 40 lbs.	$1.05
48 HM 3007	Med. wt., 20 lbs.	.53

Shipped from Boston or Kearny, N.J. Order from Boston.

TARRED FELT SHEATHING

Commonly known as "Tar Paper". Long-fiber felt, fully saturated with best redistilled coal tar. Used for all lining purposes and as base for tar and gravel roofs. Waterproof. Comes in 432 and 216 square feet rolls. 216 square foot 54-lb. roll contains heavier felt. **Reduced Prices!**

Catalog Number	Sq. Ft. Per Roll	Weight Per Roll	Price Per Roll
48 HM 3049	216	31 lbs.	$0.85
48 HM 3050	216	54 lbs.	1.45
48 HM 3054	432	62 lbs.	1.65

Shipped from Boston or Kearny, N.J. Order from Boston.



REINFORCED PAPER

Consists of two layers of tough buff-colored, heavy Kraft paper reinforced with cross-laced cords about one inch apart, all firmly bound together with a heavy coat of waterproof asphalt. Extra strong, extra long-wearing. Does not dry out, is windproof and the finest sheathing you can use. An all-purpose building paper at an exceptionally low price. **Reduced Price!**

Catalog Number	Sq. Ft. Per Roll	Weight Per Roll	Price Per Roll
48 HM 3023	500	30 lbs.	$2.39

Shipped from Boston or Kearny, N.J. Order from Boston.

SOUND-DEADENING FELT

Deadens sound and insulates against heat and cold. Makes an excellent rug cushion too. Choice of three weights. The 75-lb. weight gives longest service. All rolls contain 450 square feet. **Prices greatly reduced!**

Catalog Number	Weight Per Roll	Price Per Roll
48 HM 3002	38 lbs.	$1.49
48 HM 3004	50 lbs.	1.98
48 HM 3006	75 lbs.	2.95

Shipped from Boston or Kearny, N.J. Order from Boston.

SATURATED ASPHALT FELT

Use for built-up or gravel roofs, lining and sheathing chicken houses, outbuildings, under shingles and for temporary roofing or siding on sheds. Keeps out wind, cold and moisture. The 216 sq. ft. roll contains felt twice as thick as the 432 square foot roll. **Prices Reduced!**

Catalog Number	Sq. Ft. Per Roll	Weight Per Roll	Price Per Roll
48 HM 3009	432	64 lbs.	$1.75
48 HM 3010	216	64 lbs.	1.75

Shipped from Boston or Kearny, N.J. Send Order to Boston.



BLUE PLASTER CARDBOARD

Smooth, hard surface. A satisfactory, economical lining for garages, sheds poultry houses, fruit bins, etc. Keeps out wind, cold and moisture when applied between floors and walls. Offered in rolls of 250 or 500 sq. ft. **Prices Reduced!**

Catalog Number	Sq. Ft. Per Roll	Weight Per Roll	Price Per Roll
48 HM 3012	250	30 lbs.	$0.80
48 HM 3013	500	60 lbs.	1.59

Shipped from Boston or Kearny, N.J. Order from Boston.

FUNGUS-PROOF SILO PAPER

Two layers of treated Kraft Paper reinforced with cord. Proof against tearing. Can be used many times. Rolls 88 feet long, 4 feet wide. **Reduced Price!**

Catalog Number	Sq. Ft. Per Roll	Weight Per Roll	Price Per Roll
48 HM 3025	352	22 lbs.	$2.69

Shipped from Boston or Kearny, N.J. Order from Boston.

3-INCH WATERTIGHT LAP
FINEST CONSTRUCTION
Sears roofings are made on a felt base of correct weight and thickness. Highest possible quality, thoroughly saturated with finest asphalt to make it waterproof and durable.
HEAVILY ASPHALT-COATED
The saturated felt is coated top and bottom with a sealing layer of asphalt to resist "sweating" from beneath and weather action from above. No mineral filler is used in our coating to add weight.
SEARS ORIENTAL GUARANTEED
. . SURFACED WITH
Genuine STA-SO Crushed Slate Outer Surface
Top and Bottom Coating of 100% Pure Asphalt (Contains No Mineral Fillers)
Highest Quality Felt, Thoroughly Saturated With Pure Asphalt

Can Be Bought On Easy Payments See Page 1A

95-lb. ROLLS . . . . ALL PRICES REDUCED!

BUILDING SPECIAL! ONLY $1.90 Per Roll And Up

Reduced from $2.15

The Ace of Roll Roofings is Sears new 95-lb. ORIENTAL Slate-Surfaced Roofing. It is also the King of Values. **NEW**—in its big, 3-inch, 50% wider watertight lap; **NEW**—in its 5 lbs. of extra weight per roll; **NEW** in its 4 extra square feet per roll; and setting up **NEW** records for popular acceptance because of its fine construction, attractive color and liberal guarantee. From its heavy felt and asphalt undercoating to its thick surfacing of genuine STA-SO non-fading crushed slate granules, ORIENTAL 95-lb. Roofing is packed full of the finest materials the industry affords, expertly processed by the most modern machinery and methods known. At Sears, you get this super-quality at the price of ordinary roofing that does not have these special features.

50% More Lap Protection!

Oriental 95-lb. roll has a full 3-inch watertight lap instead of the usual 2-inch lap, four extra square feet of material between your building and the weather, and extra quantities of nails and cement for laying. By making it in only one color (Green-Blend) we effect manufacturing economies which are clearly reflected in our low price. Green-Blend color is a harmonious mixture of green, tan and red, with green predominating. Equally suitable for old or new roofs with pitch of 1½ in. or more per running foot. Rolls are 36 in. wide, contain 112 sq. ft. of material and cover 100 sq. ft. of surface with allowance for 3-in. lap. Order roofing with 1¾-in. nails for laying over old roofing. **Shipped promptly from Boston, Kearny, N. J., Buffalo or Philadelphia,** whichever is closest to you. Order from **Boston.** Shipping weight, 95 pounds.

48 HM 2175 With 1-in. galv. nails and cement. Per roll..... **$1.90**

48 HM 1486 With 1¾-in. galv. nails and cement. Per roll..... **$2.05**

"LAPTITE" FASTENERS

Heavily galvanized concave metal strips with sealed ends to make a tight joint where roofing overlaps. Makes a tighter joint than nails alone. Simple instructions furnished. **Shipped from Boston.** Shipping weight, 2 pounds.

48 H 3045—Sufficient Laptite Fasteners and Nails for 1 roll of roofing. **39c**

How to Order Sears Asphalt Roofing

1. Shed Type Roof—Multiply length of roof by length of rafter (Fig. 1).

2. Plain Gable Roof—Multiply length of each section by length of a rafter and multiply by 2 (both sides identical). See Fig. 2.



3. Hip Roof—Multiply the length of each section of roof by length of longest rafter and divide by 2. Measure each section separately. See Figure 3.

For rolls of roofing, divide by 100. For instance, if the area of your roof is 1180 square feet, you will require 12 rolls of roofing (each roll covers 100 square ft.).

For bundles of shingles. Divide the roof area by the square foot coverage of one bundle of shingles as stated in the description of the shingle you select. For instance, if you selected 11⅓-inch Hexagon Shingles, divide the area of your roof by 50 square feet (square foot coverage of one bundle). This gives you the number of bundles required to cover your roof.

Description of Colors

Color-Blend: An attractive mixture of red, green and tan. **Dark Red:** A rich, dark, slate red. **Gray-Green:** A conservative shade of green that has always been popular. **Blue-Black:** A deep black with a glossy bluish tone. **Tile Red** and **Jade Green** are new, brighter shades that will give new life and color to any roof. All slates are lasting, genuine STA-SO Slate granules—their quality, proved by generations of use.

SURFACED WITH "STA-SO" SLATE
STA-SO Slate Surfacing Granules have been proved by generations of use to be permanent in attractive colors, natural adhesion to asphalt base and resistance to fire and weather.
UNDERWRITERS' LABEL
All Sears feature roofings are listed as Standard by Underwriters' Laboratories, Inc. Cuts insurance rates up to 12% in some localities as compared with wood shingles.
2-INCH WATERTIGHT LAP
SLATE SURFACED ROOFING
FOR 17 YEARS
"STA-SO" SLATE GRANULES
We guarantee our ORIENTAL 95-lb. ORIENTAL 90-lb. and our FIRE-CHIEF Roll Roofings for 17 years of service. If for any reason they fail to give you the service we guarantee, we will replace them, charging only for the service you have received.
SEARS, ROEBUCK AND CO.
CHOICE OF 5 COLORS
BUILDING SPECIAL!
$1.65 Per Roll and Up
ONLY
Reduced from $1.98

90-lb. ROLLS

SAVE MONEY . . . RE-ROOF NOW!

Cat. No.	Color	Rolls Supplied With	Per Roll
48 HM 2167 48 HM 2168 48 HM 2164 48 HM 2162 48 HM 2163	Tile Red Jade Green Blue Black Gray Green Dark Red	1-inch Largehead Galvanized Roofing Nails and Cement for use over roof boards	$1.65
48 HM 1481 48 HM 1482 48 HM 1480 48 HM 1476 48 HM 1479	Tile Red Jade Green Blue Black Gray Green Dark Red	1¾-inch Largehead Galvanized Roofing Nails and Cement for use over Old Roofings	1.75
48 HM 1383 48 HM 1382 48 HM 1384	Dark Red Gray Green Blue Black	Laptite Fasteners and Nails for use over roof boards. For description see opposite page.	1.95

For New or Old Roofs—Oriental roofing is equally suitable for old or new buildings with pitch of 1½ in. or more per running ft. Lay it over the old roofing. Instructions, nails and cement (or Laptite Fasteners and nails) with each roll.

Size of Rolls

Rolls are 36 inches wide, contain 108 square feet and cover 100 square feet of roof surface, allowing for 2-inch watertight lap. Approximate shipping weight, per roll, 90 lbs.

Shipping Points

Shipped from Boston, Kearny, N. J., Buffalo or Philadelphia, whichever is nearest you. Order from Boston.

GUARANTEED 17 YEARS

ORIENTAL 90-lb. roofing is the triumphant result of over 30 years' roofing experience. In that time, Sears has roofed hundreds of thousands of homes. We've watched Oriental react to murderous abuse, destructive heat and the crippling attacks of icy blasts. We've continually improved it as a result of our findings and today it acknowledges no superior. It will prove the crowning glory to your home and save you money. ORIENTAL 90-lb. asphalt roll roofing is of exactly the same high quality construction as our 95-lb. roofing on the opposite page and bears the same 17-year guarantee. The difference in weight is accounted for by the difference in the watertight lap. The 2-inch lap on Oriental 90-lb. roofing is the conventional lap.



"DIAMOND POINT" Slate-Surfaced Roll Roofing

- **GUARANTEED BY SEARS to give satisfactory service**
- **Made of the same high quality materials and same thickness as roofing above. Recommended only for application over old roofs of ½ pitch or more**
- **FIRE-RESISTANT; Underwriters' label**
- **Surfaced with genuine STA-SO crushed slate.**

Thousands of home owners prefer the Diamond-Point design roofing because it relieves the severity of straight lines. Sears now offer this popular style of "STA-SO" slate-surfaced asphalt roofing at an attractive low price and in choice of three strikingly beautiful colors. Rolls are 36 inches wide, contain 128 square feet of material and cover 100 square feet of roof surface allowing for 2-inch lap. Two pounds of nails (priced below) needed to lay each roll. No lap cement is needed. Approximate shipping weight, per roll, 105 lbs. **Shipped from Boston, Kearny, N. J., Buffalo or Philadelphia, whichever is nearest you.** Send orders to Boston.

Catalog Number	Color	Shpg. Wt., Lbs.	Per Roll
48 HM 1327 48 HM 1328 48 HM 1325	Tile Red Jade Green Blue-Black	105 105 105	$2.10

48 H 2976—1¾-inch Nails. Enough to lay one roll. Shipping weight, 2 pounds..... 16c

"FIRE-CHIEF" Shingle Pattern Roll Roofing

- **GUARANTEED BY SEARS for 17 years**
- **Made exactly like Oriental Roofing above, except for handsome "shingle" pattern embossed on the surface**
- **FIRE-RESISTANT; listed as Standard by Underwriters' Laboratories, Inc.**

The handsome embossed shingle pattern in Fire-Chief Roofing is worth the small difference. Surfaced with "STA-SO" Slate.

Instructions, nails and cement are furnished with each roll. Use Fire-Chief for new or old roofs with pitch of 1½ inches or more per running foot. Don't remove old shingles—lay Fire-Chief right over them. Each roll contains 108 square feet and covers 100 square feet of roof surface, allowing for 2-inch watertight lap. Order roofing with 1¾-inch rust-proof nails for laying over old roofing. **Prompt shipment from Boston, Kearny, N. J., or Philadelphia, whichever is nearest you. Send orders to Boston.** Actual and shipping weight per roll, 90 pounds.

Catalog Number	Color	Size Nails Furnished	Per Roll
48 HM 488 48 HM 489	Dark Red Gray-Green	1-Inch 1-Inch	$2.25
48 HM 167 48 HM 172	Dark Red Gray-Green	1¾-Inch 1¾-Inch	2.35

75-POUND Slate-Surfaced Roofing

- **Sears guarantee your satisfaction**
- **Surfaced with genuine STA-SO Slate**

Made of same fine materials as Oriental above, but lighter weight. Recommended for temporary service. Rolls are 36 inches wide, contain 108 square feet and cover 100 square feet of surface, allowing for 2-inch lap. Complete with rust-proof nails, cement and instructions. Shipping weight, per roll, 75 pounds. **Shipped from Boston, Kearny, N. J., Buffalo or Philadelphia, whichever is nearest you.** Order from Boston.

With 1-inch Nails

48 HM 1902—Gray Green
48 HM 1903—Dark Red
Per Roll..... $1.48

With 1¾-inch Nails

48 HM 1206—Gray Green
48 HM 1209—Dark Red
Per Roll..... $1.58

ROOFING PRICES LOWERED

TO HELP NATIONAL F.H.A. BUILDING PROGRAM

You can buy all the Roofing you need and PAY BY the MONTH —See Page 1A for Details.

Surfaced with Non-Fading STA-SO CRUSHED SLATE

"ORIENTAL" HEXAGON

STA-SO SLATE SURFACED

Asphalt Shingles

Was $2.10 in Last Catalog!

BUILDING SPECIAL! ONLY $1.65 PER BUNDLE

- **Made of finest roofing felt, of correct weight and thickness, thoroughly asphalt-saturated.**
- **Coated both sides with pure asphalt—no mineral filler is used to add useless weight.**
- **Surfaced with a thick layer of genuine STA-SO crushed slate granules in choice of 6 attractive, fade-resisting colors.**
- **Guaranteed 17 years; bears Underwriters Label; reduces insurance rates as much as 12% in some localities as compared to wood shingles; won't dry up or curl.**

An old favorite in design—**but new in value appeal** because we've reduced the price 21% from last Catalog! ORIENTAL "Hexo" Shingles are as fine as any shingles made. The richness of their non-fading colors will delight you. Their ability to combat the fierce thrusts of wind and weather will be a continual source of satisfaction. A splendid example of how Sears permit you to enjoy finest quality and still be thrifty.

Hexo's meet the rigid specifications of the U. S. Bureau of Standards, the Underwriters' Laboratories, the American Society for Testing Materials, Sears own great Testing Laboratories, and most important, the test of service on hundreds of thousands of American homes.

We recommend the 12x36-inch shingle because it gives double coverage over the entire roof and a 4-inch headlap. For new roofs we recommend a layer of Asphalt Saturated Felt, 48 HM 3009 (See Page 937), under the 11⅛x36-inch shingle.

All shingles shipped from warehouse in Boston, Kearny, N. J., Buffalo or Philadelphia, whichever is nearest you. Send orders to Boston.

Standard Size

Size, 11⅛x36 inches. Lay with 4⅔-inch exposure to weather and allow 2-inch headlap. Approx. shipping wt., 84 lbs. per bundle of 50 sq. ft. Two bundles cover 100 sq. ft.

Catalog Number	Color	Per 50 Sq. Ft. Bundle
48 HM 480	Tile Red	$1.65
48 HM 490	Jade Green	1.65
48 HM 483	Dark Red	1.65
48 HM 482	Gray-Green	1.65
48 HM 485	Blue-Black	1.65
48 HM 481	Color-Blend	1.65

Double Coverage Size

Size, 12x36 in. Gives double coverage. Lay with 4-in. exposure to weather and allow 4-inch headlap. Approx. shpg. wt., 109 lbs. per bundle of 50 sq. ft. Two bundles cover 100 sq. ft.

Catalog Number	Color	Per 50 Sq. Ft. Bundle
48 HM 560	Tile Red	$2.40
48 HM 570	Jade Green	2.40
48 HM 561	Dark Red	2.40
48 HM 562	Gray-Green	2.40
48 HM 566	Blue-Black	2.40
48 HM 563	Color-Blend	2.40

HOW MANY NAILS TO ORDER!

Use 1 or 1¼-in. nails for new roofs; 1½ or 1¾-in. nails for over old roofing	Lbs. Needed per Bundle			
	1¾-in.	1½-in.	1¼-in.	1-in.
Hexagonal Shingles	⅞ lb.	⅞ lb.	⅝ lb.	⅝ lb.
4-in. I-Strip Shingles	1⅜ lbs.	1⅜ lbs.	1¼ lbs.	1¼ lbs.
Streamline Shingles	1½ lbs.	1½ lbs.	1 lb.	1 lb.
Individual 9x12 Shingles	1¼ lbs.	1¼ lbs.	1 lb.	1 lb.
Individual 12x16 Shingles	¾ lb.	¾ lb.	⅝ lb.	⅝ lb.

Roofing can be bought on EASY PAYMENTS—See Page 1A.

Brick Design Slate Surfaced Siding

IMPROVE AND INSULATE YOUR HOME NOW

- **Made in the same manner as Hexo shingles shown above.**
- **4 "bricks" in one strip; easy to apply; choice of Tan or Dark Red.**

Cover up those shabby old walls with Sears high quality slate-surfaced Asphalt Brick Design Siding. It will give your home new beauty and new protection as well as added value because of the attractive resemblance to expensive face brick. Saves paint, fuel and repair bills. Comes in strips 4 bricks in length. Can be used on new homes as well as applied over old siding, giving you extra insulation against heat and cold, and eliminates painting. Special corner pieces (priced at right) insure a perfect job. Simple directions furnished. "Bricks" are regular brick size, 2½x8½ inches. Bundles weigh 70 lbs. and cover 33⅓ sq. ft. of surface. **Shipped from** Boston or Kearny, N. J. Order from Boston.

48 HM 705—Dark Red brick with black mortar line. Per 33⅓ square foot bundle. Shpg. wt., 70 lbs. **$1.90**

48 HM 706—Tan brick with black mortar line. Per 33⅓ square foot bundle. Shipping weight, 70 pounds. **$1.90**

Corners for Brick Siding

Box of 50 right and 50 left-hand corners to cover 26 vertical feet. Shpg. wt., 40 lbs. per box.

48 HM 708—Red. Per Box. **$2.75**

48 HM 709—Tan. Per Box. **$2.75**

Special Nails for Brick Siding

Order 1 lb. for each 8 bundles of siding ordered. Shipping weight, 1 lb. 2 oz.

48 HM 9083—1½-in. Nails. Per Lb. **8c**



ROOFING ACCESSORIES

Galvanized Nails

Large head. Rust-resisting.

48 HM 3041—1-in. Nails
48 HM 2974—1¼-in. Nails
48 HM 2975—1½-in. Nails
48 HM 2976—1¾-in. Nails

Shpg. wt., 1 lb. 3 oz.
Per Pound **8c**

For amount of nails to order, see table at left. **Shipped from** warehouse in Boston, Kearny, N. J., Buffalo or Philadelphia, whichever is nearest you. Order from Boston.

Ridge Strips

Made of same material as shingles above. Use with slate roofings for ridge, flashing or starter strip. Roll 9 in. wide, 36 ft. long. **Shipped from** same points as shingles above.

48 H 9612—Tile Red
48 H 9613—Jade Green
48 H 9608—Dark Red
48 H 9609—Gray-Green
48 H 9610—Blue-Black
48 H 9611—Color-Blend

Per Roll. Shipping weight, 22 pounds. **45c**

Valley Strips

Made of same material as shingles above. Use with slate-surfaced roll or shingle roofings. Roll 18 in. wide, 36 ft. long. **Shipped from** same points as shingles above.

48 H 9619—Tile Red
48 H 9620—Jade Green
48 H 9615—Gray-Green
48 H 9616—Dark Red
48 H 9617—Color-Blend
48 H 9618—Blue-Black

Per Roll. Shipping weight, 44 pounds. **89c**

RE-ROOF NOW!

GUARANTEED 17 YEARS

ROOFING SURFACE AS ETERNAL AS THE HILLS

STA-SO—the non-porous, non-fading slate surfacing granules used on all Sears shingles, defies time and the elements—insuring your roof against age, weather, sun and fire. The crushed slate granules give the roofing surface permanence. STA-SO, the eternal hard slate surfacing for roofing, always retains its color and saves repairs and upkeep.

Fire-Resisting Listed As STANDARD BY UNDERWRITERS LABORATORIES INC.

Was $2.70 In Last Catalog

BUILDING SPECIAL! ONLY $2.35 Per Bundle

"STREAMLINE" Slate-Surfaced Asphalt Shingles

PRICE REDUCED 13% FROM LAST CATALOG!

- **Made of same high quality roofing felt, same asphalt saturant and coating, same slate surfacing as is used to make Hexo Shingles on opposite page; no mineral filler is used in Sears Asphalt coating to add weight.**
- **V-Shaped slots provide quicker drainage; self-aligning.**
- **Wavy line design gives your roof a "thatched" effect • Remember—3 inch headlap.**
- **Guaranteed 17 years; bears Underwriters' label; fire-resistant—reduces insurance as much as 12% in some localities as compared to wood shingles**

We believe STREAMLINE Shingles to be lower priced than any similar quality strip shingle with 3-inch headlap. Guaranteed by Sears for 17 years, which is proof of their unsurpassed quality. They gladden the eye with freshness of pattern and brightness of color. They will protect your home, improve its appearance, and add much to its value.

STREAMLINES will never need painting or staining—their bright, vivid colors retain their sparkling new appearance indefinitely because the STA-SO Slate Granules are oven-baked like expensive china to insure permanence of color. **Buy these shingles with full confidence in Sears quality, Sears guarantee and Sears reputation for greatest value.** Shingles are 11x40 inches, providing 3-inch headlap with 4-inch exposure. Each bundle covers 50 sq. ft. and weighs 118 lbs. Re-roof on Easy Payments—details on Page 1A.

We furnish instructions for laying. For amount of nails required, see bottom of opposite page. **Shipped from** warehouse in Boston, Kearny, N. J., Buffalo, N. Y., or Philadelphia, whichever is nearest, and you pay freight from there. Order from Boston.

48 HM 2920	Tile Red	Per 50 Square Foot Bundle $2.35
48 HM 2921	Jade Green	
48 HM 2922	Blue-Black	

"4-IN-I" Design Asphalt Shingles

- **First quality felt, thoroughly asphalt-saturated, then coated on both sides with pure asphalt. (No mineral filler is used in our coating to add weight). Guaranteed for 17 years**
- **Choice of 6 bright colors, sealed in lasting "STA-SO" slate granules.**
- **Fire-resistant; reduces insurance rates 12% in some localities as compared with wood shingles**
- **Can Be Bought on Easy Payments . . See Page 1A.**

The specially compounded asphalt used in Sears shingles will not dry out, which means that these shingles will not crack or dry up in later years. They will always remain soft and flexible and continue to protect the roof of your building for at least 17 years. These shingles are one of our most popular designs, offered in a choice of two sizes and six appealing colors. They look like individual shingles, but are laid four times as fast. We recommend the 12½-inch size because of the 4½-inch headlap and "double coverage."

Shipped from warehouse in Boston, Kearny, N. J., Buffalo or Philadelphia, whichever is nearest you. Order from Boston.

Standard Size

10x36 in. Lay with 4-in. exposure to the weather and 2-in. headlap. Shpg. wt. 105 lbs., 50 sq. ft. to the bundle. Two bundles cover 100 sq. ft.

Double Coverage Size

12½x36 in. Lay with 4-in. exposure to the weather and 4½-in. headlap. Shpg. wt., 89 lbs., 33⅓ sq. ft. to the bundle. Three bundles cover 100 sq. ft.

Prices Reduced 15% From Last Catalog!

Cat. No.	Color	Per 50 Sq. Ft. Bdle.	Cat. No.	Color	Per 33⅓ Sq. Ft. Bdle.
48 HM 2940	Tile Red	$2.35	48 HM 1300	Tile Red	$1.95
48 HM 2950	Jade-Green	2.35	48 HM 1310	Jade-Green	1.95
48 HM 2931	Dark Red	2.35	48 HM 1288	Dark Red	1.95
48 HM 2930	Gray-Green	2.35	48 HM 1289	Gray-Green	1.95
48 HM 2932	Blue-Black	2.35	48 HM 1290	Blue-Black	1.95
48 HM 2933	Color-Blend	2.35	48 HM 1291	Color-Blend	1.95

DESCRIPTION OF STA-SO SLATE COLORS

Dark Red: A rich, dark slate red. **Gray Green:** A conservative green that has always been popular. **Color-Blend:** An attractive mixture of red, green and tan. **Blue-Black:** A deep black with a glossy bluish tone. **Tile Red and Jade Green:** New, brighter, more vivid shades than dark red or gray-green, giving new life and color.

INDIVIDUAL SHINGLES

The "Standard Size" 9x12-in. shingle is made of exactly the same materials as the other shingles on these pages. The "Jumbo" 12x16-inch shingle, however, is made on heavier felt, and is the heaviest and best asphalt shingle you can buy, regardless of price. It is the largest size that can be satisfactorily fastened with only two nails. Leaves a pleasing deep shadow line on account of the thick ends. Both sizes are guaranteed for 17 years. Choice of 5 non-fading colors. **Shipped from** warehouse in Boston, Kearny, N. J., Buffalo or Philadelphia. Send orders to Boston. See bottom of opposite page for amount of nails to order with these shingles.

$1.25 And Up Per 25 Sq. Ft. Bundle

Standard Size

9x12 in. Lays 4 in. to weather. 1 bundle covers 25 sq. ft. Shpg. wt., per bundle, 63 lbs.

Cat. No.	Color	Per 25 Sq. Ft. Bundle
48 HM 2960	Tile Red	$1.25
48 HM 2961	Jade-Green	1.25
48 HM 2928	Blue-Black	1.25
48 HM 2926	Dark Red	1.25
48 HM 2927	Gray-Green	1.25

Jumbo Size and Weight

12x16 in. Lays 5 in. to weather. 1 bundle covers 25 sq. ft. Shpg. wt., per bundle, 86 lbs.

Cat. No.	Color	Per 25 Sq. Ft. Bundle
48 HM 1260	Tile Red	$1.70
48 HM 1261	Jade-Green	1.70
48 HM 1281	Dark Red	1.70
48 HM 1282	Gray-Green	1.70
48 HM 1283	Blue-Black	1.70

See Page 1A for EASY PAYMENTS

Approximate Shpg. wt. Per running foot of 1¼ and 2½-in. corrugated; 2, 3 V-crimped and new patent leak-proof steel.
Gauge | Finish | Wt. per Foot
29 | Galvanized | 1 lb. 12 oz.
28 | Painted | 1 lb. 8 oz.
28 | Galvanized | 2 lbs.
26 | Galvanized | 2 lbs. 4 oz.
EXAMPLE: 10 ft. sheet of 28-gauge galvanized steel weighs 2 lbs. per running foot, total wt., 20 lbs.
BUILDING SPECIAL
48c Per Sheet And Up
BUILDING SPECIAL
47c Per Sheet And Up
Full Gauge and Weight

Low

CORRUGATED ROOFING

"All-Weather" Steel Roofing is made of first quality, full gauge prime sheets. It conforms to all codes and meets U.S. Bureau of Standards Specifications, but the reason it gives such superb service is because of the heavy galvanizing. All surface impurities are first removed, then it is dipped into molten zinc, heavily coated on both sides and all four edges. It is the lowest priced roofing and siding per year of service that you can buy. **Prices reduced from Fall catalog!** Reduces fire insurance rates because, properly grounded, it renders lightning harmless. Flying sparks sputter out without damage. Smothers fire that arises from within. Doesn't curl up, buckle, crack, or dry out under heat or cold; can't be pried loose by winds. The **29-gauge** is medium weight and for use in dry climates. The **28-gauge** is about 10% heavier for use in ordinary climates. The **26-gauge** is about 20% heavier than 28-gauge and will give the best service—particularly in damp and salt air climates. All corrugated sheets 26 in. wide and with 2-in. side lap, actually cover 24 in. Allow 6 in. for end laps when used as roofing—2 in. is sufficient when used as siding. Painted steel is only prime coated and must be painted again before using. With steel roofing use only lead headed nails priced below.

Ⓐ 1¼-INCH CORRUGATED STEEL SHEETS

Length of Sheets	48 HM 3107 28-Gauge Painted	48 HM 3108 28-Gauge Galv.	48 HM 3125 26-Gauge Galv.
6 Ft.	48c	$0.61	$0.68
7 Ft.	56c	.72	.80
8 Ft.	64c	.82	.91
9 Ft.	72c	.91	1.01
10 Ft.	79c	1.00	1.12
12 Ft.	98c	1.24	1.38

Ⓑ 2½-INCH CORRUGATED STEEL ROOFING

Length of Sheets	48 HM 3105 28-Gauge Painted	48 HM 3106 28-Gauge Galv.	48 HM 3123 26-Gauge Galv.
6 Ft.	47c	$0.60	$0.67
7 Ft.	55c	.70	.79
8 Ft.	62c	.80	.89
9 Ft.	70c	.90	1.00
10 Ft.	77c	.99	1.11
12 Ft.	96c	1.22	1.36

Shipped from Boston, also from point near Pittsburgh. Send orders to Boston.

Corrugated Ridge

Made of 28-gauge steel, galvanized or painted. Per 10-ft. length. Shipping wt., 8 lbs.

2½-In. Corrugations

48 HM 3327
Painted **51c**

48 HM 3328
Galvanized... **67c**

1¼-In. Corrugations

48 HM 3329
Painted **51c**

48 HM 3330
Galvanized... **67c**

Shipped from same points as steel roofing at right above.

Round Ridge

Galvanized steel. Diam. of roll, 2 in.; width of apron, 2½ in.; girth, 10 in. Prices are per 10-ft. lengths. Used with steel, wood shingle and asphalt roofings.

48 HM 3152
28-Gauge. Shipping weight, 9 pounds... **45c**

48 HM 3337
26-Gauge. Shipping weight, 12 pounds.. **63c**

Shipped from Boston.

Galvanized "V" Ridge

Galvanized "V" Ridge Cap is used with "V" sheets, also wood or slate shingle roofs. Girth, 8 inches. Prices per 10-ft. lengths. Can be cut to fit "V" steel.

48 HM 3167
28-Gauge. Shipping weight, 8 pounds... **39c**

48 HM 3341
26-Gauge. Shipping weight, 11 pounds.. **55c**

Shipped from Boston.

Wood "V" Strips

For use under V-crimps. Permits nailing without flattening the V's. Two-V and three-V sheets require 50 lineal feet per 100 sq. feet of roofing. We recommend its use under V-crimp steel.

48 HM 3081
Per 100 Lin. Ft. Shpg. wt., 15 lbs..... **50c**

Shipped from same points as steel roofing listed above.

Steel Valley

28-gauge Hot Zinc Galvanized Steel Valley, 14 inches wide. Used for valleys, flashings, lining bins, boxes and outbuildings and for a great many other purposes. **Be sure to state length.**

48 HM 3197
25-Foot Roll.
Shpg. wt., 20 lbs..... **$1.45**

50-Foot Roll.
Shpg. wt., 40 lbs..... **$2.80**

Shipped from Boston.

Sheet Zinc

Suitable for table and counter tops, stove boards, heat shields, and many other uses. Approximately same thickness as 26-ga. steel.

36x42-in. sheet
48 HM 4600
Weight, 8 pounds... **$1.15**

36x84-in. sheet
48 HM 4601
Weight, 16 pounds. **$2.25**

Shipped from Boston.

Tin Flashing Shingles

Size, 5x7 inches. Can be used for repairing old roofs, flashings, making a tight joint around the chimney and many other purposes. Shpg. wt., per 100 shingles, 20 lbs.

48 HM 3199
Each..... **1½c**

Bundle of 100.. **$1.15**

Shipped from Boston.

Barn Batten Strips

28-ga. galvanized steel. Use for closing cracks in siding and floor boards. Priced per bundle of 25 pieces. Width, 2 in. Choice of three lengths. **State length wanted.**

48 HM 3171

Lgth.	Shpg. Wt.	Price
6 ft.	20 lbs.	$1.60
8 ft.	28 lbs.	2.15
10 ft.	35 lbs.	2.65

Shipped from Boston.

Roofing Nails

Order 1 lb. for each 100 square feet of steel roofing.

48 H 3280
1 Inch. Per lb.... **9c**

48 H 3282
1¾ In. Per lb... **9c**

LEAD HEADED

Use 1 lb. per 100 square feet of steel roofing. 1¾ in. long, barbed.

48 H 3912
Per lb..... 15c

Shpg. wt., all nails, lb., 1 lb. 4 oz.

Shipped from same points as steel roofing above.

Galvanized Globe Finial

Made of 28-gauge heavy weight galvanized sheet steel, with 3-inch ball.

Used with "V" angle, corrugated or round ridge roll cap all of which are illustrated directly above at left. An attractive ornament for end of roof ridge. Attractively priced, too.

Shpg. wt., 1 lb.

48 H 3169
Each..... 25c

Shipped from Boston.



Finest Quality Steel Roofing

For only a few cents more a sheet, you can buy ALL-WEATHER Galvanized 2½ or 1¼-inch Corrugated Roofing and Siding **with extra heavy 2-oz. Zinc Coating,** in 28 or 26-gauge weight. (The 26-ga. is about 20% heavier and stronger than 28-ga.) The thicker 2-oz. zinc coating used on both 28 and 26-gauge sheets gives the utmost protection against rust, corrosion and weather action, and makes these sheets worth the difference in price.

These sheets bear the nationally-known **Zinc Institute "Seal of Quality."** Sheets are 26 inches wide and actually cover 24 inches; 2 inches allowed for side lap. Allow 6 inches for end lap. Shipping weights at top left of page.

2½-Inch Corrugated			**1¼-Inch Corrugated**		
Length of Sheet	48 HM 3096 28-Gauge Galvanized	48 HM 3097 26-Gauge Galvanized	Length of Sheet	48 HM 3098 28-Gauge Galvanized	48 HM 3099 26-Gauge Galvanized
6 ft.	$0.72	$0.80	6 ft.	$0.73	$0.82
7 ft.	.83	.93	7 ft.	.85	.96
8 ft.	.95	1.06	8 ft.	.97	1.09
9 ft.	1.06	1.20	9 ft.	1.08	1.22
10 ft.	1.18	1.32	10 ft.	1.20	1.36
12 ft.	1.46	1.63	12 ft.	1.49	1.66

Shipped from Boston, or from point near Pittsburgh, whichever is nearer. Send orders to Boston.

For Easy Payments See Page 1A

Prices TO ENCOURAGE BUILDING . . REMODELING

CRIMPED ROOFING

ALL PRICES REDUCED! We give you in addition, First Quality—Full Size—Full Gauge—Full Weight—Super Galvanizing. Exactly the same quality as Corrugated Roofing on opposite page. Hot Dipped in Molten Zinc. Strength, security, saving unsurpassed by any other material. Properly painted; it cannot rot or rust in dampest climates. All crimped sheets actually cover 24 inches, allowing for crimp or overlap. Allow 6 inches for end lap. All painted sheets must be given another coat before using.

SEARS PATENTED LEAK-PROOF STEEL ROOFING

Ⓒ *See detailed view at right.* The finest leakproof feature on the market. Water cannot get to the under side of roofing by capillary action. It runs off through the large center drain channel. Offered at prices ordinarily asked for ordinary V-Crimp roofing.

Lgth. of Sheets	48 HM 3094 28-Gauge Galv.	48 HM 3095 26-Gauge Galv.
6 ft.	$0.63	$0.71
7 ft.	.74	.82
8 ft.	.84	.93
9 ft.	.94	1.05
10 ft.	1.04	1.16
12 ft.	1.28	1.43

Leakproof steel roofing is shipped from Boston o. Cincinnati. Send orders to Boston.

Ⓓ THREE-V-CRIMP STEEL ROOFING

Lgth. of Sheets	48 HM 3084 29-Gauge Galv.	48 HM 3085 28-Gauge Painted	48 HM 3086 28-Gauge Galv.	48 HM 3083 26-Gauge Galv.
5 ft.	$0.45	35c	$0.46	$0.51
6 ft.	.54	42c	.55	.61
7 ft.	.63	49c	.64	.71
8 ft.	.72	56c	.74	.82
9 ft.	.81	63c	.83	.92
10 ft.	.90	70c	.92	1.02
12 ft.	1.10	87c	1.13	1.25

Ⓔ TWO-V-CRIMP STEEL ROOFING

Lgth. of Sheets	48 HM 3076 29-Gauge Galv.	48 HM 3077 28-Gauge Painted	48 HM 3078 28-Gauge Galv.	48 HM 3080 26-Gauge Galv.
5 ft.	$0.44	34c	$0.45	$0.50
6 ft.	.53	41c	.54	.60
7 ft.	.62	48c	.63	.70
8 ft.	.70	55c	.72	.80
9 ft.	.79	62c	.81	.90
10 ft.	.88	68c	.90	1.00
12 ft.	1.08	84c	1.10	1.22

Two and three V sheets shipped from warehouse in Cincinnati or point near Pittsburgh. Order from Boston.



Steel Ceiling and Siding

Ornamental Ceiling and Border

Ⓕ and Ⓖ For walls and ceilings. Appropriate for any size room. Sheets are 24x96 in. Come painted light gray prime coat only on both sides.

Steel Ceiling or Siding
48 HM 3114—Shipping weight, 9 lbs. **Per Sheet**..... 75c

Design Border (Width, 3 in.)
48 HM 3118—Shipping wt., 16 oz. **Per 4-ft. Length**..... 18c

Brick Face Design Siding

Ⓗ Easily applied on store or garage as siding or decorative front. Brick design; each brick, 2¾x8½ in. Sheets, 28x60 in. Furnished in 28-gauge.

48 HM 3116—Painted. Shpg. wt., 8 lbs. **Per Sheet**.... 44c

48 HM 3117—Galvanized. Shpg. wt., 10 lbs. **Per Sheet**..... 59c

Bead Steel Ceiling

Ⓙ Painted prime coat only on both sides. Sheets cover 24 inches from center of outside beads. The beads are small corrugations, ⅝-inch wide by ⅜-inch deep and 3 inches center to center. Made of 28-gauge steel.

48 HM 3115	Length, Feet	5	6	8	10
Weight, per 100 square feet, 70 lbs.	Per Sheet..	37c	45c	62c	75c

Rock Design Face Siding

Ⓚ For store fronts, garage siding or where inexpensive, ornamental siding is wanted. Size of single stone, 7x12 in. In sheets 28x60 in. 28 gauge.

48 HM 3142—Painted. Shpg. wt., 8 lbs. **Per Sheet**.... 44c

48 HM 3143—Galvanized. Shpg. wt., 10 lbs. **Per Sheet**..... 59c

Shipping Points: All Ornamental Steel Ceiling and Siding shipped from warehouse in Cincinnati, Ohio, or point near Pittsburgh. Send orders to Boston.

HOW TO ORDER *Steel Roofing*

Shed Type. Figure **(1)**. Measure length of roof (A) and divide by 2. (Sheets actually cover 2 ft. in width.) This gives you the number of sheets to order. Length of sheets is determined by measurement (B). If the roof is 30 ft. long at (A) and 12 ft. from ridge to eaves at (B), you need: 30 ft. divided by 2 or 15 sheets of 12-ft. steel for the roof. If distance (B) is more than 12 ft., order 2 shorter lengths, allowing 6 in. additional for end lap. If shorter than 12 ft. order proper size sheet.

Gable Type. Figure **(2)**. Follow same procedure as above, multiplying the result by 2 to obtain number of sheets required for both sides of roof.

Gambrel Type. Figure **(3)**. Divide length (A) by 2 to determine number of sheets required. Distance (B) indicates length of sheets for this section. Add 6 in. to distance (B) for projection over section below. Distance (C) indicates length of sheets required for lower section. Allow 6 in. for end lap. Multiply result by 2 to determine number of sheets required for both sides of roof.



Flat Steel Sheets

GALVANIZED AND BLACK

Best Quality Flat Sheet Steel in choice of 3 gauges. Black or Galvanized. 26-gauge is about 20% thicker than 28-gauge, and 24-gauge about 50% thicker than 28-gauge, and is recommended for longest service. Galvanized sheets are zinc-coated rust-resisting. Use these sheets for lining bins or wagon boxes, on floors or table tops and many other places where protective covering is desired. Three sizes of sheets. Be sure to mention catalog number. **Shipped from** Boston or point near Pittsburgh. Send orders to Boston.

Galvanized Flat Steel Sheets

Catalog Number	Size of Sheets	Gauge	Shpg. Wt.	Per Sheet
48 HM 3227	24x96 in.	28	13 lbs.	$0.82
48 HM 3228	30x96 in.	28	16 lbs.	1.00
48 HM 3226	30x96 in.	26	18 lbs.	1.08
48 HM 3230	30x96 in.	24	23 lbs.	1.30
48 HM 3232	36x96 in.	28	19 lbs.	1.27

Black Flat Steel Sheets

Catalog Number	Size of Sheets	Gauge	Shpg. Wt.	Per Sheet
48 HM 3220	24x101 in.	28	12 lbs.	$0.62
48 HM 3221	30x 96 in.	28	13 lbs.	.73
48 HM 3223	30x 96 in.	26	15 lbs.	.84
48 HM 3224	30x 96 in.	24	20 lbs.	1.00

EASY PAYMENTS All Roofing and Building Material may be grouped together into one convenient Easy Payment Order. See Page 1A.

SEARS COPPER-BEARING STEEL GUTTERING

FOR LONGER LIFE • GREATER SATISFACTION • EXTRA VALUE

WITH HANDY PATENT SLIP CONNECTIONS

Circle 1, 2 and 3 show how two pieces of eaves trough are joined with Sears solderless Patent Slip Connector

With SEARS Slip Connectors it's easy to join trough.

Eliminates need for ordering right or left hand pieces

Gives a non-sag water-tight joint

Sears steel rainpipe and eaves trough are made from **First Quality "Copper-Bearing" sheet steel**—the steel that resists corrosion and lasts twice as long as ordinary steel not having this valuable copper content. We dip this steel in white hot molten zinc to give it a heavy galvanized coating for extra protection against weather and rust. There is no finer guttering of this type to be had, regardless of price. We furnish 26-gauge and 28-gauge weights. However, the 26-gauge weight is recommended because it is 20% thicker than 28-gauge and will last considerably longer. It is well worth the small difference in price. **Lifetime 16-Oz. Cold Rolled copper** rain pipe, eaves trough and fittings are also priced below. We recommend copper because it is a lifetime material with no maintenance cost—the only guttering that should be used in seashore regions.

All our eaves trough, steel and copper, are supplied with **Patented Slip Connector.** This handy device eliminates the use of solder and the necessity of ordering right and left hand pieces of eaves trough. It slips on to either end of trough making a permanent, non-sag, waterproof, solderless joint. Circles 1, 2 and 3 show how they operate. Corners, outlets and end caps also have the slip-connector feature.

(A) EAVES TROUGH

"Copper-Bearing" 26 or 28-ga. galvanized steel, also 16-oz. Copper. 10-ft. lengths. We recommend 5 and 6-in. for houses; 3½ and 4-in. for garages. **State size.** Aver. wt., per length, 28-ga., 7 lbs.; 26-ga., 10 lbs., copper, 8 lbs.

Catalog No.	Size, Inches	3½	4	5	6
48 HM 1279	28-Gauge Steel	43c	$0.49	$0.54	$0.65
48 HM 3304	26-Gauge Steel	47c	.59	.66	.85
48 HM 3374	16-oz. Copper	....	2.10	2.40	2.85

(B) EAVES TROUGH CORNERS

26-ga. galvanized steel. Use with 28 or 26-ga. trough. Also in **16-oz. Copper with solderless "slip connections."** Order correct corners; see (B) illustration above. **State size.** Shipping weight, each, 1 pound.

Catalog No.	Size, Inches	3½	4	5	6
48 HM 3309	Inside —26-Gauge	35c	37c	40c	$0.49
48 HM 3310	Outside—26-Gauge	35c	37c	40c	.49
48 HM 3379	Inside —16-oz. Copper	....	78c	95c	1.30
48 HM 3380	Outside—16-oz. Copper	....	78c	95c	1.30

(C) DROP OUTLETS

26-gauge, galvanized steel. Use with 28 or 26-gauge trough, **also 16-oz. Cold Rolled Copper with solderless connector. State size.** Shipping weight, each, 1 pound.

Catalog No.	Size, Trough, Inches / Size of Pipe, Inches	3½ / 2	4 / 3	5 / 4	6 / 4
48 H 3308	26-Gauge Steel	20c	25c	28c	$0.30
48 H 3378	16-oz. Copper	....	78c	90c	1.30

(D) END CAPS

26-gauge, galvanized steel fits 28 or 26-gauge trough, also 16-oz. Cold Rolled Copper with solderless connector. State size. Shipping weight, each, 4 ounces.

Catalog No.	Size, Inches	3½	4	5	6
48 H 3307	26-Gauge Steel	9c	10c	14c	15c
48 H 3377	16-oz. Copper	....	22c	28c	32c

(E) SNAP-ON HANGERS

Snaps on in 5 seconds—no tools or pliers required. Locks securely and can't come loose. This new patented hanger is a big improvement over other locking devices. Made of heavy, galvanized strap steel or 16-oz. copper. Use one hanger to each four feet of trough. Recommended over any other type of hanger. **State size.** Copper strap weighs 1 lb. 8 oz. per dozen; galvanized strap, 3 lbs. per dozen.

Width across top, inches	3½	4	5	6
48 H 3172 Galv. "Snap-On" Per doz.	35c	$0.40	$0.45	$0.55
48 H 3240 Copper Strap Per doz.	....	1.50	1.60	1.75

(F) WIRE HANGERS

Annealed wire. One hanger to 4 feet of trough. **State size.** Shpg. wt., 1 lb. 8 oz. per doz.

Width across top, inches	3½	4	5	6
48 H 3170 Per dozen	25c	28c	32c	37c

(G) RAINPIPE HOOKS

Galvanized wrought iron or tinned cast iron hook supplied for galvanized pipe (we recommend the heavier wrought iron hook for all masonry walls). Copper strap supplied for copper pipe. Use 2 hooks or straps for each 10 feet of pipe. **State size.** Shipping weight, per dozen hooks, 4 pounds.

Catalog No.	Size, Inches	2	3	4
48 H 3188	Tinned Hook, for wood. Doz.	$0.50	$0.63	$0.90
48 H 3189	Wrought Iron for masonry. Doz.	1.10	1.25	1.45
48 H 3258	16-oz. Copper, Doz.	1.65	2.05	2.35

(H) RAINPIPE

"Copper-Bearing" 26 or 28-ga. galvanized steel, also 16-oz. pure Cold Rolled Copper. Comes in 10-ft. lengths. One end crimped for easy fit. For 3½ or 4-in. eaves trough order 2-in.; for 5-in. order 3-in.; for 6-in. order 4-in. pipe and fittings. Wt., each length, 28-ga., 6½ lbs.; 26-ga., 7½ lbs. and copper, 7 lbs. **State size.**

Catalog No.	Size, Inches	2	3	4
48 HM 1278	28-Gauge Steel	$0.47	$0.52	$0.70
48 HM 3303	26-Gauge Steel	.56	.65	.80
48 HM 3373	16-oz. Copper	1.95	2.35	3.35

(J) ELBOWS AND SHOES

26 or 28-ga. galvanized steel, also 16-oz. Copper, 60 and 75° elbows properly turned of flawless steel or copper to resist corrosion. Used in combinations to fit any angle or turn of the eaves. Size given indicates size of rainpipe. **State size.** Shpg. wt., ea., approx. 12 oz.

Catalog No.	Size, Inches	2	3	4
48 H 3182	Elbow 60°.....28-gauge Steel	15c	19c	$0.28
48 H 3183	Elbow 75°.....28-gauge Steel	15c	19c	.28
48 H 3184	Shoe.....28-gauge Steel	22c	24c	.39
48 H 3312	Elbow 60°.....26-gauge Steel	22c	24c	.35
48 H 3313	Elbow 75°.....26-gauge Steel	22c	24c	.35
48 H 3314	Shoe.....26-gauge Steel	28c	33c	.45
48 H 3382	Elbow 60°.....16-oz. Copper	45c	60c	.95
48 H 3383	Elbow 75°.....16-oz. Copper	45c	60c	.95
48 H 3384	Shoe.....16-oz. Copper	50c	70c	1.10

(K) STRAINERS

Heavy galvanized wire, also copper wire. Prevents leaves, twigs and other debris from stopping up rainpipe. **State size.** Shipping weight, each, 2 ounces.

Catalog No.	Size, Inches	2	3	4
48 H 3194	Galvanized, Each	9c	9c	15c
48 H 3264	Copper, Each	15c	23c	33c

(L) FUNNELS

For running two rain-pipes into one; size indicates diam. of lower spout. **State size.** Shpg. wt., each, 12 oz.

Catalog No.	Size, Inches	2	3	4
48 H 3305	26-ga. Galv. Steel. Each	30c	$0.39	$0.48
48 H 3375	16-ounce Copper. Each	98c	1.35	1.85

(M) CUT-OFFS

26-gauge, extra heavy galvanized steel, also 16-oz. Cold Rolled Copper. A turn of the handle diverts water to cistern or overflow pipe. Size indicates diameter of rainpipe. **State size.** Shipping weight, 1 pound.

Catalog No.	Size, inches	2	3	4
48 H 3306	26-ga. galv. Steel. Each	$0.52	$0.62	$0.83
48 H 3376	16-ounce Copper. Each	2.15	2.55	3.50

SEARS BOX TYPE GUTTERING

This square bead box eaves trough and fittings combines decorative appearance with extra strength and durability. For Atlantic seaboard territory we recommend our **16-oz. Cold Rolled Copper** as it is not affected by salt air, lasts longer and is well worth the difference in price. Anything lighter than 16-oz. copper will not give you the service you expect. Our galvanized eaves trough is made of **26-gauge "Copper-Bearing" steel.** Joints must be soldered. See prices below. All items mailable except eaves trough and rainpipe.

SIZES: Trough width at top, 4½ inches; bottom width, copper, 2½ inches; galvanized, 3 inches; depth, 3¾ inches; all rain pipe and fittings are 2x3 inches.

WE RECOMMEND COPPER FOR LONGEST SERVICE

Shpg. Wt.		Copper	Price	Galvanized	Price
10 lbs.	**Trough** 10-Ft. Length	48 HM 3490	$2.95	48 HM 3420	70c
1 lb.	**Outside Corner**	48 H 3495	1.45	48 H 3425	74c
1 lb.	**Inside Corner**	48 H 3496	1.45	48 H 3426	74c
10 lbs.	**2x3 in. Rainpipe** 10-Ft. Length	48 HM 3485	2.50	48 HM 3415	75c
2 oz.	**Right Hand Cap**	48 H 3493	.45	48 H 3423	11c
2 oz.	**Left Hand Cap**	48 H 3494	.45	48 H 3424	11c
12 oz.	**2x3 in. Elbow** each	48 H 3486	.70	48 H 3416	35c
8 oz.	**Outlet Tubes** each	48 H 3492	.48	48 H 3422	14c
4 oz.	**Trough Hangers** each	48 H 4091	.15	48 H 4021	7c
2 oz.	**Copper Strap** for Rain Pipe	48 H 3489	.22	48 H 3419	12c
2 oz.	7-in. **Spike** for trough each	48 H 4025	.08	48 H 4023	2c
1 oz.	4½-in. **Ferrule** for trough each	48 H 4026	.06	48 H 4024	2c

UTILITY VENTILATOR

For Chicken or Hog House. Made of heavy galvanized steel, coated with aluminum paint. Bird-proof. Ideal for poultry houses, hog houses, etc. Keeps the air fresh, improves the health of your stock. Improves the appearance of your outbuilding—makes it more than just a shed. Has a ball-bearing head and revolves easily. Flue size, 12 inches; base size, 16 inches; height, 36 inches. Shipped from Boston, Central Ohio, or Central N. Y. whichever is nearest you. Shipping wt., 23 lbs.

48 H 659—Each **$6.25**

RUSTPROOF SPARK ARRESTER

Made of Heavy Steel. Rust-resisting, constructed of diamond-mesh heavy steel. Makes every building safe from fire caused by flying sparks. We include copper wire for fastening to chimney. Order size to cover flue or inside size of chimney. Average shipping weight, 6 pounds.

Cat. No.	Size	Fits Chimney Outside	Fits Chimney Inside	Price
48 HM 670	10x15 in. 10x15 in. 10x15 in.	12x16 in. 12x20 in. 16x20 in.	4x 8 in. 4x12 in. 8x12 in.	$2.55
48 HM 671	12x12 in.	16x16 in.	8x 8 in.	2.65

BARN VENTILATOR

Strongly made of 26-gauge steel, heavily galvanized to resist weather and rust. Removes strong odors and "air conditions" your barn or outbuildings. The tapered base with spire, weather vane (state your choice of either cow or horse), glass ball ornament, small top cone and ornamental brackets make a very attractive combination. Comes painted satin aluminum finish. Shipped from factory in Central New York or in Central Ohio, whichever is nearer you, and you pay freight from there. Send order to Boston. Choice of three sizes.

	48HM7724	48HM7727	48HM7730
Flue Size, In.	24	27	30
Base Width, In.	34	39	45
Height, In.	51	62	73
Shpg. Wt., Lbs.	115	140	190
Price	$22.95	$25.95	$28.45

YOU MAY BUY Guttering On EASY TERMS SEE PAGE 1A

EASY PAYMENTS—See Page 1A



PROTECT YOUR PROPERTY with *SEARS LIGHTNING RODS*

Lightning plays no favorites. Your barn, your home, may be the next victim of its ruthless attack unless you are protected by reliable lightning rod equipment properly installed. Money can rebuild a house or barn, but it can not restore a life that is lost, it cannot replace cherished possessions nor can it restore a fine herd that has taken years to build. Your surest protection is Sears Lightning Rods. We use extra thick pure copper wire cables. Uprights are 20-gauge seamless copper tubes. For average size buildings, 32-strand cable is suitable. For larger buildings and where storms are severe, use heavier cable. Cable-fastener and 2 nails furnished with every 3 feet of cable.



Shown here are various tops with and without vanes and ornaments.

(A) A combination of top 48 H 3688, glass ball 48 H 3692, and vane 48 H 3690. Price for combination **$2.60**
(B) A combination of top 48 H 3699, glass ball 48 H 3693 and vane 48 H 3691. Total cost of combination **$1.90**
(C) Top 48 H 3699 (See table below).
(D) 14-in. top 48 H 3689 complete with solid copper, roof saddle. (See table.)
(E) Copper coated steel ground rod, copper clamp. 48 H 3685. (See listing.)

COPPER CABLE—PRICES SUBSTANTIALLY REDUCED

Catalog No.	Size Wire	No. of Wires	Diameter Inches	Shipping Weight, Per 100 Feet	Price Foot
48 H 3696	No. 17	32	½	24 lbs.	**8½c**
48 H 3695	No. 17	34	9/16	27 lbs.	**9½c**
48 H 3697	No. 17	42	⅝	34 lbs.	**10½c**

TOPS

Catalog No.	Kind of Top	Height Feet	Height Inches	Shipping Weight, Pounds	Price
48 H 3688	Plain	4	0	4	**95c**
48 H 3699	Plain	2	6	3	**80c**
48 H 3689	With Saddle	1	2	2	**80c**

VANES

Catalog No.	Description	Shipping Weight	Price
48 H 3691	20-Inch Aluminum Arrow	1 pound	**$0.65**
48 H 3690	*22-Inch Aluminum, with Animal	2 pounds	**1.35**

*When ordering animal Vane 48 H 3690, state choice of horse, cow, pig, sheep or rooster.

GLASS BALLS

Catalog No.	Diameter	Description	Shpg. Wt.	Price
48 H 3692	4½ inches	White or Blue—State Color	1 lb. 8 oz.	**30c**
48 H 3693	4½ inches	Gold or Silver—State Color	1 lb. 8 oz.	**45c**

48 H 3694—Chimney Top; copper bracket with 18-in. copper point and screws for attaching to chimney. Order cable to extend from roof to chimney bracket. Shipping weight, 3 pounds **$1.15**

48 H 3685—Copper-Coated Steel Ground Rod, with copper clamp. Diameter ½ inch. 6 feet long. Shipping weight, 6 pounds. Each **$1.55**

48 H 3701—Cable Splicers, copper. Shipping weight, 4 ounces ..... **.12**

48 H 3700—Brick or Concrete Wall Fastener with Expansion Anchors. Shipping weight, 4 ounces **12c**

48 H 3702—Branch line connectors. Shpg. wt., 4 oz **12c**



HOW TO MEASURE and ORDER

Measure with a tape line or a piece of non-stretch cord, along lines shown in illustration. Ten feet of cable should be sunk in the ground each place where rods are grounded. Set tops not more than 20 ft. apart along roof ridges; and within 2 ft. of ridge-ends. Also allow one each for chimneys, cupolas, and other elevations.

Every building requires at least two grounds; gabled buildings and "T" or "L" shaped buildings require three or more. FREE FOLDER B12024H gives complete instructions on how to make installations on various buildings. Write for your copy.

OUR NEW INSTALLATION SERVICE

Sears Lightning Rod equipment will protect your buildings, but to secure reduced insurance rates, let Sears arrange your installation by approved installers. This insures complete and correct lightning protection. Such installation also bears the Underwriters' label, which secures for you the highest rate credits from your insurance company. Complete installation is ordinarily made within two weeks and always within thirty days, weather permitting.

Write Sears Engineering Service, Department 63, giving all measurements as per instructions for measuring above. We will then send you a free estimate of the complete cost of lightning rod protection, including the installation.

You may, of course, install this equipment yourself, as per the printed instructions which we furnish. In that case, however, you would not enjoy the benefit of Underwriters' approval.

EASY PAYMENTS

Now you can buy building materials on Sears EASY PAYMENT PLAN! You pay carrying charges on the unpaid balance only. See Page 1A for full details of this plan.

SEARS REDUCE PRICES TO STIMULATE BUILDING!



Diamond Mesh Metal Lath

Sears Metal Lath provides a base and reinforcement for all types of plain and ornamental plastering, stucco and fire-proofing; also used as a reinforcement under tile and for rat-proofing. The mesh is a small diamond design—a feature which provides the distinct advantage of "steel-strengthened" plaster. Gives you quick coverage and a superb bond.

The lath is virtually back-plastered by the first coat. More area can be plastered in less time. Complete embedment is assured. (See small view above.)

Made in four weights, as shown below. Priced and sold only by the 20 sq. yd. bundle of 10 sheets, size 27x96 in. Use painted lath for inside plastering. Use galvanized lath for stucco and outside work. We recommend heavy weight lath for all work.

Catalog Number		Weight Sq. Yd.	Wt. Per 10 Sheet Bdle.	Price Per 10 Sheet Bdle.
48 H M 2844	Painted Black	2.2 lbs.	44 lbs.	**$3.95**
48 H M 2845	Painted Black	3.0 lbs.	60 lbs.	**4.55**
48 H M 2846	Galvanized	2.5 lbs.	50 lbs.	**4.95**
48 H M 2847	Galvanized	3.4 lbs.	68 lbs.	**5.45**

EASY PAYMENTS

Repair—rebuild—redecorate on Sears convenient Easy Payment Plan. Pay a little down, a little each month out of income. See Page 1A for full information.

USE METAL LATH FOR SAFETY

Builders! Contractors! Save money here on metal lath needs. Sears guarantee your satisfaction. The National Board of Fire Underwriters rates metal lath second only to reinforced concrete for strength and resistance to fire. The Board rates metal lath partitions second to none in resistance to earthquake and explosion shocks. There are never any dust streaks on inside partitions of metal lath construction. Plaster cracks are eliminated. Metal lath and allied accessories hold corners, doorways and arches firmly together. All items shipped from Canton, Ohio, and you pay freight from there. Order from Boston.

Expansion Corner Bead

This Expansion Corner Bead is used for reinforcing and protecting the outer angles of plastered walls. The bead has a 2½-in. flange of metal lath. This feature provides a stronger corner because of the solid band it forms with the plaster. The Expansion Corner Bead is easy to erect. The wide flange facilitates construction on irregular corners.

This bead is made of 26-gauge steel, heavily galvanized and practically indestructible. Shipping weight, per lineal foot, 8 ounces.

Expansion Corner Beads are sold only in full bundles of 10 pieces each. You save at Sears.

Cat. No.	Length of Bead	Bundle Contains	Per Bundle
48HM76	6 ft.	60 lin. ft.	**$2.10**
48HM78	8 ft.	80 lin. ft.	**2.75**
48HM80	10 ft.	100 lin. ft.	**3.45**

Standard Corner Bead

A universally used corner bead that satisfactorily meets all building requirements. It provides an absolutely straight corner—every bead inspected before shipping.

All beads are straight and true. Easy to apply. Nail holes are provided in flanges to speed up erection. Perforations in flanges provide a key for the plaster. Galvanized steel construction makes this bead indestructible.

The perforated flanges are 1⅜ inches wide. Standard Corner Bead weighs 4 ounces per lineal foot. Shipped only in full bundles of 10 pieces each.

Cat. No.	Length	Bundle Contains	Per Bundle
48HM86	6 ft.	60 lin. ft.	**$1.40**
48HM88	8 ft.	80 lin. ft.	**1.85**
48HM90	10 ft.	100 lin. ft.	**2.35**

"Cornerite" Reinforcement

Made from our diamond mesh metal lath. Used in inside corners of room lathed with wood lath, insulating board, plaster board, etc. to prevent unsightly corner cracks in the plaster. Makes corners a unit with the rest of the wall area. Listed by Underwriters' Laboratories, Inc.

Plaster can be keyed right up to the bead. Every square inch of Cornerite reinforces because it's all expanded metal—no smooth surfaces to which plaster will not stick. Positive reinforcement. Easily erected; size of each piece, 3 in. by 3 in. by 8 ft. long. Painted black. Packed in bundles containing 25 pieces or 200 lin. ft. Shpg. wt., 26 lbs. per bundle.

48HM72—Bundle Cornerite..**$3.65**



ELGIN TOMORROW Design

The lock sets in this group are finest quality in every detail of construction. **Attractive New Design** and excellent finish make them ideal either for remodeling work or new buildings. With screws to match. All locks reversible unless otherwise stated.

ELGIN Inside Door Lock Sets

Ⓐ Carefully finished steel escutcheons and knobs. One key. Knobs, 1⅞ in.; escutcheons, 7¼x1¾ in.; locks, 3¾x3¼ in. Shipping weight, each, 2 lbs. 6 oz.

9 H 5690—Dull brass relieved finish. Each.....**69c**; 12 for.....**$7.44**

9 H 5692—Dull bronze relieved finish. Each.....**69c**; 12 for.....**$7.44**

9 H 5691—Same as 9 H 5690, but with glass knobs. Each..**95c**; 12 for..**$10.20**

9 H 5693—Same as 9 H 5692, but with glass knobs. Each..**95c**; 12 for..**$10.20**

ELGIN Bathroom Door Lock Sets

Ⓑ Inside escutcheon and knob chromium plated; outside escutcheon and knob dull brass relieved finish. 1⅞-inch knobs; 7¼x1¾-inch escutcheons. Brass inside escutcheon and knob; steel outside escutcheon and knob. With thumb turn on inside instead of key. Shipping weight, 2 pounds 8 ounces.

9 H 5694.....**$1.65**

9 H 5695—Same as above, but with glass knobs on both sides.....**$1.79**

9 H 5696—Same as 9 H 5694 but with dull bronze relieved outside knob and escutcheon.....**$1.65**

9 H 5697—Same as 9 H 5696 but with glass knobs on both sides..**$1.79**

ELGIN 3-Tumbler Rear Door Lock Set

Ⓒ Dull brass relieved finish. Brass knob and escutcheon outside; steel knob and escutcheon inside. 1⅞-inch knobs; 7¼x1¾-inch escutcheons. One key. Shipping weight, 2 pounds 6 ounces.

9 H 5654.....**$1.19**

9 H 5655—Same as above but dull bronze relieved finish.....**$1.19**

ELGIN French Door or Window Lock Set

Ⓓ Dull brass relieved finish. Steel escutcheons, knob, and cast lever handle. Escutcheons, 7¼x1¾ in.; knob, 1⅞ in.; lock, 3¾x2⁵⁄₁₆ in. With one key. Shipping weight, 2 pounds 14 ounces.

9 H 5658.....**$1.10**

9 H 5659—Same as above, but with glass knob and cast lever handle..**$1.25**

9 H 5660—Same as 9 H 5658, but dull bronze relieved finish.....**$1.10**

9 H 5661—Same as 9 H 5660, but with glass knob and cast lever handle.....**$1.25**

ELGIN Bit Key Front Door Lock Set

Ⓔ Dull brass relieved finish. Steel knobs and escutcheons. Knobs, 2 in. Outside escutcheon, 9½x2⅛ in.; inside escutcheon, 7¼x1¾ in. Lock, 5x3½ in. Night lock stop in lock face. With 2 keys. Shpg. wt., 3 lbs. 8 oz.

9 H 5663.....**$1.98**

9 H 5664—Same as above but dull bronze relieved finish.....**$1.98**

ELGIN Cylinder Front Door Lock Set

Ⓕ Attractive design and careful construction make it add to the appearance of any entrance. Secure—dependable—quiet-operating. **Solid brass** knobs, escutcheons, lock face, and bolts, 5-pin tumbler **brass** cylinder. Key operates both bolts from outside. Stop in face prevents operation of outside knob when set. Thumb turn inside. Knobs, 2 in.; inside escutcheon, 7¼x1¾ in.; outside escutcheon, 9½x2⅛ in.; lock, 5½x3½ in. With 3 cylinder keys. Shipping weight, 4 lbs. 14 oz.

9 H 5666—Dull brass relieved finish.....**$5.75**

9 H 5667—Dull bronze relieved finish.....**$5.75**

ELGIN Cylinder Entrance Handle Set

Ⓖ Same as cylinder set above, except has **solid brass** handle outside; **brass** rose and knob inside. Thumb turn inside. 3 cylinder keys. Dull bronze relieved finish. Shipping weight, 5 pounds 7 ounces.

9 H 5668.....**$6.75**

ELGIN CHICAGO Design

Reduced! A favorite for remodeling and repair work because of its simplicity. Easy to align with door edge. Well made with perfect mechanism to provide security. With screws to match. All locks are reversible unless otherwise stated, are 3¾x3¼ inches, 2¼-in. knobs, and 7x2¼-inch escutcheons.

ELGIN Inside Door Lock Sets

Ⓐ Carefully finished. With key. Shipping weight, each, 2 lbs. 2 oz.

9 H 5650—Dull brass finish. Each.....**44c**; 12 for.....**$5.04**

9 H 5651—Old copper finish. Each.....**44c**; 12 for.....**$5.04**

9 H 5777—**Door Knobs and Spindle only.** Same as in set above. Dull brass finish. Shpg. wt., 12 oz. Set.....**22c**

ELGIN Closet Door Lock Set

Dull brass finish on steel. Nickel plated key. Thumb turn inside in place of knob.

9 H 5652—Shpg. wt., 2 lbs. 2 oz..**42c**

ELGIN Bathroom Door Set

Ⓑ **Prices Cut!** Dependable, quiet-operating lock. Choice of finish on outside trim. Inside trim nickel plated. Operated from inside by thumb turn instead of key. Shipping weight, 2 lbs. 4 oz.

9 H 5662—Dull brass finish....**95c**

9 H 5665—Old copper finish...**95c**

ELGIN 3-Tumbler Set

Ⓒ **Prices Reduced!** For rear entrance doors. A strong lock. Made to provide the utmost security. Nickel plated key. Shipping weight, 2 lbs. 6 oz.

9 H 5657—Dull brass finish....**85c**

9 H 5656—Old copper finish...**85c**

French Door or Window Lock Sets

Ⓓ **Lower Prices!** Lock, 3¾x2⁵⁄₁₆ in. Escutcheons, 4¾x1¼ in.; knob, 1¾ in. Lever handle one side. Carefully finished. For doors with narrow stiles. Nickel plated key. Shpg. wt., 1 lb. 6 oz.

9 H 5669—Dull brass finish....**95c**

9 H 5670—Old copper finish...**95c**

ELGIN Bit Key Front Door Sets

Ⓔ **All Prices Cut!** Reversible lock, 5x3½ in. 2¼-in. knobs. Escutcheons, outside, 10⁷⁄₁₆x1¹³⁄₁₆ in.; inside, 7x2¼ in. Push button latch bolt stop in face. Two nickel plated keys. Carefully finished face, knobs and escutcheons.

Shipping weight, 3 pounds 8 ounces.

9 H 5672—Dull brass finish.**$1.50**

9 H 5673—Old copper finish. **1.50**

As above but with **genuine brass** face, knobs and escutcheons. Shipping weight, 3 pounds 10 ounces.

9 H 5675—Dull brass finish.**$2.75**

9 H 5676—Old copper finish. **2.75**

ELGIN Cylinder Front Door Sets

Ⓕ **Brass** face reversible lock, 5½x3½ inches. 2¼-in. **brass** knobs and **brass** escutcheons, outside, 10⁷⁄₁₆x2¹³⁄₁₆ in.; inside, 7x2¼ inches. Key operates both bolts from outside. Stop in face prevents operation of outside knob when set. Thumb turn on inside. 3 cylinder keys. Shpg. wt., 4 lbs. 14 oz. **New Low Prices!**

9 H 5681—Dull brass finish.**$4.95**

9 H 5682—Old copper finish. **4.95**

ELGIN Cylinder Entrance Door Set

Ⓒ Heavy **brass** outside handle and trim. **Brass** knob and rose and cast **brass** thumb turn inside. Cast **brass** lock face; lock size, 5½x3½ in. 3 cylinder keys. Shpg. wt., 5 lbs. 8 oz.

9 H 5683—Dull brass finish.....**$5.75**

ELGIN Bit Key Store Door Set

Ⓗ Reversible 3-tumbler lock, 4x3⅛ in. Very sturdy. Carefully finished. Escutcheons, 14½x3⅛ in. 2 handles, one for each side of door. 2 keys. Shipping weight, 5 lbs. 6 oz.

9 H 5679—Dull brass finish.....**$2.98**

ELGIN Cylinder Store Door Set

Ⓙ Reversible mortise lock, 4x3½ in. **Brass** face, with 2 **brass** cylinders. **Brass** escutcheons, 14½x3⅛ in. One handle for each side of door. 3 cylinder keys. Shpg. wt., 6 lbs. 8 oz.

9 H 5684—Dull brass finish.....**$6.75**

9 H 5685—Same as 9 H 5684 above except **chromium** finish.

Shipping weight, 6 pounds 8 ounces....**$7.85**

ELGIN Colonial Design

Authentic reproduction of hand wrought hardware used in Colonial days. Old iron finish. Gives your entrance a bit of quaint Colonial charm and distinction. **Entrance set and straps made of non-rusting white bronze which will not streak or mar doors like iron hinge straps. Screws included.**

Ⓐ **9 H 5773—Curved Hinge Strap.** only. Used in connection with regular door butts. Butts not included. Length, 25 in. Shpg. wt., 5 lbs.....**$3.75**

Ⓑ **9 H 5772—Straight Hinge Strap** only. Hinges not included. 9-inch size. Shpg. wt., 14 oz. Each.....**$1.19**
17½-in. size. Shipping weight, 2 lbs. 4 oz. Each.....**$1.59**
22-in. size. Shipping weight, 3 lbs. 6 oz. Each.....**$1.98**

Ⓒ **9 H 5767—Inside Door Lock Set.** Genuine hammered iron knobs and escutcheons. Reversible lock, 3¾x3¼ in. Nickel plated key. Shpg. wt., ea., 3 lbs. 2 oz. Each....**$1.10**; 12 for.....**$12.00**

9 H 5782—Bathroom Lock Set. As above except with nickel plated **brass** knob and rose and **brass** thumb turn in place of key inside. Shipping weight, 3 pounds 2 ounces.....**$1.59**

Ⓓ **9 H 5769—Cylinder Entrance Lock Set.** Handle outside, knob inside. Reversible lock, 5½x3½ in. 3 cylinder keys. Shpg. wt., 5 lbs. 8 oz..**$6.75**

Ⓔ **9 H 5765—Door Knocker.** In white bronze. Shipping weight, 1 pound 10 ounces.....**$1.59**



ELGIN Lock Sets and Accessories

Fine quality door hardware in an authentic Colonial design. All exposed parts **solid brass** in bright polished finish. One-piece seamless knobs. Unless otherwise stated below, sizes are: knobs, 1¾ inches in diameter; brass face locks, 3¾x3¼ inches. With screws to match.

Ⓐ **Inside Lock Set.** With one key. Shipping weight, each, 2 lbs. 6 oz.
9 H 5743—Ea. **$1.59**; 12 for.**$17.16**

Ⓑ **Bathroom Door Lock Set.** Inside knob, rose and thumb turn are **chromium plated.** Shipping weight, 2 lbs. 4 oz.
9 H 5744.....**$2.25**

Ⓒ **French Door or Window Lock Set. Cast brass** lever handle on one side and knob on the other. Lock size, 3¾x2⁵⁄₁₆ in. With one key. Shipping weight, 2 pounds.
9 H 5745.....**$1.69**

Ⓓ **Cylinder Front or Rear Door Lock Set.** 2-inch knob and cylinder outside; 1¾-inch knob and thumb turn inside. Lock size, 5½x3½ in. 3 cylinder keys.
9 H 5746—Shpg. wt., 4 lbs. 2 oz..**$6.75**

Ⓔ **Cylinder Entrance Handle-Lock Set. Cast brass** handle and cylinder outside; 1¾-inch knob and thumb turn inside. Lock size, 5½x3½ inches. 3 cylinder keys. Shipping weight, 5 pounds 4 ounces.
9 H 5747.....**$7.25**

Matched Accessories

For use with lock sets in this group. Bright brass finish.

Ⓕ **Push Button. Solid brass.** Diameter, 1¾ in. Shpg. wt., 4 oz.
9 H 5748.....**79c**

Ⓖ **Door Knocker. Cast brass.** Size, 2¾x8 in. Shipping wt., 14 oz.
9 H 5749.....**$1.79**

HARDWARE PRICES ARE DOWN! NOW IS THE TIME TO BUILD



ELGIN—OLDTOWN Design

Outstanding quality in a Colonial design. Also harmonizes with almost any type of home. Equally good for new buildings or modernizations. Finish is dull brass. Following are sizes unless otherwise stated: Escutcheons, 1½x5¾ inches; locks, 3¾x3¼ in.; knobs, 2 inches. Reversible mortise locks. With screws to match.

$6.50
9 H 5763

62¢ Ea. In Lots of 12
9 H 5750



ELGIN—MANHATTAN Design

Designed in keeping with the smart new homes of today and tomorrow. All-over dull brass finish with recessed portions in dark oxidized color. Made for years of service. Escutcheons, 2¼x6 in.; locks, 3¾x3¼ in.; knob size, 2 in. (unless otherwise stated). Good quality reversible mortise locks. Screws to match.

73¢ Ea. In Lots of 12
9 H 5726

Build for the future! Good hardware costs only a little more than ordinary hardware—at Sears low prices. You get top quality in OLDTOWN lock sets but you pay 25% to 30% less than is usually asked for sets of this high grade.

Ⓐ ELGIN French Door or Window Lock Set. Dull brass finished escutcheons both sides; knob outside; cast lever inside. Lock, 3¾x2⅝ inches. With nickel plated key. Shipping weight, 2 pounds 6 ounces.
9 H 5757—Each **$1.19**

Ⓑ ELGIN Bit Key Front Door Lock Set. Lock size, 5x3½ inches. Escutcheons, 2x8 inches. Stop buttons in face of lock. With two keys. Shipping weight, 3 pounds 2 ounces.
9 H 5758—Each..... **$2.40**
9 H 5761—Same as above, but with **solid brass** escutcheons and knobs. Two nickel plated keys. Shpg. wt., 3 lbs. 2 oz. Each..... **$3.35**

Ⓒ ELGIN Cylinder Front Door Lock Set. Solid **brass** escutcheons and knobs. Escutcheons, 2x8 inches. Cast **brass** lock face; lock size, 5½x3½ inches. Stop buttons in face of lock. With three cylinder keys. Shipping weight, 4 lbs. 6 oz.
9 H 5763—Each..... **$6.50**

Ⓓ ELGIN Inside Door Lock Sets. A serviceable set for doors inside the home. With key. Shpg. wt., 2 lbs. 6 oz.
9 H 5750—With metal knobs. Each.....**69c**; 12 for..... **$7.44**
9 H 5752—Same as above, but with glass knobs. Shipping weight, 2 lbs. 6 oz. Each.....**95c**; 12 for....**$10.68**

Ⓔ ELGIN Bathroom Door Lock Set. Chromium plated rust-proof solid brass inside escutcheon and knob with thumb turn. Glass knob and dull brass finished escutcheon outside.
Shipping weight, 2 pounds 8 ounces.
9 H 5753—Each.....**$1.65**

Ⓕ ELGIN 3-Tumbler Rear Door Lock Set. Outside escutcheon and knob are **solid brass.** Inside escutcheon and knob are dull brass finished. Lock face is **solid brass.** Lock size, 3¾x3⅜6 inches. Gives 3 times the protection of ordinary locks. Nickel plated key.
Shipping weight, 2 pounds 10 ounces.
9 H 5755—Each.....**$1.65**

Ⓐ ELGIN French Door or Window Lock Set. Metal knob on one side and cast lever handle on other. Lock size, 3¾x2⅜6 inches. With one key. Shpg. wt., 1 lb. 10 oz.
9 H 5739—Each..... **$1.25**
9 H 5731—As above but with **solid brass** lock face and escutcheons. **Brass** lever handle one side, glass knob other. Shipping weight, 2 pounds 14 ounces.
Each..... **$1.85**

Ⓑ ELGIN Bit Key Front Door Lock Set. Solid brass escutcheons and knobs. Escutcheons, 2⅛x8 in. **Cast brass** lock face; lock size, 5x3½ in. Push button latch stop in face. Two keys. Shipping weight, 3 pounds 8 ounces.
9 H 5741—Each..... **$3.25**

Ⓒ ELGIN Cylinder Front Door Set. 2¾x8-in. escutcheons, knobs, and thumb turn—all of **solid brass. Cast brass** lock face, bolts and stop buttons. Lock size, 5½x3½ in. 3 cylinder keys. Shipping weight, 4 pounds 8 ounces.
9 H 5736—Each..... **$6.50**

Ⓓ ELGIN Cylinder Entrance Handle Set. Cast brass outside handle (length, over-all, 14 in.), **solid brass** knob and trim inside. **Cast brass** lock face; lock size, 5½x3½ in. 3 cylinder keys. Shpg. wt., 5 lbs. 12 oz.
9 H 5738—Each..... **$6.95**

Ⓔ ELGIN Inside Door Lock. Positive, easy-working lock. One key. Shipping weight, 2 pounds 6 ounces.
9 H 5726—With metal knobs. Each.....**79c**; 12 for..... **$8.76**
9 H 5725—With glass knobs. Each.....**$1.00**; 12 for..... **$10.80**
Sears Finest. Easy spring construction; **solid brass** escutcheons. **Cast brass** lock face. With key. Shpg. wt., each, 2 lbs. 4 oz.
9 H 5728—With glass knobs. Each.....**$1.49**; 12 for.... **$16.20**

Ⓕ ELGIN Bathroom Door Set. Inside escutcheon, knob and thumb turn of **chromium plated solid brass;** outside escutcheon and knob dull brass with shaded recessed portions. Shpg. wt., 2 lbs. 8 oz.
9 H 5730—Each..... **$1.65**
9 H 5729—As above but with **solid brass** lock face and escutcheons. Glass knobs both sides. Inside trim **chromium plated.** Each..... **$2.10**
ELGIN 3-Tumbler Rear Door Lock. (Not illustrated.) Outside escutcheon and knob **solid brass;** inside escutcheon brass and oxidized finish. Lock 3¾x3⅜6 in. **Solid brass** lock face. With key. Shipping weight, 2 pounds 6 ounces.
9 H 5734—Each..... **$1.59**

The COLONIAL

2-in. fluted glass knobs. Reversible lock. Two roses and key plates. Dull brass finish. Nickel plated key. Shpg. wt., 2 lbs. 4 oz.
9 H 5786—Set..**75c**; 12 sets..**$8.16**
9 H 5788—Knobs, roses and spindle only. Shpg. wt., 1 lb. 2 oz.
Per pair..**39c**; 12 pairs.....**$4.45**
9 H 5787—Mortise lock only. Shipping weight, 1 lb. 6 oz.....**30c**
9 H 5791—Keyhole escutcheons only. Shpg. wt., pair, 2 oz. Pair...**5c**

UPRIGHT RIM LOCK SET

32¢ In Lots of 12

Japanned iron case, 4x3¼ inches. Reversible latch bolt for right or left hand doors. Spring and dead bolt. Steel key hole plate and knobs. With key and screws. Shipping weight, 1 pound 15 ounces.

9 H 5778—Set.....**33c**
12 sets.....**$3.84**

RIM LOCK SET

32¢ In Lots of 12

Japanned case. Reversible. 3⅜x4¼ in. Spring and dead bolt. 1 key, japanned steel knobs and key plate. Shipping wt., 2 lbs. 4 oz.

9 H 5779—Set..**33c**; 12 sets.**$3.84**
9 H 5780—Lock only. Shipping wt., 1 pound 6 ounces.....**25c**
9 H 5781—Knobs only. Shipping weight, 12 oz. Pair.....**19c**

Narrow Butts

Light. For small cabinets, lockers or cupboards. Tight pin style. Cold rolled wrought steel, plain finish. With screws.

9 H 5881
State size.
Size, 1 in. Shipping wt., 4 oz. 3 pairs **9c**
Size, 1½ in. Shpg. wt., 6 oz. 3 pairs...**11c**
Size, 2 in. Shpg. wt., 10 oz. 3 pairs..**13c**
Size, 2½ in. Shpg. wt., 12 oz. 3 pairs..**16c**

Surface Hinges

Embossed steel. Fast joint. Butterfly design. A decorative touch for cupboards, china cabinets, etc. Size, open, 2⅜x2 in. With screws to match. Shipping wt., pair, 4 oz.; 12 pairs, 2 lbs. 11 oz.
9 H 5900—Dull brass. Pair.....**9c**
12 pairs.....**95c**
9 H 5901—Old copper. Pair....**9c**
12 pairs.....**95c**
9 H 5903—Nickel plated. Pair...**10c**
12 pairs....**$1.08**

Cupboard Butts

Light weight. For chests, cupboards, cabinets, lockers. Cold rolled wrought steel. Loose pin; ball tip. Size, 2½x2 in. Screws to match included. Shpg. wt., pair, 6 oz.; 12 pairs, 3 lbs. 8 oz.
9 H 5884—Dull brass. Pair....**14c**
12 pairs....**$1.56**
9 H 5885—Old copper. Pair...**14c**
12 pairs....**$1.56**
9 H 5887—Nickel plated. Pair....**21c**
12 pairs....**$2.28**

Half Surface Butts

Ball tip, loose pin, reversible. Only one leaf is mortised. Easy to apply. Screws to match included. **State size.**

Length of Joint	Shpg. Wt. Pair Lbs.	Oz.	9H5909 Dull Brass Pr.	10 Prs.	9H5910 Old Copper Pr.	10 Prs.
1½ in.		4	12c	$1.00	12c	$1.00
2 in.		6	21c	1.90	21c	1.90
2½ in.		10	30c	2.80	30c	2.80
3 in.	1		32c	3.00	32c	3.00
3½ in.	1	12	34c	3.20	34c	3.20
4 in.	2		45c	4.30	45c	4.30

9 H 5912—Nickel plated steel.

Size	Shpg. Wt., Pr.	Pair	10 Pairs
2 in.	6 oz.	35c	$3.30
3½ in.	1 lb. 8 oz.	45c	4.30



Carefully Finished Butt Hinges

- Meet U. S. Government Specifications.
- Heavy wrought steel.
- Non-rising pin. Ball tip.

Prices cut for National Building Campaign! Smaller sizes for light doors and casement windows; larger sizes for heavier inside and outside doors; nickel plated for bathroom doors. With screws to match. Supplied in four finishes. **State size wanted.**

Size, In.	Shpg. Wt. Pair Lbs.	oz.	9H5889 Polished Brass Pair	10 Pr.	9H5891 Dull Brass Pair	10 Pair	9H5892 Old Copper Pair	10 Pair	9H5883 Dull Bronze Pair	10 Pair
2½x2½		12	...	...	16c	$1.55	16c	$1.55	...	...
3 x3	1	4	...	...	17c	1.65	17c	1.65	26c	$2.40
3½x3½	1	10	27c	$2.50	17c	1.65	17c	1.65	27c	2.50
4 x4	1	14	37c	3.50	30c	2.85	30c	2.85	37c	3.50
4½x4½	2	8	.	.	69c	6.70	69c	6.70	...	...

9 H 5894—Nickel plated. Size, 3½x3½ inches, for bathroom. Shipping weight, 1 pound 6 ounces. Pair..... **33c**

Screw Strap Hinges

Heavy steel. Natural finish. Bolts included. **Be sure to state length wanted.**

9 H 5959

Lgth.	Shpg. Wt.	Pair
10 in.	4 lbs. 6 oz.	39c
12 in.	5 lbs. 2 oz.	47c
14 in.	7 lbs. 3 oz.	65c

6 Pairs		
10 in.	25 lbs.	$2.15
12 in.	29 lbs.	2.55
14 in.	43 lbs.	3.50

T Hinges

Size given is measurement from joint to end of strap. With screws. **State size.**
9 H 5955—Light. Cadmium plated.

Size, In.	Shipping Weight Pair	6 Pairs	Each Pair	Six Pairs
3	6 oz.	1 lb. 12 oz.	9c	49c
4	6 oz.	2 lbs. 2 oz.	12c	65c
6	11 oz.	3 lbs. 12 oz.	18c	98c

9 H 5956—Extra Heavy. Natural finish.

5	1 lb. 6 oz.	7 lbs. 6 oz.	21c	$1.10
6	2 lbs. 4 oz.	12 lbs. 4 oz.	24c	1.35
8	3 lbs. 10 oz.	19 lbs. 8 oz.	35c	1.90
10	4 lbs. 11 oz.	29 lbs. 4 oz.	55c	3.00

Strap Hinges

Sizes given are one-half the total length. Screws included. **State size.**
9 H 5950—Light. Cadmium plated.

Size, In.	Shipping Weight Pair	6 Pairs	Each Pair	Six Pairs
3	6 oz.	1 lb. 7 oz.	9c	49c
4	8 oz.	2 lbs. 2 oz.	12c	65c
6	14 oz.	4 lbs. 6 oz.	18c	98c

9 H 5951—Heavy. Natural finish.

5	1 lb. 2 oz.	6 lbs.	18c	$0.98
6	2 lbs. 2 oz.	10 lbs. 8 oz.	19c	1.00
8	3 lbs. 4 oz.	19 lbs.	32c	1.75
10	4 lbs. 14 oz.	27 lbs. 8 oz.	50c	2.70



Prime Coated Butts

For Cupboards. Unsightly tarnished butts are out of date. Better homes are now using butts which are made for painting so they will always match the woodwork and stay fresh and neat in appearance. Button tip, loose pin type. Covered with a prime coating that takes paint and holds it. Made with a clearance at the joint to keep paint from being scraped off when door is opened or closed. Size, 2½x2 inches. Screws to match. Shpg. wt., pair, 6 oz.; 12 pairs, 3 lbs. 8 oz.

Per Pair **16c** 2½x2-In. Size In 12-Pr. Lots

9 H 5895—Per pair..**17c**; 12 pairs...**$1.92**
For Outside or Inside Doors. Same as above except for residence doors.
9 H 5896—**State size wanted.**

Size	Shpg. Wt., Pair	Per Pair	10 Pairs
3 x3 in.	1 lb. 4 oz.	25c	$2.30
3½x3½ in.	1 lb. 10 oz.	26c	2.40
4 x4 in.	1 lb. 14 oz.	36c	3.40

Sliding and Swinging Garage Door Sets—Trouble-free



SWING EZY Garage Door Set

Reduced to $2.19

• For hanging double doors in openings up to 10 feet wide.

Six 10-inch **extra heavy** T-hinges, 6-inch chain bolt, 6-inch foot bolt, thumb latch with inside pull, and pair of padlock eyes. Complete as illustrated, with screws. Finished in black japan. Easy to install. Shipping weight, 18 pounds.

99 H 6242—Set.....**$2.19**



3-Door FOLDING-SLIDING Roller Bearing Garage Set

Reduced to $3.25

Complete hardware for 3 doors up to 9-ft. opening . . . Provides for right or left hand service door. Convenient—easy to install—saves space. For doors up to 2 inches thick and 3 feet wide, weighing up to 400 pounds. Set includes roller bearing hanger with up and down adjustment, 4½ pairs 4x4-inch butts, door pull, thumb latch and handle, foot bolt, chain bolt, 7 feet steel track and brackets.

99 H 6244—Set, with bolts, screws and instructions. Shipping weight, 23 pounds.....**$3.25**



AROUND THE CORNER Garage Door Set 3-Door Roller Bearing Set—Flat Steel Track

Reduced to $4.20

• All hardware for 3 doors up to 8-ft. opening weighing up to 400 lbs. . . . **Provides right or left hand service door or 3 doors may be hinged together. 2 doors slide around corner, inside garage.** Includes three adjustable roller bearing hangers; three 4x4-in. butt hinges; three 8-in. **extra heavy** T hinges; 2 handles; 1 thumb latch; 2 floor door-guide plates; 1 door bumper; six 28-in. sections flat track and 1 **machine curved piece.** Opening must be 21 inches from side where curved track is used. Shipped freight or express. Shpg. wt., 36 lbs.

99 HM 6247—Set with bolts, screws and instructions.....**$4.20**

9 H 6245—**Extra Hanger** only. Shpg. wt., 2 lbs. 8 oz. Each..**.79**



Ⓐ Door Pull. For barn or garage doors. Japanned steel. Large grip. Easy to put on. Length, 6¼ in. With screws. Shpg. wt., 6 oz.
9H6170. **7c**

Ⓑ Door Handle. For garage or other heavy doors. Smooth, rounded; made of cold rolled steel. Lgth., 6½ in. Black japanned. With screws. Shpg. wt., 4 oz.
9H6171.. **12c**

Ⓒ Thumb Latch. Japanned wrought steel. 6¾-in. handle, thumb latch, inside door latch catch, screws. Shpg. wt., 8 oz.
9 H 6173 Set..... **19c**
9 H 6175—A heavier set. With padlock eyes and 7½-in. handle. Shpg. wt., 12 oz....**25c**

Ⓓ Yankee Catch Heavy metal. Japanned. With screws. Trip catch. Shpg. wt., 10 oz. **8c**
9 H 6184.....

Ⓔ Barn Door Stay Roller. Heavy japanned steel. Reversible; adjustable up to 2⅜ in. Shpg. wt., 1 lb. 8 oz. **15c**
9 H 6181.....



Ⓐ Garage Door Holders. Automatically locks in open position, releases with slight pull of the chain. Heavy steel. Black japanned finish. Length, 29 inches. With screws. Shipping weight, 14 pounds.
9 H 6195—Pair..**$2.39**

Ⓑ Garage Door Brace. ⅝-in. x 5-ft. steel rod with an adjustment for length; locks securely. Black finish. With four ¼x2¼-in. bolts. Shipping weight, 1 pound 14 ounces.
99 H 6193.....**32c**



Overhead "SWING-UP" Hardware for Garage Doors

$12.95 **For doors up to 8 feet wide; from 6½ to 8 feet high.** Improved! Easier to operate! Sears new "swing-up" overhead garage door set offers new convenience and a new value in garage hardware. For use with new or old doors. Converts hinged, folding—sliding or around-the-corner doors into the overhead type. This outfit operates doors weighing up to 200 lbs. When door is open it is over head out of the way and inside the building. Operates quietly and with little effort. Perfectly safe even for children. No weight to move up and down. Must have 19-inch overhead clearance (A to B) for doors 7½ to 8 ft. high and 17¾ inches for doors 7 to 7½ ft. high from top of opening to underside of rafters.

Consists of top and bottom angle iron door braces, adjustable center bar, heavy springs and braces. Complete with weatherstrip, screws, bolts, etc., and directions. Door not included. Shipping weight, 95 pounds.

99 HM 6241.....**$12.95**



Steel Hinge Hasps

Ⓐ With screws.
9 H 5930—**State size.**
4-in. Shpg. wt., 10 oz. Each.....**9c**
6-in. Shpg. wt., 10 oz. Each.....**12c**

Steel Safety Hasps

Ⓑ Cadmium plated. Screw heads are concealed. With screws.
9 H 5933—**State length.**
3¼-in. Shpg. wt., 5 oz. Each.....**8c**
4½-in. Shpg. wt., 6 oz. Each.....**10c**
6-in. Shpg. wt., 10 oz. Each.....**17c**

Heavy Hasp

Ⓒ Cadmium plated. Case hardened staple. Length, over-all, 7½ in. With screws and carriage bolt. Shpg. wt., 1 lb. 4 oz. **35c**
9 H 5936—Each.....

Steel Chain Bolt

Ⓓ Japanned. Bolt ⅝-inch square, extra heavy malleable iron; 6 in. long. Reversible. With screws. Shipping weight, 1 lb. 2 oz. **30c**
9 H 6186.....

Steel Foot Bolt

Ⓔ Bolt held in place when raised by an oil tempered steel friction spring. Japanned ⅝-in. malleable iron bolt; 6 in. long. With screws. Shipping weight, 13 ounces. **30c**
9 H 6188.....

Door Latch

Ⓕ Steel case, japanned. Steel bolt. With screws. Shipping weight, 2 pounds. **49c**
9 H 6177.....

Cane Bolt

Ⓖ For heavy doors. 18 in. long; ⅝-in. steel, cadmium plated; rust-resisting. With floor socket and 3½x2¼-in. bolts. Shpg. wt., 3 lbs. 4 oz. **55c**
9H6191.

Sash Locks

Ⓐ **Crescent type.** With screws. Shipping weight, each, 7 oz.; dozen, 3 lbs. 4 oz.

	Each	Dozen
9 H 6062—Dull brass	6c	65c
9 H 6063—Old copper	6c	65c
9 H 6065—Nickel plated	7c	75c
9 H 6066—Bright brass	6c	65c
9 H 6059—Dull bronze	6c	65c

Side Sash Fasteners

Ⓑ With screws. Shpg. wt., 2 oz.
9 H 6057—Dull brass. Ea.**10c**
9 H 6058—Old copper. Ea.**10c**

4-In. Sash Lifts

Ⓒ With screws. Shpg. wt., ea., 4 oz.; dozen, 1 lb. 14 oz.

	Each	Dozen
9 H 6083—Dull brass	4c	42c
9 H 6084—Old copper	4c	42c
9 H 6086—Nickel plated	4c	42c
9 H 6087—Bright brass	4c	42c
9 H 6079—Dull bronze	4c	42c

1½-in. Hook Sash Lifts

Ⓓ With screws. Shpg. wt., six, 6 oz.
9 H 6071—Dull brass. 6 for....**10c**
9 H 6072—Old copper. 6 for....**10c**
9 H 6074—Nickel plated. 6 for....**12c**

Casement Fasteners

Ⓔ With mortise and rim strikes. With screws. Shpg. wt., each, 4 oz.
9 H 6032—Dull brass. Ea..**12c**; Doz..**$1.29**
9 H 6033—Old copper. Ea..**12c**; Doz..**$1.29**
9 H 6035—Nickel plated. Ea..**14c**; Doz..**$1.50**
9 H 6042—Bright brass. Ea..**12c**; Doz..**$1.29**
9 H 6030—Dull bronze. Ea..**12c**; Doz..**$1.29**

Window Spring Bolt

Ⓕ 3½ in. long. Cadmium plated. Shpg. wt., 12 oz.
9 H 6054—Dozen....**29c**

Stop Screws and Washers

Ⓖ Shipping weight, 4 ounces.

	Dozen
9 H 6050—Dull brass	8c
9 H 6051—Old copper	8c

Steel Sash Pulley

Ⓗ 2-in. wheel. Shipping weight, 1 lb. 14 oz.
9 H 6092—Dozen....**50c**

Soft Steel Rivets

Two-lb. package. Lengths, 1, 1½, 2, 2½ and 3 inches. Shipping weight, 2 lbs. 8 oz. **State catalog number, diameter and length.**

Ⓐ **Oval Head.**
9 H 7452—Diam., 3/16 in..**21c**
9 H 7451—Diam., ¼ in....**18c**

Ⓑ **Wagon Box Head.**
9 H 7456—Diam., 3/16 in..**21c**
9 H 7450—Diam., ¼ in....**18c**

Assorted Wagon Box and Oval Head Rivets and Burrs. 5-lb. package. Lengths, 1 to 3 in. Shipping weight, 5 lbs. 5 oz.
9 H 7453—Diam., 3/16 in..**49c**
9 H 7454—Diam., ¼ in....**42c**

Soft Steel Burrs

Ⓒ For rivets above. One-lb. pkg. Shpg. wt., 1 lb. 4 oz.
9 H 7458—Diam. 3/16 in....**19c**
9 H 7457—Diam. ¼ in....**18c**



Transom Lift

Ⓐ For transoms hinged at bottom. Heavy 3/16-inch steel rod. 3 ft. long. Dull brass finish. Shpg. wt., 1 lb. 9 oz. **55c**
9 H 6089.....

Steel Transom Chain

Ⓑ 12-in. Fastens to casing and transom. Dull brass finish. With screws. **15c**
9 H 6090—Shpg. wt., 3 oz.....

Transom Catch

Ⓒ Heavy cast iron bolt and ring. Wrought steel case, 1⅜x2¼ in. Universal strike. Dull brass finish. Shpg. wt., 4 oz.
9 H 6088 **17c**

Casement Adjuster

Ⓓ Steel rod, knob style screw fastener. For outward opening casement windows. Adjustable from 0 to 10 in. With screws. Shipping wt., ea., 12 oz.

	Each	Dozen
9 H 6027—Dull brass	27c	$3.00
9 H 6151—Bright brass	27c	3.00
9 H 6150—Dull bronze	27c	3.00

Casement Adjuster

Ⓔ Crank type. Rustproof, cadmium plated. For casements that swing out right or left hand. Operates through screen. Automatically locks in any desired position. Self-clearing, anti-freezing gear action. Shpg. wt., 14 oz.
9 H 6139.....**$1.25**

All Steel Sash Balances

Ⓕ Rustless metal tape. Sturdy spring. **Eliminates sash cord, weights, box frames.** With screws. **State size.**

Weight of 1 Sash Glazed	Size to Order	Shpg. Wt. Lbs.	Shpg. Wt. Oz.	9H6095 Set of 4
6– 8 lbs.	1	4	4	$1.75
8–10 lbs.	2	4	4	1.89
10–12 lbs.	3	4	6	1.89
12–14 lbs.	4	4	12	1.98
14–16 lbs.	5	4	13	2.10
16–18 lbs.	6	4	14	2.35

Cellar Window Set

Ⓖ Pair 2½-in. butts, fastener, 2½-in. hook and eye. Cadmium plated. Screws.
9 H 6100—Set. Shpg. wt., 12 oz....**19c**



Awning Pulleys

Heavy galvanized cast iron. Ideal for clothesline. **State size.**

Size, wheel, in.	¾	1	1½
Takes rope, in.	3/16	¼	5/16
Shpg. wt., oz.	3	4	7
9H6103—Single Wheel	4c	5c	8c
Shpg. wt., oz.	4	6	12
9H6104—Double Wheel	7c	9c	14c

Save Over 30% ON ROLLER BEARING GARAGE AND BARN DOOR SETS



ROLL RITE for Garage or Barn

Each hanger has four 2⅛-inch roller bearing wheels. Seamless heavy 16-gauge track; bird-proof, storm-proof, jump-proof. Black japanned. For doors weighing up to 450 pounds, up to 2¼ inches thick.

ROLL RITE Complete Sets

Includes 2 hangers, track, brackets, end caps, bolts. Sets for 8-ft. and 10-ft. doors shipped freight or express only.

	Door	Track	Shpg. Wt.	Set
99 H 6206	6 ft.	12 ft.	30 lbs.	$3.75
99 HM 6207	8 ft.	16 ft.	35 lbs.	4.35
99 HM 6208	10 ft.	20 ft.	41 lbs.	5.25

Heavy Steel Square Trolley Track With Bolts

For above hangers. Shpg. wt., 1 lb. 8 oz. to the ft. 8-ft. and 10-ft. lengths shipped freight or express only.

99 H 6211—4-ft..60c **99 HM 6214**— 8-ft.. $1.20
99 H 6212—5-ft..75c **99 HM 6215**—10-ft.. 1.50
99 H 6213—6-ft..90c **Brackets not included.**

Roller Bearing Hangers

9 H 6204—One pair hangers with end caps and bolts for one door. Shipping weight, 5 lbs. 14 oz.....$1.48

Steel Brackets for Above Track

Should be attached 3 feet apart. Lag screws included.

9 H 6200—Single bracket. Shipping weight, 1 lb. 4 oz. Each.....15c

9 H 6201—Double bracket for parallel doors. Shpg. wt., 2 lbs. 8 oz. Each....45c

STORM KING Barn Door Hangers

Priced to Save You Over One-third

- **Each hanger has 2 sturdy roller bearing wheels.**
- **Extra heavy hanger straps have slotted holes for up or down adjustment.**
- **Sturdy, heavy gauge seamless track is bird-proof, jump-proof, and storm-proof.**
- **For doors weighing up to 1000 pounds and up to 2¼ inches thick. Load is automatically equally distributed to hanger wheels.**

A child can easily open or close a heavy door that's hung with Sears STORM KING Hangers! All Sears door sets have extra heavy hangers and are designed so doors can't jump track. Set includes two adjustable double roller bearing hangers, with track, lag screws, bolts and brackets. Gray enameled finish. **Shipped freight or express only.**

99 HM 6223—Complete set for one 8-foot door. With 16 feet of track. Shipping weight, 30 pounds.....$2.98

99 HM 6224—Complete set for one 10-foot door. With 20 feet of track. Shipping weight, 33 pounds.....$3.60

99 HM 6227—Extra Track for above in 8 or 10-ft. lengths. **State length.** Shipping weight, per ft., 1 lb. 8 oz. **Shipped freight or express only.** Per foot.....14c

9 H 6220—Pair Hangers only, for above. With bolts. Shipping weight, 5 pounds 3 ounces.....$1.10



ROCKWELL for Garage or Barns

- **3½-inch roller bearing wheels. Flexible hanger. Guard prevents jumping track.**
- **Heavy gauge steel track, 1¼ inches wide by ⅜ inch thick. Brackets attached to track have special supports to prevent sagging. With screws.**

ROCKWELL Complete Set

With two hangers, track and screws. Sets for 6-ft., 8-ft. and 10-ft. doors shipped freight or express only.

	For 1 Door	Track	Shpg. Wt.	Set
99 H 6232	6 ft.	12 ft.	20 lbs.	$1.60
99 HM 6233	8 ft.	16 ft.	22 lbs.	1.85
99 HM 6234	10 ft.	20 ft.	26 lbs.	2.10

Flat Steel Track With Screws

For any hanger using flat track. 8-ft. and 10-ft. lengths shipped freight or express only.

	Lgth.	Shpg. Wt.	Each
99 H 6237	6 ft.	7 lbs.	45c
99 HM 6238	8 ft.	9 lbs.	60c
99 HM 6239	10 ft.	11 lbs.	75c

Hangers Only

9 H 6230—One pair hangers. With screws. Shipping weight, 5 pounds 10 ounces.....80c

CADMIUM PLATED WOOD SCREWS

144 for **10c** ¼-1

Prices Reduced! You Save at least ⅓. The finest rust-resisting wood screws. Every one perfect shape; sharp points for easy starting in any wood. Maximum holding qualities. Actual sizes shown above. **State length and number.** Length as given includes the head. Buy now and have them on hand when needed. Shpg. wt., gross; sizes 1 to 9, 1 lb. Other weights in proportion.

Lgth., in. and No.	¼–1	⅜–2	⅜–4	½–2	½–3	½–4	½–5	½–6	⅝–4	⅝–5	⅝–6	¾–5	¾–6	¾–7	¾–8
9 H 7102—Gross	10c	13c	14c	13c	14c	15c	16c	15c	16c	17c	17c	18c	19c	20c	
Lgth., in. and No.	¾–9	¾–10	⅞–5	⅞–6	⅞–7	⅞–8	⅞–9	⅞–10	1–6	1–7	1–8	1–9	1–10	1¼–8	
9 H 7102—Gross	23c	26c	19c	21c	22c	23c	25c	28c	21c	23c	24c	27c	29c	26c	
Lgth., in. and No.	1¼–9	1¼–10	1¼–12	1¼–14	1½–8	1½–9	1½–10	1½–12	1½–14	1¾–8	1¾–9				
9 H 7102—Gross	28c	30c	38c	49c	30c	32c	34c	42c	55c	34c	37c				
Lgth., in. and No.	1¾–10	1¾–12	1¾–14	2–8	2–10	2–12	2–14	2½–8	2½–10	2½–12	2½–14				
9 H 7102—Gross	40c	46c	59c	37c	42c	49c	66c	44c	51c	60c	75c				

End Caps

For square track. To close ends of our track 99 H 6211 to 99 HM 6215 to make them bird-proof and weather-proof. Black japanned finish. Shipping weight, 6 oz.

9 H 6202 Each....6c



"Side-by-Side" Sliding Double Door Set

- **Made for two 8-foot double doors that slide by each other in a 16-foot opening.**

The hangers and track are of the same type and the same construction as our ROLL RITE sets shown above at left. Outfit includes 4 hangers, 4 eight-foot lengths of square track, 4 end caps, 9 double brackets, 4 door pulls and one double adjustable floor guide. Creosote blocks for attaching floor guide included. End caps are attached to two brackets and act as door stops. Bolts and screws for attaching included. Shipped freight or express only.

99 HM 6218—Shipping weight, 95 pounds...$12.95



Made of steel in blued or chromium plated finish; or of solid brass. Each and every one perfect. Standard threads with sharp gimlet point for easy starting. Clean slots.

Round Head Blued Screws. Shipping weight, gross; size 9, 1 pound 5 ounces. Other weights in proportion.

Lgth., in. and No.	½–4	⅝–5	¾–6	¾–8	1–8
9 H 7104—Gross	14c	15c	17c	21c	23c
Lgth., in. and No.	1–9	1¼–10	1½–10	1½–12	
9 H 7104—Gross	25c	29c	32c	39c	
Lgth., in. and No.	2–8	2–10	2½–8	2½–10	
9 H 7104—Gross	37c	42c	42c	49c	

Flat Head Solid Brass Screws. Shpg. wt., gross; size 8, 12 oz. Other weights in proportion.

Lgth., in. and No.	⅜–2	½–4	⅝–5	¾–6	
9 H 7106—Gross	19c	23c	31c	38c	
Lgth., in. and No.	¾–8	1–9	1–10	1¼–10	1½–12
9 H 7106—Gross	48c	68c	75c	89c	$1.29

Round Head Chromium Plated Screws. Superior to nickel plated. Shpg. wt., gross; size 6, 9 oz. Other weights in proportion.

Lgth., in. and No.	½–4	⅝–6	¾–6
9 H 7109—Gross	39c	42c	44c
Lgth., in. and No.	¾–8	1–8	1¼–8
9 H 7109—Gross	50c	52c	55c

Round Head Solid Brass Screws. Shipping weight, per gross; size 9, 1 pound 3 ounces. Other weights in proportion.

Lgth., in. and No.	½–4	⅝–5	¾–6	¾–8	
9 H 7107—Gross	25c	33c	40c	50c	
Lgth., in. and No.	1–8	1–9	1¼–10	1½–10	1½–12
9 H 7107—Gross	62c	69c	95c	$1.05	$1.35

Assorted Screws

Assorted sizes, lengths and types—about 250 in all. Highest quality. Keep a supply on hand. You'll use them often.

9 H 7103—Shpg. wt., 2 lbs. **9c**



PUT EASY-ROLLING BALL BEARING CASTERS ON YOUR FURNITURE

Ball Bearing Casters Roll Easily

New, noiseless, easy running casters. Those having composition hard rubber wheels with long wearing soft treads will not mar floors or floor coverings. Nickel plated steel frames. For dressers, beds, chests and other furniture.

4 For 22c 9 H 7405
A
9c Each
B
4 For 27c 9 H 7388
C
How to Measure Metal Bed Casters. Measure inside diameter of opening in bed post, from A to B as shown below.
A B
4 For 19c 9 H 7375
D

Ball Bearing Chest Casters

Ⓐ Steel plate. Complete with screws.

Strong Composition Wheel

	Wheel	Plate, In.	Shpg. Wt.	4 for
9 H 7397	1¼ in.	1¾x1 3/16	12 oz.	30c
9 H 7398	1⅝ in.	2¼x1¾	1 lb. 6 oz.	37c

Brass Plated Steel Wheel

	Wheel	Plate, In.	Shpg. Wt.	4 for
9 H 7405	1¼in.	1½x1 3/16	10 oz.	22c
9 H 7406	1¼ in.	1¾x1 3/16	1 lb.	24c
9 H 7407	1⅝ in.	2¼x1¾	1 lb. 6 oz.	30c

Tea Wagon Casters

Ⓑ 2-in. composition wheel. Grip neck type for cribs, tea carts, bassinets and light furniture. Shpg. wt., 5 oz.

9 H 7396—Each.....9c

Bed Casters

Ⓒ For metal beds. Strong, hard composition wheel, with long wearing, soft rubber tread.

	Wheel	Opening	Shpg. Wt.	4 for
9 H 7388	1¼ in.	¾ in.	14 oz.	27c
9 H 7389	1¼ in.	⅞ in.	1 lb.	30c
9 H 7390	1⅝ in.	1 25/32 in.	1 lb. 10 oz.	39c

Grip Neck Casters

Ⓓ Easy rolling. Swivel easily and silently. Steel stem and axle.

Strong Composition Wheel

	Wheel	Shpg. Wt.	4 for
9 H 7373	1¼ in.	13 oz.	26c
9 H 7374	1⅝ in.	1 lb. 2 oz.	33c

Brass Plated Steel Wheel

	Wheel	Shpg. Wt.	4 for
9 H 7375	1 1/16 in.	12 oz.	19c
9 H 7376	1¼ in.	12 oz.	22c
9 H 7377	1⅝ in.	1 lb. 2 oz.	27c

Genuine "Silent Glides"

Hardened steel; nickeled; highly polished. Makes furniture slide easily; perfectly noiseless. Shpg. wt., doz., 2 oz.

9 H 6896—State size.

½-inch. Dozen 4c; ¾-inch. Dozen.....6c
⅝-inch. Dozen 5c; ⅞-inch. Dozen.....6c



Stove Casters

Steel; ball bearing. Cadmium plated; rust-resisting. Stove legs rest in recess, preventing stove from slipping. 3 steel wheels. Shpg. wt., 4 lbs. 2 oz.

9 H 7420—Set of 4...$1.39

Caster Cup or Leg Rests

4 For **9c** 2 in.

Live rubber. Won't scratch floor! Put under leg of furniture and protect floor and rug. Long wearing.

9 H 7428—Diameter, 2 inches. Shipping weight, 6 ounces. Set of 4.....9c

9 H 7430—Diameter, 2⅝-inches. Shipping weight, 10 oz. Set of 4.....15c

Wood Screw Anchors

9 H 7171—Open throat prevents expansion at front. Oval shape prevents anchor from turning with screw. Made of lead. **State size.**

Size, In.	For Screw	Shpg. Wt.	Box of 25
⅛x¾	No. 5–6–7–8	7 oz.	24c
3/16x1	No. 9–10–11	9 oz.	28c
¼x1	No. 12–13–14	12 oz.	33c

Swivel Box or Truck Casters

Extra heavy for heavy loads. Roller bearing plate. Easy swiveling. With screws.

	Wheels	Height Over All	Shpg. Wt.	Each
9 H 7402	2 in.	2½ in.	1 lb. 12 oz.	15c
9 H 7400	2½ in.	3½ in.	2 lbs. 6 oz.	32c
9 H 7401	3 in.	4½ in.	4 lbs. 10 oz.	48c



ELGIN Cylinder Night Latch

Heavy iron case, 2½x3⅝ in., black wrinkle finish. 5-pin tumbler nickel plated cylinder with 3 cylinder keys. Nickel plated **brass** knob and stop button. Solid **brass** bolt. Wrench-proof cylinder ring. Reversible. For doors 1⅜ in. to 2½ in. thick. With mortise and rim strikes, and instructions.

9 H 5815—Shpg. wt., 1 lb. 12 oz. A $1.65 Value..... **95c**
9 H 5802—A $1.25 value! Similar to above but with brass-plated cylinder, knob and stop button. Heavy rustless metal bolt and case. Bronze wrinkle finish case. With 3 cylinder keys. Shipping weight, 1 lb. 12 oz..... **75c**

ELGIN Night Latch

Low priced! Well made! Smart, modernistic design. Bolt can be held back by turning knob to right. 5-disc tumbler cylinder. Cast iron case, 2¼x3 inches. Black crackle finish. Brass knob. 2 cylinder keys. Universal strike. For doors 1⅜ to 2½ inches thick. With screws. $1.00 value! Shpg. wt., 1 lb. 4 oz.

9 H 5816..... **59c**

ELGIN Cylinder Latch

All parts except case are **solid brass!** 5-pin tumbler **brass** cylinder. Heavy iron case, 2½x3⅝ inches. Black crackle finish. Chromium plated **brass** cylinder, deadlock stop, and knob. Reversible **brass** bolt. 3 nickel silver cylinder keys. Wrench-proof cylinder ring. For doors 1⅜ to 2½ inches thick. Complete with screws and instructions for installing. Shipping weight, 2 pounds.

9 H 5806..... **$1.29**

ELGIN Night Lock

A night lock that just can't be jimmied! Gives you the sense of security that comes with a really dependable lock. Heavy interlocking bolts. 5-pin tumbler **brass** cylinder. Brass finished case, 2⅞x4½ inches. 3 nickel silver cylinder keys. Fits any door from 1⅜ to 2½ inches thick. A $3.50 value! Shipping wt., 2 lbs. 4 oz.

9 H 5808... **$2.29**

Mortise Cylinder Dead Locks

Heavy japanned iron case, 2½x3¼ in. 5-pin tumbler **brass** cylinder, thumb turn, bolts and face. Operates by key from outside; turn knob inside. **Armored face.** 3 cylinder keys. With screws. Shpg. wt., 1 lb. 8 oz.

9 H 5813..... **$2.98**
9 H 5814—Sears finest! Heavy japanned iron case, 2½x3¼ in. **Brass** bolt, face, and two **cast brass** 5-pin tumbler cylinders. **Armored face.** Operates by key only, from either side. 3 cylinder keys. With screws. Shpg. wt., 1 lb. 12 oz... **$3.85**

Cabinet Hinges

Ⓐ For cupboard and cabinet doors. Ruggedly made of steel, with rust-resisting chromium finish. Attractive modern design. With screws and instructions. 1½x2¼ inches Shipping weight, pair, 4 ounces
9 H 6306—Flush type. Pr.... **25c**
9 H 6307—Offset (⅜-in.) type. Pr. **25c**

Ⓑ Similar to above. Semi-concealed type. Jamb leaf 2½ in. high. Fits doors from 1³⁄₁₆ to 1⅜ in. thick. Shipping wt., pair, 3 oz.
9 H 6301—Flush type. Pr.... **25c**
9 H 6302—Offset (⅜-in.) type. Pr. **25c**

Cabinet Catch

Ⓒ For cabinet doors, flush or offset types. Graceful lines. **Solid brass.** Polished chromium finish with 3 contrasting black lines. Operates by slight push on button on handle. 4 inches long. With screws and instructions. Shpg. wt., 4 oz.
9 H E296..... **37c**

Door Pull

For cupboard doors. 4 in. long. Matches catch above. With screws. Shpg. wt., 2 oz.
9 H 6297..... **17c**

Drawer Pulls

Ⓓ Modern design. **Brass.** Polished chromium finish. 3 decorative black lines contrast attractively with the bright finish. 4⅜ in. long. Screws included. Shpg. wt., 2 oz.
9 H 6298..... **17c**
Ⓔ **9 H 6299**—Graceful rounded corners. Polished chromium finish with 3 black contrasting lines. 3 in. long. With screws. Shipping wt., 2 oz..... **17c**

Pull Knobs

Ⓕ Made of steel, with stainless steel top. Chromium finish. Modern design with 3 decorative black lines. 1-inch size. With screw. Shpg. wt., 2 oz.
9 H 6295—Each..... **13c**
Ⓖ **9 H 6294**—Chromium plated **brass.** ⅝-in. size. With washer head machine screw. Shpg. wt., 2 oz.. **9c**

Cast Brass Pull Knob

Ⓗ Smart design. Size, 1⅛ in. Screws for attaching. Shpg. wt., 3 oz.
9 H 6153—Dull brass finish... **10c**
9 H 6154—Chromium finish.... **12c**

Modern Drawer Handle

Ⓙ Cast **brass.** 3½ in. between centers. With bolts. Shpg. wt., 6 oz.
9H6148—Dull brass. **21c**
9H6147—Chromium. **25c**

Glass Drawer Pulls

Ⓚ For kitchen and bedroom furniture. Length overall, 4 in. Bolts, 3 inches center to center. With bolts. Shipping weight, 4 oz. **9c**
9 H 6142—Crystal.... **9c**
9 H 6156—Green..... **9c**
9 H 6159—Black..... **9c**

Cabinet Catch

Ⓐ Modern design. Chromium plated rustproof metal. Spring catch; fits inside of door. For right or left-hand doors up to 1⅛-inch thick. Fits offset or flush doors. Easy to install. With screws. Shipping weight, 4 oz.
9H6335 Each..... **35c**

Modern Cabinet Set

Ⓑ Chromium finish. Consists of pair of hinges, knob, and sturdy friction catch. With screws. Value, 55c. Shpg. wt., 4 oz. **35c**
9 H 6337—Flush type.
9 H 6338—⅜-in. offset type..... **35c**

Hinges Only

Shipping weight, 2 ounces.
9 H 6101 Flush type. Pair..... **29c**
9 H 6102—⅜-in. offset type. Pair..... **29c**

Antique Knobs

Ⓒ **Brass.** Antique finish. Size, 1 in. Shpg. wt., 6 oz.
9 H 6155 6 for..... **30c**

Ring Drawer Pull

Ⓓ **Brass** plate. Antique finish. Size, 2 in. Bolted from rear. Value, 50c. Shipping wt., 12 oz.
9 H 6140 6 for..... **35c**

Wood Knobs

Unfinished maple. Washer head screw. Sizes, 1, 1¼, and 1½ in. **State size.**

Ⓔ **9H6145**—Round shape. Shpg. wt., two, 5 oz.
2 for..... **5c**
12 for..... **25c**
Ⓕ **9H6149**—Square shape. Shpg. wt., each, 5 oz.
Each..... **4c**
12 for..... **45c**

Cupboard Catch Set

Ⓖ Colonial glass knob. Spring steel friction catch, nickel plated finish. With screws and bolts. Shpg. wt., 4 oz. **8c**
9 H 6112—Value 15c.....

Fluted Glass Knobs

Ⓗ **9 H 6157**—Crystal knob. With bolt. Shipping weight, two, 4 ounces.

Size (State size).	⅞ in.	1⅛ in.	1½ in.
2 for.....	**7c**	**8c**	**9c**
12 for.....	**38c**	**44c**	**49c**

9 H 6158—Glass knobs in black or green color. With bolt. Size, 1⅛ in. **State color.** Shpg. wt., two, 4 oz.
2 for..... **8c** 12 for..... **44c**

Drawer Pulls

Ⓙ **Brass plate,** gilt finish. 1⅞x4¼ in. Bolts 3 in. center to center. Shpg. wt., 12 oz. **30c**
9 H 6138—Set of 6..
Ⓚ Steel; durable finish. Length, 3½ in. With screws to match. Shpg. wt., 8 oz.
9 H 6133—Dull brass.
9 H 6134—Old copper. **15c**
6 for.....

Steel Chest Handles

Ⓛ Black japanned. 3-in. plate. Screws. Shpg. wt., 12 oz. **23c**
9 H 6163—Pair.....

Cupboard Turns

Cast bolt and turn knob. With screws.

Ⓐ 1¾ x 1⅞ in. Shpg. wt., ea., 2 oz.; six, 12 oz. **10c**
9 H 6126—Dull brass. Each.... **9c**
6 for..... **50c**
9 H 6127—Old copper. Each... **9c**
6 for..... **50c**
9 H 6129—Nickel plated. Each.. **10c**
6 for..... **55c**

Ⓑ 2⅛ x 2³⁄₁₆ in. Shpg. wt., ea., 4 oz.; six, 1 lb. 8 oz. **10c**
9 H 6108—Dull brass. Each..... **9c**
6 for..... **50c**
9 H 6109—Old copper. Each.... **9c**
6 for..... **50c**
9 H 6110—Nickel plated. Each... **10c**
6 for..... **55c**

Wardrobe Lock

Ⓒ Steel; 2½x1¼ inches. For cabinet doors or drawers. Fastens on inside. With key and screws. Shpg. wt., 4 oz. **15c**
9 H 5860—Value, 20c.....

Drawer Locks

Ⓓ Steel; **brass** cylinder; 1¾x1½ in. For ⅞-in. wood. 2 keys. With screws. Shpg. wt., 4 oz. **39c**
9 H 5862—Value, 50c.....
Ⓔ Also for cupboard doors. 1⅝x1⅛ in. For wood ⅞ in. thick. Bore one hole only to install. With two keys and screws. Shipping weight, 4 ounces. **45c**
9 H 5861—Value, 65c.....

Chest Locks

Ⓕ Steel; 2⅞ x 1½ in. For wood ¾ in. thick. Complete with key and screws. Value 59c. Shipping weight, 4 ounces. **42c**
9 H 5863..
Ⓖ **Brass.** 2x1½ in. For ¾-in. wood. With screws. 2 keys. Value, $1.20. Shipping weight, 4 oz.. **98c**
9 H 5864..

Suit Case Catch

Ⓗ Also for chests, etc. Drawbolt aligns cover with main body before locking. Size, 2¾ in. With rivets. Value, 25c. Shipping weight, 3 ounces. **17c**
9 H 5874—2 for...
Ⓙ **Sample Case Lock.** Also for tool boxes, etc. Brass plated steel; 3½x2¼ in. With key and rivets. Shipping weight, 5 ounces. **45c**
9 H 5876.....

Trunk Locks

Ⓚ Strong, secure brass plated steel lock. Two keys. Size, 6¼x2 inches. With rivets. Shpg. wt., 12 oz. **32c**
9 H 5869....
Ⓛ Brass plated steel, **4-pin tumbler;** self locking. Two cylinder keys and rivets for attaching. Size, 6½x2¾ in. Shpg. wt., 12 oz. **98c**
9 H 5868.....

Friction Catch

Ⓐ Dull brass finish. Tough spring steel catch. For light cupboard doors, etc. Not exposed when attached. With screws. Value, 30c. Shpg. wt., 4 oz.
9H6118 6 for..... **17c**

Bullet Catch

Ⓑ Includes strike and pins. For light doors. Free acting ball. ⅝ in. diam.; ⅝ in. long. Shipping weight, each, 3 ounces. **4c**
9 H 6113—Each..... **10c**
6 for..... **19c**

Elbow Catch

Ⓒ Black japanned. For light cupboard doors, etc. With screws. Shpg. wt., each, 2 oz.; dozen, 1 lb. 2 oz.
9 H 6115 Each..... **4c**
Dozen..... **39c**

Steel Shelf Support

Ⓓ Make your own shelves. Shipping weight, each, 1 ounce **1c**
9 H 7228—Each..... **4c**
6 for.....

Heavy Brass Box Corners

Ⓔ Full polished. 1¾x1¾ in. With screws. Value, 50c. Shpg. wt., 4 oz. **29c**
9 H 6165—Set of 4.....

Stay Hinges

Ⓕ 10-in. brass plated steel hinges for card tables, chests, desks, etc. With screws. Value, 25c. Shipping weight, 4 ounces. **10c**
9 H 7229—Pair.....



Hammock Hook

Ⓐ 3-in. cadmium plated steel hook attached to steel plate. With screws. **5c**
9 H 7261—Shpg. wt., 5 oz.....

Clothesline Hook

Ⓑ Supports heavy load. With screws. **5c**
9 H 7266—Shpg. wt., 8 oz.....

Assorted Screw Hooks and Eyes

Ⓒ All sizes, picture eyes to clothesline hooks. **25c**
9H7246—72 for (Shpg. wt., 10 oz.)..

Assorted Cup Hooks

Ⓓ Solid brass. ½, ¾, and 1 inch. **38c**
9H7254—50 for (Shpg. wt., 5 oz.)
9 H 7250—Individual sizes, ½, ¾ or 1 in. State size. Shpg. wt., 4 oz. 2 doz..... **17c**

Coat and Hat Hooks

Ⓔ With screws. Length, 3 in. Shpg. wt., 1 lb. 4 oz. **21c**
9 H 7234—Dull brass.
9 H 7235—Old copper.
6 for.....
Ⓕ **Wire type;** black japanned finish. 3-inch size. Shpg. wt., dozen, 1 lb. **9c**
9 H 7236—Dozen...

Ceiling Hooks

Ⓖ Heavy wire; size, 2¼x3¼ in. Black japanned. Shipping wt., dozen, 1 lb. **13c**
9 H 7233—Dozen.

Finest Screen and Storm Door Sets at Bargain Prices

Ⓐ Pair 3-inch loose pin ball tip hinges, door pull, coil spring, hook and eye. Shpg. wt., 1 lb.
9 H 6313—Dull brass finish. **24c**
9 H 6321—Door Pull only. 4¾-in. With screws. Shpg. wt., each, 1 oz. Each....4c; 6 for..... **20c**

Ⓑ Heavy steel hinges, 3x2½ inches with strong covered spring. Detachable. With screws, hook, door pull. Shipping weight, 1 pound. **15c**
9H6331—Black Japanned.
9 H 6308—Dull brass..**21c**

Ⓒ Japanned cast iron spring hinges. Pull and hook. Screws furnished. Shipping weight, 1 pound. **15c**
9 H 6327—Set.....
9 H 6332—Pair hinges only. Shpg. wt., 1 lb.....**9c**

Corner Brackets

Ⓓ Rust-resisting galvanized steel. Hold frames rigid. Help prevent sagging screens. Shpg. wt., 8 oz.
9 H 6343 Set of 4..... **9c**

Screen and Storm Sash Hangers

Ⓔ Permit hanging or removing sash from inside. Cadmium finished. With screws, hook and eye. Shipping weight, set, 3 ounces.
9 H 6309—Set....5c; 6 sets..... **26c**
9 H 6310—Lower Sections. Make screen and storm sash interchangeable. With screws. Shipping weight, 12 ounces. 12 for..... **15c**



Screen or Storm Door Latches

Dull brass finish. Shpg. wt., ea., 1 lb.
Ⓐ **9 H 6253**—Rim. Heavy case. Cast bolt. Lever handle one side **37c**
9 H 6252—Inexpensive, sturdy latch similar to above but lighter..... **25c**
Ⓑ **9 H 6258**—Mortise. Cast bolt and lock case. Knob one side; lever handle other side. Slide lock..... **39c**

Door Catch

Ⓒ Holds screen door tightly closed. Strong steel spring. Rubber rollers. With screws. Shpg. wt., 6 oz.
9 H 6318..**8c**

Door Check

Ⓓ Automatic. For screen door. Use with any spring. Rubber ball takes the "slam." Shipping weight, 1 lb. 12 oz.
9 H 6268..**8c**

Screen Door Brace

Ⓔ Steel rod. Brass turnbuckle for adjusting tension. Black japanned. With screws. State length.

Size, In....	14½	42
Shpg. Wt..	3 oz.	12 oz.
9 H 6340.	**8c**	**12c**

Screen or Storm Door Checks

Ⓕ Brass cylinder; 1¼-in. diameter. Heavy coil spring. Length over-all, 15½ in. With screws and directions. Shpg. wt., 2 lbs. 8 oz. Was $1.10.
9 H 6266..**95c**

Ⓖ Brass cylinder; 1¼-in. diameter. Length over-all, 13½ in. Complete with screws and instructions. Shipping wt., 1 lb. 8 oz.
9 H 6270..**59c**

Door Springs

Ⓗ Spiral steel. Oil tempered. Length, 16 in. With hooks. Shpg. wt., 5 oz.

Cat. No.	Size	Each
9 H 6280	3/32 in.	4c
9 H 6282	3/16 in.	4c
9 H 6284	7/16 in.	5c

One-Piece Steel Shelf Brackets

Ⓐ **9 H 7293**—Stronger, neater. Black japanned. With screws. State size.

Size.....	4x5 in.	6x8 in.	8x10 in.	10x12 in.
Shpg. wt....	10 oz.	1 lb. 2 oz.	1 lb. 6 oz.	2 lbs. 2 oz.
Per Pair....	10c	20c	25c	33c
6 Pairs.....	54c	$1.10	$1.35	$1.75

Corner Irons, Angle Irons or Mending Irons

Steel, cadmium plated. With screws. State size.

Size, In.	(B) 9 H 7284 Shpg. Wt.	Doz.	(C) 9 H 7290 Size, In.	Shpg. Wt.	Doz.	(D) 9 H 7287 Size, In.	Shpg. Wt.	Doz.
1x½	7 oz.	16c						
2x⅝	1 lb. 2 oz.	29c	2x⅜	7 oz.	21c	2x½	7 oz.	16c
3x¾	2 lbs. 6 oz.	44c	3x⅝	1 lb. 6 oz.	32c	3x⅝	13 oz.	22c
4x⅞	4 lbs. 2 oz.	69c	4x¾	1 lb. 14 oz.	39c	4x⅝	1 lb. 2 oz.	30c

Hooks and Eyes

Ⓔ Steel, cadmium plated. For storm sash, window screens, small gates, etc.
9 H 6305—State size.

Hook, In.	1½	2	2½	3
Shpg. Wt.	5 oz.	6 oz.	10 oz.	13 oz.
12 for....	9c	10c	13c	14c

Steel Gate Hooks

Ⓕ Heavy bright steel hook; 5 in. long. Machine pointed staples. Shpg. wt., 14 oz. **13c**
9 H 6303—3 for.....
Ⓒ Cadmium plated hook, wrought staples. Length, 6¼ in. Safety catch. Shipping weight, 6 ounces.
9 H 6300—Each..... **9c**

Spring Bronze Weatherstrip

Use 1-inch width for windows. 1¼-inch for doors. With rustproofed nails and instructions for installing. Protection against dust, sand, rain, sleet, snow, etc. Shipping weight, per foot, 2 ounces.
9 H 7491—State width and length.
1-inch wide. Per foot....2½c; 100-ft. roll..... **$2.15**
1¼ inches wide. Per foot..3c; 100-ft. roll..... **2.49**

5-Disc Tumbler Padlock

A big bargain in a rugged, dependable padlock. One-piece die cast rustless metal case; no seams, no rivets. Self locking. Black crackle finish. Size, 1½-in. Shackle is ¼-in. in diameter. The most popular size for lockers, tool boxes, etc. You'll want several at this price. Two keys. Shipping weight, 8 oz.
9H 5852..**21c**

Extruded Brass Padlocks

Our best padlock. Case hardened self-locking steel shackle, file-proof and saw-proof. Rugged case. All sizes except 1⅛-in. have 5-pin tumbler cylinders. 1⅛-in. size has 4-pin tumbler cylinder. 2 cylinder keys.
9H5843—State size.

Size	Shpg. Wt.	Each
1⅛ in.	4 oz.	$0.69
1½ in.	8 oz.	.85
1¾ in.	11 oz.	.95
2 in.	14 oz.	1.15

ELGIN Pin Tumbler Cylinder Padlock

4-pin tumbler cylinder . . . Brass cylinder and plug . . . Case hardened shackle . . . Satin brass finish . . . 1½-inch rustless metal case . . . 2 cylinder keys. Compare this sturdy, rugged lock with others selling for twice as much! Shipping weight, 7 ounces.
9 H 5823..... **55c**



HOW TO MEASURE

Sizes given are from A to B across bottom as shown.

ELGIN Screen Door Check $3.50

Closes door gently but positively. Thumb screw adjustment for slow or fast closing. Gold color bronze finish. Non-freezing liquid dependable. For right or left hand doors. Requires only 3⅝ in. clearance for mounting between screen and entrance doors. With screws.
Shipping weight, 5 pounds.
9 H 6007.....**$3.50**

ELGIN DOOR CHECK Save ⅓ or More

GUARANTEED 5 YEARS. Meets U.S. Government specifications. Powerful helical type spring insures perfect action—thoroughly dependable and smooth-acting. Double set screw adjustment gives proper control. Non-freezing—everlasting fluid. $3.60 Size

Stop slamming doors and protect glass panels. Universal type—for right or left hand doors. Keeps door controlled all the way. Gold color bronze finish. With screws.
9 H 6001—Size 1. For screen or very light inside doors. Shipping weight, 7 pounds 2 ounces..... **$3.60**
9 H 6002—Size 2. For light inside doors up to 7x2½ ft. and 1½ in. thick. Shipping weight, 10 lbs. 10 oz.....**$5.50**
9 H 6003—Size 3. For heavy inside doors up to 7x3 ft. and 1½ in. thick, or light outside doors 7x2½ ft. and 1½ in. thick. Shpg. wt., 12 lbs. 6 oz.....**$6.50**
9 H 6004—Size 4. For extra heavy inside or outside doors up to 7½x3 ft. and 2¼ in. thick. Shpg. wt., 16 lbs. 8 oz...**$8.25**
9 H 6005—Size 5. For outside doors up to 7½x4 ft. and up to 3 in. thick. Shipping weight, 22 lbs. 6 oz..**$10.95**

Ⓐ **Garage Padlock.** Cast brass case, 9-in. nickel plated chain. Size, 2x3 in. Keyhole cover. With 2 keys. Shipping weight, 9 oz.
9 H 5832.... **39c**

Ⓑ **Combination Padlock.** Brass case. Black enameled dial; white numbers. Steel shackle. 3-number combination. 1¾-in. diam. Shpg. wt., 9 oz.
9 H 5850..... **55c**

Ⓒ **Combination Padlock.** Steel shackle. 3-number combination. Rustproof metal case. 1¾-in. diameter. Shipping wt., 7 oz.
9 H 5846....**21c**

Ⓐ **Mail Box Locks.** For RFD mail boxes. Brass case and chain; steel shackle, Size 1½-in. With two keys. Shipping weight, 4 oz.
9 H 5827... **19c**

Ⓑ **Bargain Padlock.** A sturdy, dependable lock at a very low price. 6-lever type. Steel case; size, 2x3 in. 2 keys. Shipping wt., 6 oz.
9 H 5828.....**9c**

Ⓒ **Shell Type Padlock.** Use ¾-in. for dog collars, etc.; 1½-inch for tool boxes, etc. Self-locking. 2 keys. 10c Value.
9 H 5821—¾-inch. **6c**
Shpg. wt., 2 oz.....
9 H 5822—1½-in. **8c**
Shpg. wt., 3 oz.....

Ⓐ **Door Buttons.** Black japanned metal. For window screens, light doors, etc.
9 H 6278—State size.
1½-in. Shipping wt., 5 oz. Per dozen..... **8c**
2-in. Shipping wt., 6 oz. Per dozen..... **9c**

Ⓑ **Door Bell.** Rotary type. No springs, no batteries, no winding. 3½-in. With turn. Dull brass finish. Shipping weight, 1 lb. 2 oz.
9 H 6276..... **59c**

Ⓒ **Ball Bearing Floor Hinges.** Made of steel; strong spring. For double acting doors, 1⅛ to 1¾ inches thick. With screws. Shipping weight, 3 lbs. 2 oz.
9 H 5917 Dull brass finish. Ea. **65c**
9 H 5918 Old copper finish. Ea. **65c**
9 H 5915 Dull bronze finish. Ea. **65c**
9 H 5916 Bright brass finish. Ea **65c**

Ⓓ **Push Plates.** For double acting doors. With screws.
9 H 5965—Plate glass, bevel edge. 3x 12 in. Shpg wt., pair, 2 lbs. Pair **39c**
9 H 5967—Real brass, bevel edge, 2¾x10 in. Dull-brass finish. Shipping weight, pair, 1 lb. 2 oz. Pair..**50c**

Ⓔ **Door Holder.** Holds door in any position. Dull brass finished steel, rubber tipped. 4 inches long. Shipping weight, 5 ounces. **9c**
9 H 6197.....
Ⓕ **Floor Door Stop.** Solid cast brass. Rustproof. Rubber tipped. With screws. 20c value. Shipping weight, 3 ounces.
9H5995—Satin brass.. **10c**
9H5996—Chromium... **15c**
9H5997—Dull bronze.. **12c**

Ⓖ **Base Knob.** Strong; rubber-tipped. Screw attached. Shpg. wt., each, 3 oz.; six, 14 oz.
9 H 5973—Dull brass
9 H 5974—Old copper
9 H 5976—Nickel plated
9 H 5970—Dull bronze
9 H 5977—Bright brass
Each....4c; Six for..... **22c**

Ⓗ **House Numbers.** Cast brass. Will never rust. 3-in. size. With nails. Print numbers wanted. Shpg. wt., each, 2 oz.
9 H 7360—Each number..**5c**

Ⓙ **Key Chain.** Nickel bead chain. Length, open, 5½ in. Shpg. wt., 2 oz. **5c**
9 H 7227—Ea.
Ⓚ **Door Keys.** For mortise door locks. One of the two will usually fit any ordinary inside lock. Shpg. wt., 2 oz.
9 H 7225 2 for..... **5c**

Ⓐ **Mortise Door Bolts.** Brass knob and escutcheon. Rustproof. With screws. Shpg. wt., each, 6 oz.
9 H 5989 Dull brass. Ea... **27c**
9 H 5990 Old copper. Each. **27c**

Ⓑ **Chain Door Guard.** Protection against sneak thieves and intruders. Chain permits door to open only a few inches. Welded twist link steel chain. Dull brass finish. With screws. Shpg. wt., 8 oz.
9 H 5986.... **23c**

Ⓒ **Mortise Flush Bolt.** Brass metal. ¾ inches wide, 6 inches long. With screws. Shipping weight, 8 ounces.
9 H 6021 Dull brass. Ea... **39c**
9 H 6022 Dull bronze. Ea.. **39c**

Ⓓ **Half Round Surface Bolt.** Steel. For French windows and doors opening in or out; right or left hand. With screws. State length.
9 H 6023—Dull brass
9 H 6025—Dull bronze
9 H 6026—Bright brass
Length, 4 in. Shpg. wt., 6 oz. Ea. **17c**
Length, 6 in. Shpg. wt., 8 oz. Ea. **20c**
Length, 9 in. Shpg. wt., 10 oz. Ea. **23c**

Ⓔ **Window Bolt.** A strong fastener for cellar windows. 2½ in. long. Black japanned frame. Extra heavy dull brass finished steel bolt. Shipping weight, 1 ounce.
9 H 6053—Ea. **9c**

Ⓕ **Steel Barrel Bolt.** Dull brass finish. With screws. State length. Shipping weight, each, 5 ounces.
9 H 5982—3-in. Ea. **7c**; 4-in. Ea.. **8c**
Ⓖ **9 H 5981**—Heavy, 6in. long. Cadmium plated. With screws. For garage doors, etc. Shpg. wt., 8 oz. Each. **15c**

Building Special! 12-Mesh Galvanized Sq. Ft. 1-4/5c In 100-Foot Roll

Save on PRO-TEX WIRE SCREEN at Sears
LOW PRICES HELP YOU BUILD NOW!

Government Health Bulletin No. 1153 recommends 16-Mesh wire screen for protection from malaria and disease carrying mosquitoes.

Guaranteed 5 Years 16-MESH GALVANIZED

About 2-1/2c Sq. Ft. In 100-Foot Roll

Save 1/3 at Sears

Guaranteed 5 years. The finest galvanized wire screen ever offered. Small openings to keep out small insect pests, gnats, and malaria carrying mosquitoes which 12 and 14-mesh will not do. Full gauge—to U. S. Government Specifications. Galvanized after weaving with many coats of pure zinc plus an **improved baked-on pigment enameled finish**—highly resistant to rust. Gives double the life of ordinary galvanized wire screen and it costs you less. **So good we guarantee it to give you 5 full years of service in any climate**—with ordinary care it will give many more years of service. State width.

Width, In.	Shpg. Wt., 100 Ft.	99 H 6815 Per Foot	99 H 6816 25-Ft. Roll	99 H 6817 50-Ft. Roll	99 H 6818 100-Ft. Roll
24	31 lbs.	5¾c	$1.37	$2.70	$5.30
26	32 lbs.	6¼c	1.48	2.92	5.75
28	34 lbs.	6¾c	1.60	3.15	6.18
30	36 lbs.	7¼c	1.71	3.38	6.62
32	38 lbs.	7¾c	1.83	3.60	7.07
36	45 lbs.	8½c	2.05	4.05	7.95
42	52 lbs.	10c	2.40	4.73	9.28
48	58 lbs.	11½c	2.74	5.40	10.60

12-MESH GALVANIZED

4-1/5c Sq. Ft. In 100-Foot Roll

Priced lower than many ask for Black. Larger openings than above. Less protection from small insects. State width.

Width, In.	Shpg. Wt., 100 Ft.	99 H 6813 Per Foot	99 H 6813 25-Ft. Roll	99 H 6813 50-Ft. Roll	99 H 6813 100-Ft. Roll
26	22 lbs.	4¼c	$1.02	$2.00	$3.90
28	24 lbs.	4½c	1.10	2.15	4.20
30	26 lbs.	5c	1.18	2.30	4.50
36	26 lbs.	6c	1.40	2.76	5.40

Popular 12-MESH BLACK ENAMELED

7c TO 8c Sq. Ft. In 100-Foot Roll

Low priced. Uniformly woven from full gauge hard drawn steel wires; heavy elastic black enamel finish. Gives good service for small investment, but for lowest cost based on years of service rendered we recommend the use of bronze wire screen. 12-mesh is satisfactory for use in localities not infested with small insects. To keep out small insect pests, gnats, and malaria carrying mosquitoes buy 16-mesh. 12 or 14-mesh will not give this added protection. State width.

Width	24 in.	26 in.	28 in.	30 in.	32 in.	36 in.	42 in.	48 in.
Shpg. wt., 100 Ft.	21 lbs.	24 lbs.	25 lbs.	28 lbs.	30 lbs.	33 lbs.	36 lbs.	43 lbs.
99 H 6805—Per Ft.	3¾c	4c	4¼c	4¾c	5c	5¾c	6½c	7½c
99 H 6806— 25 Ft. Roll.	$0.90	$0.98	$1.05	$1.13	$1.20	$1.35	$1.58	$1.80
99 H 6807— 50 Ft. Roll.	1.75	1.90	2.05	2.19	2.33	2.63	3.06	3.50
99 H 6808—100 Ft. Roll.	3.40	3.68	3.96	4.25	4.53	5.10	5.95	6.80

Clear Built SCREEN FRAMES



Make your own screens! It's easy with these frames! You save money—when you make them yourself. Ready-cut selected kiln dried white Western (Pondosa) pine frames with corner brackets, nails, instructions. Order wire screen as needed above. Use PRO-TEX 16-mesh Bronze for longest service at lowest cost per year.

99 H 6835
99 H 6836
99 H 6837

Screen Door Frame

For openings up to 36x84 inches. Stock: top, ¾x2¾x36 inches; bottom, ¾x5½x36 inches, center, ¾x1⅛x36 inches; sides, ¾x2¾x84 inches. Shipped freight or express. Shipping weight, 12 pounds.

99 HM 6844..... $1.15

Window Screen Frames

Stock, ¾x1⅛ inches. Sides grooved and furnished with strips to slide on for half length frame. Full length screens give best ventilation.

Half Length Window Screen Frames

Cat. No.	For Openings UpTo	Shpg. Wt.	Each
99 H 6835	30x30 inches	3 lbs.	23c
99 H 6836	36x36 inches	4 lbs.	33c
99 H 6837	42x42 inches	4 lbs.	45c

Full Length Window Screen Frames

99 H 6840	36x72 inches	6 lbs.	65c
99 H 6841	42x84 inches	7 lbs.	75c



Adjustable Hardwood Frame Screens

Heavy oiled finish hardwood frame complete with 14-mesh galvanized wire screen. Ruggedly built, sturdily braced.

99 H 6845—State size.

Height, 18 in. Length adjustable 20 to 33 in. Shpg. wt., 3 lbs. ..29c
Height, 24 in. Length adjustable 20 to 33 in. Shpg. wt., 4 lbs... 43c
Height, 24 in. Length adjustable 22 to 37 in. Shpg. wt., 4 lbs... 49c

Guaranteed 25 Years 16-MESH PRO-TEX DE LUXE BRONZE

About 5-1/2c Sq. Ft. In 100-Foot Roll

Save 30% on Sears Best

Guaranteed 25 years. 50% heavier than many offer at about these same prices. Full gauge extra **hard cold drawn golden bronze wire**—uniformly woven. Give double the life of ordinary bronze wire screen. Double the strength of copper wire screen. Has the strength and stiffness of steel yet **is absolutely rust-proof.** Is 16-mesh for greatest protection from small insect pests. At Sears low prices PRO-TEX DeLuxe Bronze gives you the lowest cost per year of service of any screen you can buy.

Width, In.	Shpg. Wt., 100 Ft.	99 H 6825 Per Foot	99 H 6826 25-Ft. Roll	99 H 6827 50-Ft. Roll	99 H 6828 100-Ft. Roll
24	32 lbs.	12c	$2.90	$5.75	$11.30
26	35 lbs.	13c	3.14	6.25	12.25
28	38 lbs.	14c	3.38	6.70	13.20
30	41 lbs.	15c	3.63	7.20	14.10
32	42 lbs.	16c	3.87	7.67	15.05
36	48 lbs.	18c	4.35	8.63	16.95
42	56 lbs.	21c	5.08	10.05	19.80
48	63 lbs.	24c	5.80	11.50	22.60

16-MESH Special BRONZE

About 4-1/5c Sq. Ft. In 100-Foot Roll

Solid bronze screen at lowest possible price. Lighter weight than our Guaranteed PRO-TEX DeLuxe Bronze but equals best quality offered by many. For lowest cost per year of service we recommend PRO-TEX DeLuxe. **State width.**

Width, In.	Shpg. Wt., 100 Ft.	99 H 6823 Per Ft.	99 H 6823 100 Ft.
26	22 lbs.	9¾c	$9.10
28	23 lbs.	10½c	9.80
30	25 lbs.	11¼c	10.50
36	30 lbs.	13½c	12.60

NAIL PRICES REDUCED
TO AID BUILDING CONSTRUCTION!

A Nail for Almost Every Purpose

The value of a nail is in the quality of the wire, shaping of the head and cutting of the point. Sears nails are first-quality in every respect. Prices now reduced. Imported from Germany.

Shipped from Boston or Binghamton, N. Y. Send orders to Boston.

Shipping weight, 100 pounds of nails in keg, 108 pounds. Shipping weight of nails per pound, 1 pound, 4 ounces.

Common Nails—State Size.
For general-purpose use.

Size and Length	32 H 1190 Per Lb.	32 HM 1170 100 Lb. Keg
3d 1¼ in.	5c	$4.25
4d 1½ in.	4½c	3.90
6d 2 in.	4½c	3.70
8d 2½ in.	4c	3.60
10d 3 in.	4c	3.50
12d 3¼ in.	4c	3.45
16d 3½ in.	4c	3.40
20d 4 in.	4c	3.35
30d 4½ in.	4c	3.35
40d 5 in.	4c	3.35
60d 6 in.	4c	3.35

Finishing Nails—State Size.

Size and Length	32 H 1192 Per Lb.	32 HM 1172 100 lb. Keg
4d 1½ in.	5c	$4.55
6d 2 in.	4½c	3.90
8d 2½ in.	4½c	3.75
10d 3 in.	4½c	3.65

Casing Nails—State Size.

Size and Length	32 H 1193 Per Lb.	32 HM 1173 100 lb. Keg
4d 1½ in.	5c	$4.15
6d 2 in.	4½c	3.80
8d 2½ in.	4½c	3.70
10d 3 in.	4½c	3.60

Galvanized Shingle Nails
3d—1¼-Inch
32 H 1195—Per lb. 6½c
32 HM 1175—100-lb. keg. $6.15

Blued Fine Lathing Nails
3d—1⅛-Inch
32 H 1194—Per lb. 6c
32 HM 1174—100-lb. keg. $5.05

Plaster Board Nails
3d—1¼-inch; 5⅛-inch head.
32 H 1200—Per lb. 6c
32 HM 1199—100-lb. keg. $4.70

Flooring Brads—8d—2½-Inch
32 H 1191—Per lb. 4½c
32 HM 1171—100-lb. keg. $3.65

Smooth Box Nails—State Size

Size and Length	32 H 1196 Per Lb.	32 HM 1176 100 lb. Keg
6d 2 in.	4½c	$3.75
8d 2½ in.	4½c	3.65





Steel Rung Fasteners
Ⓐ Permanently fix loose chair rungs. Makes the chair as strong as when new. A time saver for any dowling job. Holds fast. Joints never loosen. Shipping weight, 4 ounces.
9 H 6824—Pkg. of 25... 19c

Numeral Nails
Ⓑ Raised figures. One of each number in set. **State set wanted.** Shipping weight, 2 ounces.
9 H 6850 ..... 5c
Set, 1 to 25 ..... 5c
Set, 26 to 30 ..... 5c

Assorted Tacks
Ⓒ 6 packages of the most useful size. Handy for screens, carpets, etc. Shipping wt., 8 oz.
9 H 6863.. 14c



Screen Staples
Ⓐ Length, ⅜ in. Sharp point. Full weight. Shipping wt., 3 oz.
9 H 6851—Blued steel. ⅛-lb. pkg... 4c
9 H 6852—Copper plated. ⅛-lb. pkg.. 4c
9 H 6872—Blued steel. Length, ½ in. Larger, heavier. ¼-lb. pkg. Shipping weight, 5 ounces 4c

Billposter Tacks
Ⓑ Blued. Heavy cut steel. Large head won't pull through. Sanitary. Shipping weight, ½-lb. package, 9 oz.
9 H 6862—State size.

Size	Lgth., In.	½-lb. Pkg.	12 Pkgs.
4	7/16	8c	83c
6	½	8c	83c
8	9/16	8c	83c
10	⅝	8c	83c

Carpet Tacks
Ⓒ First quality. Blued, sterilized. Flat head. Shipping weight, ¼-lb. package, 5 oz.
9 H 6861—State size.

Size	Lgth.,	¼-lb. Pkg.	12 Pkgs.
3	⅜ in.	4c	43c
4	7/16 in.	4c	43c
6	½ in.	4c	43c
8	9/16 in.	4c	43c

9 H 6870—Solid Copper Tacks. ⅜-in. size. ⅛-lb. pkg. Shipping weight, 3 ounces... 4c



Brads and Nails

Sharp point. Uniform. First quality. Order by the dozen packages for bigger savings. **State size.**

Shpg. wt., pkg., 5 oz.	9H6857 (A) Brads		9H6886 (B) Nails	
Lgth., In.	Gauge Wire	¼-Lb. Pkg.	12 Pkgs.	¼-Lb. Pkg.	12 Pkgs.
½	19	5c	54c	5c	54c
⅝	18	4c	43c	4c	43c
¾	18	4c	43c	4c	43c
⅞	17	4c	43c	4c	43c
1	16	4c	43c	4c	43c
1¼	16	4c	43c	4c	43c

Upholstering Nails
Ⓒ To fasten coverings on furniture, etc.
9 H 6833— Solid brass head. 35 to a pkg. Shpg. wt., 2 oz. 2 packages..... 8c
9 H 6885—Steel, brass plated head. 50 to a pkg. Shpg. wt., 4 oz. 2 packages... 5c
9 H 6879— Steel, enameled. Green, Brown, Tan or Black. State color. 50 to a package. Shpg. wt., 2 oz. 2 packages..... 9c

Corrugated Fasteners
Ⓓ Make secure wood joints. Corrugated steel. Sharp points—drive easily. Divergent; pulls together. For making screen frames, cabinet work and repairing chairs, etc. Won't split wood.
9 H 6855—State size.

Size Inches	Shpg. Wt.,	50 For
⅜x⅞	3 oz.	8c
½x1	4 oz.	8c
⅝x1	4 oz.	8c

'ou Can Buy $20 Worth or More of Building Material on Easy Terms

Fill in This INFORMATION BLANK When Ordering on EASY TERMS

Date_____193__

ame_____

treet Address_____

:ural Route_____ Box No._____
(Please give both Route and Box No., if on a Rural Route.)

:ity_____

tate_____

Figure Your Credit Terms This Easy Way:

DEPOSIT TABLE

Shows least amount to send with order

If Cash Price of Your Order Amounts to:	All You Need to Send With Order is*
$20.00 to $30.00	$3.00
30.01 to 40.00	4.00
40.01 to 60.00	5.00
60.01 to 70.00	6.00
70.01 to 80.00	7.00
80.01 to 90.00	8.00
90.01 to 100.00	9.00
100.01 to 125.00	10.00
125.01 to 150.00	12.50
150.01 to 175.00	15.00
175.01 to 200.00	17.50
200.01 to 225.00	20.00
225.01 to 250.00	22.50
250.01 to 275.00	25.00
275.01 to 300.00	27.50

*This column shows the smallest amount we can accept with your order. However, since the carrying charge and payments (see PAYMENT TABLE at right) are figured on the balance after substracting deposit, it is to your advantage to send as large a deposit as you conveniently can.

PAYMENT TABLE

Shows carrying charge and monthly payment

If Cash Price Less Deposit (Unpaid Balance) Amounts to	We Will Add for Easy Payments	Amount Payable Monthly
Up to $15.00	$1.50	$3.00
$15.01 to 20.00	2.00	3.00
20.01 to 25.00	2.50	4.00
25.01 to 30.00	3.00	5.00
30.01 to 35.00	3.50	5.00
35.01 to 40.00	4.00	5.00
40.01 to 50.00	4.50	5.00
50.01 to 60.00	5.50	6.00
60.01 to 70.00	6.50	7.00
70.01 to 80.00	7.50	7.00
80.01 to 90.00	8.50	8.00
90.01 to 100.00	9.50	9.00
100.01 to 110.00	10.00	9.00
110.01 to 120.00	11.00	10.00
120.01 to 130.00	12.00	10.00
130.01 to 140.00	13.00	11.00
140.01 to 150.00	14.00	11.00
150.01 to 160.00	15.00	11.00
160.01 to 170.00	16.00	12.00
170.01 to 180.00	17.00	12.00
180.01 to 190.00	18.00	13.00
190.01 to 200.00	19.00	14.00
200.01 to 225.00	20.00	15.00
225.01 to 250.00	22.50	16.00
250.01 to 275.00	25.00	17.00

Write for Easy Terms on Purchases over $300.00

Sears, Roebuck and Co. Agreement

You may ship me the Building Material described on opposite side. I agree to make payments according to the following:

1. Deposit of $_____ paid with this order.
2. Monthly payments of $_____ each month, commencing one month after date material is shipped, and continuing until full balance is paid.
3. Title to and right of possession shall remain in you until I have paid in full.
4. I will protect this property, and in the case of transfer of the premises improved under this contract before settlement in full has been made, or upon default of any payments, the entire unpaid balance becomes forthwith due and payable without notice or demand.
5. All parties to this contract shall be jointly and severally liable.
6. Sears, Roebuck and Co. reserve the right to file a Mechanics' lien.

SIGN YOUR NAME HERE_____
(If you do not hold legal title to property, the party who does should sign this agreement with you.)

Sign wife's name in full if title is in husband's name or husband's name in full if title is in wife's name. _____

RENTERS:—If you are renting and want to put material on the property, show our proposition to your landlord and have him sign the order along with you, or if you want the landlord to do the job, show him our proposition.

KINDLY ANSWER FULLY THE FOLLOWING QUESTIONS—They will assist us in handling your order promptly

Do you own the property on which the material will be used?_____ Give description of property as it reads in your deed_____

Name of party holding legal title (the Title Holder)_____

Cost of property, including improvements, $_____ Is property mortgaged?_____ State amount, $_____ Balance unpaid, $_____

Terms of repayment?_____ Name and address of Holder of Mortgage_____

Describe buildings and other improvements on property_____

Explain briefly the nature of remodeling you will do and if you have cash to cover cost of labor_____

Do you own any other property?_____ If so, give value, $_____ Mortgaged?_____

Mention how long you have lived in town where now located_____ If less than five years, give former address_____ State your age____ Are you married?_____

Your occupation or business_____ Are you steadily employed_____ How long in present position?_____

Give name and address of employer_____ Weekly earnings, $_____

Give name and address of Bank you do business with_____

Do you have any income aside from your salary?_____ Did you ever have an installment account with us?_____ If so, give name of article and account number_____

Please write below the names and addresses of two stores with which you have had credit dealings or two business men whom you know. Or, if you prefer, you may send us a letter from your banker recommending this credit.

NAME	ADDRESS	BUSINESS OR OCCUPATION

F8036

Sears, Roebuck and Co. . . . CASH or EASY PAYMENT
BUILDING MATERIAL and LUMBER ESTIMATE or ORDER BLANK

DO NOT WRITE IN THIS SPACE

Date_____ 193__

WHEN SHIPPING **PLEASE MARK ALL PACKAGES** AS FOLLOWS.

Name_____
(First name) (Middle Initial) (Last Name)

Street_____

Postoffice_____

Rural Route_____ Box No._____ State_____
Please give both route and box number if on a rural route.

Shipping Point if different from your Postoffice_____

FREE ESTIMATE SERVICE

Our estimators will furnish to you the Freight Prepaid Total Prices delivered to your station, upon receipt of your itemized lumber and millwork list. They will also advise the kind of wood most suitable for your particular requirements.

HOW TO SEND MONEY

The safest ways to send money are by postoffice money order, express money order, bank draft or personal check. If in a special hurry your money and order may be sent by telegraph. Be sure to give your complete address.

Enclosed please find $_____

If this is a Cash Order check here → ☐
If this is an EASY PAYMENT Order check here and fill in the Information Blank on opposite side of this sheet. ☐
If this is a Freight Prepaid Estimate check here ☐

Please Ship as Checked

Freight ☐ Prepaid Freight ☐

Express ☐

For Freight Classifications and rates on Millwork see white sheet opposite inside back cover.

If there is no freight agent at your station you should send money to prepay freight charges.

IMPORTANT

In ordering framing dimension, state number of pieces wanted. In ordering flooring, sheathing, siding, ceiling, etc., state number of square feet wanted. In ordering moldings, casing base and finished lumber, state number of lineal feet (total length) wanted. In ordering doors, windows, sash and glass, give width first.

No. of Article in Catalog	Quantity		Size	Length	Description, Kind of Wood, Grade and Size	Price		Total Amount	
	Pieces	Feet							

FREIGHT RATES ON BUILDING MATERIAL

Freight charges amount to very little compared with the substantial saving we make you on all millwork, lumber and building material of every description. We ship direct from warehouses and factories located conveniently near you to save you time and money. You get the benefit of lower prices on these items due to savings in handling costs, and in many cases you save considerable on transportation charges because of the shorter shipping distance.

Send Us Your List for Estimate

It's easy to figure what the shipping charges on any millwork order would be from the tables below, but, if you prefer, send us a list of your requirements and we will gladly quote you the delivered price to your town. This service does not obligate you in any way. Don't hesitate to write Sears Personal Service Department on any of your problems, we'll gladly answer any questions you would like to ask about our merchandise, service or transportation.

Freight Is Economical

It's fast and dependable, too. All railroads charge as much for carrying less than 100 pounds as they do for a full 100-pound shipment. On shipments over 100 pounds charges are based on actual weight. And the freight rate you pay is exactly the same no matter who makes the shipment, as freight rates are regulated by the Interstate Commerce Commission and not by the shipper, or by the railroad. *The minimum freight charge is 50 cents.*

Safe Delivery Guaranteed

If there is a freight agent at your station you pay freight charges when shipment is received. *If there isn't a freight agent,* include additional money in your remittance to cover freight charges. If you send too much, we always return the difference.

In case of damage or shortage of any part of your order, have the freight agent make a notation to that effect on your freight bill when you receive the goods. If not discovered until unpacking shipment at home, request agent to call and make an inspection. Ask him to furnish you with a copy of his inspection report and send it together with the freight bill and a letter of explanation to us. If there is no freight agent, simply write us. We make good promptly any damage or shortage.

It's Easy to Figure Freight Charges

Articles usually shipped by freight take different rates because they are packed differently and the risks of damage or perishability differ. For that reason, the rate on bulky articles is different from the rate on compact articles. The tables below offer you a simple method of figuring freight charges.

HOW TO FIGURE FREIGHT CHARGES: If you are ordering merchandise to be shipped from warehouse near Boston or Newark, N. J., first find in the table below the city in which you live or the city nearest you. Then find the rate per 100 pounds to that city for the merchandise in which you are interested, and it will be easy for you to figure the freight charges. For example: You live in or near Westerly, R. I., and order 200 sq. ft. of oak flooring weighing 200 lbs. The rate per 100 pounds on flooring from our store in Boston to Westerly according to table below is 29c. For 200 pounds the freight charges would be 2 times the 100-pound rate, that is, 2x29c which equals 58c, the approximate total freight charge.

ASPHALT ROOFING, SHINGLES, AND BUILDING PAPERS
From Kearny, N. J.

100 Miles	200 Miles	300 Miles	400 Miles
$0.32	$0.40	$0.51	$0.59

(Rates from other cities on Asphalt Roofing, Shingles and Building Paper are approximately same as above.)

TO	Andirons Ash Dumps Ashpit Doors	Eaves Troughs Fireplace Fixtures Lightning Rods Rock Wool	Building Paper Shingles, Asphalt Roofing	Fibre Wallboard	Building Boards Flooring Plywood	Chimney Spark Arrestors Conductor Pipe and Elbows	Coal Chute Zinc, Sheet Medicine Cabinet, Steel	Sound Deadening Felt	Corrugated Roofing Nails, Roofing Roofing, Steel Sheet Steel	Lumber Shingles, Cedar	Breakfast Nooks Cabinets, Flat or K.D. Doors, Glazed Garage Doors Sash, Glazed Plain Glass Glass, Window	Medicine Cabinets, Wooden	Door and Window Frames, K.D. Molding, Unfinished	Sash Weights	Screens, Window and Door	Doors, Paneled
	RATE PER 100 LBS. FROM BOSTON MAIL ORDER HOUSE									RATE PER 100 LBS. FROM FACTORY NEAR BOSTON						
CONNECTICUT																
Bridgeport	$0.49	$0.49	$0.39	$0.49	$0.35	$0.70	$0.60	$0.49	$0.28	$0.35	$0.50	$0.72	$0.50	$0.36	$0.61	$0.50
Hartford	.44	.44	.35	.44	.32	.63	.54	.44	.25	.32	.46	.65	.46	.33	.55	.46
New London	.43	.43	.34	.43	.31	.61	.52	.43	.24	.31	.44	.63	.44	.32	.54	.44
Torrington	.49	.49	.39	.49	.35	.70	.60	.49	.28	.35	.49	.70	.49	.35	.60	.49
MAINE																
Portland	.43	.43	.34	.43	.31	.61	.52	.43	.24	.31	.40	.57	.40	.29	.48	.40
Augusta	.54	.54	.42	.54	.39	.77	.65	.54	.31	.39	.52	.74	.52	.37	.63	.52
Caribou	1.03	1.03	.81	1.03	.74	1.47	1.25	1.03	.59	.74	1.02	1.45	1.02	.73	1.23	1.02
Houlton	.92	.92	.72	.92	.66	1.31	1.11	.92	.52	.66	.90	1.29	.90	.65	1.10	.90
MASSACHUSETTS																
North Adams	.48	.48	.38	.48	.35	.69	.59	.48	.28	.35	.46	.65	.46	.33	.55	.46
Springfield	.41	.41	.32	.41	.30	.59	.50	.41	.24	.30	.41	.59	.41	.30	.50	.41
Worcester	.31	.31	.24	.31	.22	.44	.37	.31	.18	.22	.32	.45	.32	.23	.38	.32
Lowell	.27	.27	.21	.27	.20	.39	.33	.27	.16	.20	.25	.35	.25	.18	.30	.25
Fall River	.32	.32	.25	.32	.23	.45	.38	.32	.18	.23	.40	.57	.40	.29	.48	.40
NEW HAMPSHIRE																
Berlin	.60	.60	.47	.60	.43	.85	.72	.60	.34	.43	.56	.80	.56	.40	.68	.56
Lebanon	.50	.50	.40	.50	.36	.72	.61	.50	.29	.36	.45	.64	.45	.32	.54	.45
Manchester	.35	.35	.28	.35	.25	.50	.43	.35	.20	.25	.25	.36	.25	.18	.31	.25
Rochester	.39	.39	.30	.39	.28	.55	.47	.39	.22	.28	.32	.45	.32	.23	.38	.32
RHODE ISLAND																
Providence	.31	.31	.24	.31	.22	.44	.37	.31	.18	.22	.39	.55	.39	.28	.47	.39
Westerly	.40	.40	.31	.40	.29	.57	.48	.40	.23	.29	.46	.65	.46	.33	.55	.46
Woonsocket	.29	.29	.23	.29	.21	.42	.36	.29	.17	.21	.35	.50	.35	.25	.43	.35
VERMONT																
Montpelier	.60	.60	.47	.60	.43	.86	.73	.60	.34	.43	.55	.78	.55	.39	.66	.55
Burlington	.62	.62	.49	.62	.45	.89	.76	.62	.36	.45	.60	.85	.60	.43	.72	.60
St. Johnsbury	.57	.57	.45	.57	.41	.82	.70	.57	.33	.41	.53	.75	.53	.38	.64	.53
Brattleboro	.44	.44	.35	.44	.32	.63	.54	.44	.25	.32	.44	.63	.44	.32	.54	.44

These Rates were in effect when this catalog was printed and are subject to change without notice.

It's Easy to Order by Mail and Save at Sears

The Special Catalog brings to you a wide selection of Sears highest quality, laboratory tested merchandise at lowest prices . . . backed by Sears famous guarantee of absolute satisfaction or your money back. Because this book is made up mostly of pages taken from our big General Catalog you may find references to pages not included here.

How to Use Your Sears Catalog. Simply select the articles you want and write them down on one of our order blanks—or if you haven't one of our order blanks, any plain piece of paper will do. Tell us the catalog number, quantity desired and the name of each article. Put down the price, and wherever necessary state size and color. Write or print your name and address plainly. Then, enclose your order in an envelope with the proper remittance and mail to Sears. You can write your order in any language.

How to Send Money. The safest and best way to send money is by postoffice or express money order, bank draft, or personal check. The mail carrier will be glad to buy a money order for you if you live on a rural route. Just give him your Sears order and money and he will attend to it for you. The postoffice charge for money orders is 6c for a money order up to $2.50; 8c from $2.51 to $5.00; 11c from $5.01 to $10.00; 13c from $10.01 to $20.00.

Avoid sending cash or postage stamps with orders unless absolutely necessary; and if you do send cash have your letter registered.

If in a Special Hurry, telegraph your order and we will ship it C.O.D. Give your complete address in your telegram.

Terms of Sale. Cash in full with order except on specific items listed on Page 1A, which may also be bought on Easy Terms.

Our Easy Payment Plan is fully explained on Page 1A in front of this catalog. When ordering on Easy Payment Terms, be sure to use one of our Easy Payment Order Blanks.

WE GUARANTEE

- **To Save You Money**
- **To Deliver All Merchandise Safely**
- **To Satisfy You Perfectly**

We Guarantee that every article in this catalog is honestly described and illustrated.

We Guarantee that any article purchased from us will give you the service you have a right to expect. If for any reason whatever you are not satisfied with any article purchased from us, we want you to return it to us at our expense. We will then exchange it for exactly what you want . . . or will return your money, including any transportation charges you have paid.

SEARS, ROEBUCK AND CO.

You Always Get Lowest Prices at Sears. Sears prices save you money and give you greatest value. If during the life of any of our catalogs, our prices are reduced for any reason, your order will be filled at the new lower prices.

Parcel Post Shipments. Be sure to include enough money in your remittance to pay the postage, as parcel post charges must be paid in advance. If you send more than is actually needed, we will return every penny you send over the exact amount required to ship your order.

Freight and Express Shipments. It is not necessary to include the freight or express charges with your order, if there is an agent at your station. You merely pay him when shipment is received. Whether shipped prepaid or collect, the charges are exactly the same. If there is no agent at your station, send enough extra money to prepay the freight or express charges. If you send too much, we always return the difference.

Ask your station agent about direct-to-door delivery on freight orders.

For Mail Orders Only. The extremely low prices in this catalog are for mail orders only. Our retail store prices are usually higher because of transportation charges and other additional costs for extra services necessary to retail store methods of selling.

Important Information Regarding Prices. Should the Federal Government or any State find it necessary to increase by taxes or otherwise the cost or selling price of any of the merchandise described in this catalog, we reserve the right to add any such taxes or other increases of cost or selling price to the prices shown in this catalog.

If you have any questions you would like to ask about any of our merchandise or service, write Sears Personal Service Department. We'll be glad to answer your questions, furnish estimates, give you suggestions or advice on the installation and use of our goods. There will be no obligation or charge for this service. Address your inquiry to

Personal Service Department
SEARS, ROEBUCK AND CO.
and it will receive prompt attention.

Sears, Roebuck and Co.

AT
900
SE17
1928
AVERY LIBRARY
COLUMBIA UNIV